

DSL : 在以太网(PPPoE)配置指南的点对点协议在ASR920

目录

[简介](#)

[先决条件](#)

[要求](#)

[使用的组件](#)

[配置](#)

[客户端配置](#)

[服务器配置](#)

[验证](#)

[故障排除](#)

[相关信息](#)

简介

本文描述步骤配置在以太网(PPPoE)的点对点协议在思科ASR 920聚合作为客户端的服务路由器。

先决条件

要求

思科建议您有端到端第1层连接知识。

使用的组件

本文档中的信息根据思科ASR 920硬件。

本文档中的信息从在特定实验室环境的设备创建，用于本文的所有设备开始与cleared(default)配置。

注意：如果您的网络实际，请保证您了解所有命令潜在影响。

配置

注意：使用[命令查找工具](#) ([仅限注册用户](#)) 可获取有关本部分所使用命令的详细信息。

在路由器的配置紧接是从一个设置(客户端和服务器的)。

客户端配置

它是特定对ASR 920平台。

```
interface GigabitEthernet0/0/1
no ip address
no ip redirects
no ip proxy-arp
ip tcp adjust-mss 1452
speed 1000
no negotiation auto
cdp enable
ip virtual-reassembly
service instance 10 ethernet
encapsulation untagged etype pppoe-all
bridge-domain 10
!
interface Dialer1
ip address negotiated
encapsulation ppp
dialer pool 1
dialer-group 1
ppp authentication pap chap callin
ppp chap hostname cisco
ppp chap password 0 cisco123
ppp pap sent-username cisco password 0 cisco123
end
!
interface BDI10
no ip address
pppoe enable group global
pppoe-client dial-pool-number 1
!
ip route 0.0.0.0 0.0.0.0 Dialer1
```

服务器配置

这在所有情形保持同样，不考虑在客户端使用的平台。

```
username cisco password 0 cisco123
!
bba-group pppoe global
virtual-template 1
!
interface GigabitEthernet0/0
ip address 192.168.1.1 255.255.255.0
ip rip advertise 4
load-interval 30
duplex auto
speed auto
pppoe enable group global
!
interface Virtual-Template1
mtu 1492
```

```
ip unnumbered GigabitEthernet0/0
peer default ip address pool PPPoE_Pool
ppp authentication pap chap
!
ip local pool PPPoE_Pool 10.1.1.1 10.1.1.100
```

验证

使用本部分可确认配置能否正常运行。

这些调试在两启用客户端和服务端：

- Debug ppp negotiation
- Debug ppp authentication
- Debug ppp error
- Debug dialer

客户端日志：

```
*Jul 14 20:23:09.486: ppp13 PPP: Phase is ESTABLISHING
*Jul 14 20:23:09.486: Vi2 PPP: Using dialer call direction
*Jul 14 20:23:09.486: Vi2 PPP: Treating connection as a callout
*Jul 14 20:23:09.486: Vi2 PPP: Session handle[6300000D] Session id[13]
*Jul 14 20:23:09.486: Vi2 LCP: Event[OPEN] State[Initial to Starting]
*Jul 14 20:23:09.486: Vi2 PPP: No remote authentication for call-out
*Jul 14 20:23:09.486: Vi2 LCP: O CONFREQ [Starting] id 1 len 10
*Jul 14 20:23:09.486: Vi2 LCP:   MagicNumber 0xB07C8578 (0x0506B07C8578)
*Jul 14 20:23:09.486: Vi2 LCP: Event[UP] State[Starting to REQsent]
*Jul 14 20:23:09.488: Vi2 LCP: I CONFREQ [REQsent] id 1 len 18
*Jul 14 20:23:09.488: Vi2 LCP:   MRU 1492 (0x010405D4)
*Jul 14 20:23:09.488: Vi2 LCP:   AuthProto PAP (0x0304C023)
*Jul 14 20:23:09.488: Vi2 LCP:   MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 14 20:23:09.488: Vi2 LCP: O CONFNAK [REQsent] id 1 len 8
*Jul 14 20:23:09.488: Vi2 LCP:   MRU 1500 (0x010405DC)
*Jul 14 20:23:09.489: Vi2 LCP: Event[Receive ConfReq-] State[REQsent to REQsent]
*Jul 14 20:23:09.489: Vi2 LCP: I CONFACK [REQsent] id 1 len 10
*Jul 14 20:23:09.489: Vi2 LCP:   MagicNumber 0xB07C8578 (0x0506B07C8578)
*Jul 14 20:23:09.489: Vi2 LCP: Event[Receive ConfAck] State[REQsent to ACKrcvd]
*Jul 14 20:23:09.490: Vi2 LCP: I CONFREQ [ACKrcvd] id 2 len 18
*Jul 14 20:23:09.490: Vi2 LCP:   MRU 1500 (0x010405DC)
*Jul 14 20:23:09.490: Vi2 LCP:   AuthProto PAP (0x0304C023)
*Jul 14 20:23:09.490: Vi2 LCP:   MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 14 20:23:09.490: Vi2 LCP: O CONFACK [ACKrcvd] id 2 len 18
*Jul 14 20:23:09.490: Vi2 LCP:   MRU 1500 (0x010405DC)
*Jul 14 20:23:09.490: Vi2 LCP:   AuthProto PAP (0x0304C023)
*Jul 14 20:23:09.490: Vi2 LCP:   MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 14 20:23:09.490: Vi2 LCP: Event[Receive ConfReq+] State[ACKrcvd to Open]
*Jul 14 20:23:09.499: Vi2 PPP: No authorization without authentication
*Jul 14 20:23:09.499: Vi2 PPP: Phase is AUTHENTICATING, by the peer
*Jul 14 20:23:09.499: Vi2 PAP: Using hostname from interface PAP
*Jul 14 20:23:09.499: Vi2 PAP: Using password from interface PAP
*Jul 14 20:23:09.499: Vi2 PAP: O AUTH-REQ id 1 len 19 from "cisco"
*Jul 14 20:23:09.499: Vi2 LCP: State is Open
*Jul 14 20:23:09.530: Vi2 PAP: I AUTH-ACK id 1 len 5
*Jul 14 20:23:09.530: Vi2 PPP: Phase is FORWARDING, Attempting Forward
*Jul 14 20:23:09.530: Vi2 PPP: Queue IPCP code[1] id[1]
*Jul 14 20:23:09.532: Vi2 PPP: Phase is ESTABLISHING, Finish LCP
*Jul 14 20:23:09.532: Vi2 PPP: Phase is UP
*Jul 14 20:23:09.532: Vi2 IPCP: Protocol configured, start CP. state[Initial]
*Jul 14 20:23:09.532: Vi2 IPCP: Event[OPEN] State[Initial to Starting]
*Jul 14 20:23:09.532: Vi2 IPCP: O CONFREQ [Starting] id 1 len 10
```

```

*Jul 14 20:23:09.532: Vi2 IPCP: Address 0.0.0.0 (0x030600000000)
*Jul 14 20:23:09.532: Vi2 IPCP: Event[UP] State[Starting to REQsent]
*Jul 14 20:23:09.532: Vi2 PPP: Process pending ncp packets
*Jul 14 20:23:09.532: Vi2 IPCP: Redirect packet to Vi2
*Jul 14 20:23:09.532: Vi2 IPCP: I CONFREQ [REQsent] id 1 len 10
*Jul 14 20:23:09.532: Vi2 IPCP: Address 192.168.1.1 (0x0306C0A80101)
*Jul 14 20:23:09.533: Vi2 IPCP: O CONFACK [REQsent] id 1 len 10
*Jul 14 20:23:09.533: Vi2 IPCP: Address 192.168.1.1 (0x0306C0A80101)
*Jul 14 20:23:09.533: Vi2 IPCP: Event[Receive ConfReq+] State[REQsent to ACKsent]
*Jul 14 20:23:09.535: Vi2 IPCP: I CONFNAK [ACKsent] id 1 len 10
*Jul 14 20:23:09.535: Vi2 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 14 20:23:09.535: Vi2 IPCP: O CONFREQ [ACKsent] id 2 len 10
*Jul 14 20:23:09.535: Vi2 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 14 20:23:09.536: Vi2 IPCP: Event[Receive ConfNak/Rej] State[ACKsent to ACKsent]
*Jul 14 20:23:09.537: Vi2 IPCP: I CONFACK [ACKsent] id 2 len 10
*Jul 14 20:23:09.537: Vi2 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 14 20:23:09.537: Vi2 IPCP: Event[Receive ConfAck] State[ACKsent to Open]
*Jul 14 20:23:09.562: Vi2 IPCP: State is Open
*Jul 14 20:23:09.562: Di1 IPCP: Install negotiated IP interface address 10.1.1.1
*Jul 14 20:23:09.565: PPPoE : ipfib_encapstr prepared
*Jul 14 20:23:09.566: Di1 Added to neighbor route AVL tree: topoid 0, address 192.168.1.1
*Jul 14 20:23:09.566: Di1 IPCP: Install route to 192.168.1.1
*Jul 14 20:23:09.567: Vi2 DDR: dialer protocol up
*Jul 14 20:23:09.567: PPPoE : ipfib_encapstr prepared
*Jul 14 20:23:09.567: Di1 DDR: dialer protocol up
*Jul 14 20:23:10.235: %LINEPROTO-5-UPDOWN: Line protocol on Interface Virtual-Access2, changed
state to up Client#sh pppoe session
1 client session

```

Uniq ID	PPPoE	RemMAC	Port	VT	VA	State
	SID	LocMAC			VA-st	Type
N/A	1	a0ec.f9d8.9dd0	BD10	Di1	Vi2	UP
		64f6.9d6e.dd3f			UP	

服务器日志 :

```

* Jul 15 04:41:18.727: ppp1 PPP: Phase is ESTABLISHING
*Jul 15 04:41:18.727: ppp1 PPP: Using vpn set call direction
*Jul 15 04:41:18.727: ppp1 PPP: Treating connection as a callin
*Jul 15 04:41:18.727: ppp1 PPP: Session handle[BF000001] Session id[1]
*Jul 15 04:41:18.727: ppp1 LCP: Event[OPEN] State[Initial to Starting]
*Jul 15 04:41:18.727: ppp1 PPP LCP: Enter passive mode, state[Stopped]
*Jul 15 04:41:18.735: ppp1 LCP: I CONFREQ [Stopped] id 1 len 10
*Jul 15 04:41:18.735: ppp1 LCP: MagicNumber 0xB07C8578 (0x0506B07C8578)
*Jul 15 04:41:18.735: ppp1 LCP: O CONFREQ [Stopped] id 1 len 18
*Jul 15 04:41:18.735: ppp1 LCP: MRU 1492 (0x010405D4)
*Jul 15 04:41:18.735: ppp1 LCP: AuthProto PAP (0x0304C023)
*Jul 15 04:41:18.735: ppp1 LCP: MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 15 04:41:18.735: ppp1 LCP: O CONFACK [Stopped] id 1 len 10
*Jul 15 04:41:18.735: ppp1 LCP: MagicNumber 0xB07C8578 (0x0506B07C8578)
*Jul 15 04:41:18.735: ppp1 LCP: Event[Receive ConfReq+] State[Stopped to ACKsent]
*Jul 15 04:41:18.735: ppp1 LCP: I CONFNAK [ACKsent] id 1 len 8
*Jul 15 04:41:18.735: ppp1 LCP: MRU 1500 (0x010405DC)
*Jul 15 04:41:18.735: ppp1 LCP: O CONFREQ [ACKsent] id 2 len 18
*Jul 15 04:41:18.735: ppp1 LCP: MRU 1500 (0x010405DC)
*Jul 15 04:41:18.735: ppp1 LCP: AuthProto PAP (0x0304C023)
*Jul 15 04:41:18.735: ppp1 LCP: MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 15 04:41:18.735: ppp1 LCP: Event[Receive ConfNak/Rej] State[ACKsent to ACKsent]
*Jul 15 04:41:18.739: ppp1 LCP: I CONFACK [ACKsent] id 2 len 18
*Jul 15 04:41:18.739: ppp1 LCP: MRU 1500 (0x010405DC)
*Jul 15 04:41:18.739: ppp1 LCP: AuthProto PAP (0x0304C023)
*Jul 15 04:41:18.739: ppp1 LCP: MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 15 04:41:18.739: ppp1 LCP: Event[Receive ConfAck] State[ACKsent to Open]
*Jul 15 04:41:18.747: ppp1 PPP: Queue PAP code[1] id[1]

```

```

*Jul 15 04:41:18.763: ppp1 PPP: Phase is AUTHENTICATING, by this end
*Jul 15 04:41:18.763: ppp1 PAP: Redirect packet to ppp1
*Jul 15 04:41:18.763: ppp1 PAP: I AUTH-REQ id 1 len 19 from "cisco"
*Jul 15 04:41:18.763: ppp1 PAP: Authenticating peer cisco
*Jul 15 04:41:18.763: ppp1 PPP: Phase is FORWARDING, Attempting Forward
*Jul 15 04:41:18.763: ppp1 LCP: State is Open
*Jul 15 04:41:18.763: ppp1 PPP: Phase is AUTHENTICATING, Unauthenticated User
*Jul 15 04:41:18.763: ppp1 PPP: Sent PAP LOGIN Request
*Jul 15 04:41:18.763: ppp1 PPP: Received LOGIN Response PASS
*Jul 15 04:41:18.763: ppp1 IPCP: Authorizing CP
*Jul 15 04:41:18.763: ppp1 IPCP: CP stalled on event[Authorize CP]
*Jul 15 04:41:18.763: ppp1 IPCP: CP unstall
*Jul 15 04:41:18.763: ppp1 PPP: Phase is FORWARDING, Attempting Forward
*Jul 15 04:41:18.775: Vi1.1 PPP: Phase is AUTHENTICATING, Authenticated User
*Jul 15 04:41:18.775: Vi1.1 PAP: O AUTH-ACK id 1 len 5
*Jul 15 04:41:18.775: Vi1.1 PPP: Phase is UP
*Jul 15 04:41:18.775: Vi1.1 IPCP: Protocol configured, start CP. state[Initial]
*Jul 15 04:41:18.775: Vi1.1 IPCP: Event[OPEN] State[Initial to Starting]
*Jul 15 04:41:18.775: Vi1.1 IPCP: O CONFREQ [Starting] id 1 len 10
*Jul 15 04:41:18.775: Vi1.1 IPCP: Address 192.168.1.1 (0x0306C0A80101)
*Jul 15 04:41:18.779: Vi1.1 IPCP: Event[UP] State[Starting to REQsent]
*Jul 15 04:41:18.779: Vi1.1 IPCP: I CONFREQ [REQsent] id 1 len 10
*Jul 15 04:41:18.779: Vi1.1 IPCP: Address 0.0.0.0 (0x030600000000)
*Jul 15 04:41:18.783: Vi1.1 IPCP AUTHOR: Start. Her address 0.0.0.0, we want 0.0.0.0
*Jul 15 04:41:18.783: Vi1.1 IPCP AUTHOR: Done. Her address 0.0.0.0, we want 0.0.0.0
*Jul 15 04:41:18.783: Vi1.1 IPCP: Pool returned 10.1.1.1
*Jul 15 04:41:18.783: Vi1.1 IPCP: O CONFNAK [REQsent] id 1 len 10
*Jul 15 04:41:18.783: Vi1.1 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 15 04:41:18.783: Vi1.1 IPCP: Event[Receive ConfReq-] State[REQsent to REQsent]
*Jul 15 04:41:18.783: Vi1.1 IPCP: I CONFACK [REQsent] id 1 len 10
*Jul 15 04:41:18.783: Vi1.1 IPCP: Address 192.168.1.1 (0x0306C0A80101)
*Jul 15 04:41:18.783: Vi1.1 IPCP: Event[Receive ConfAck] State[REQsent to ACKrcvd]
*Jul 15 04:41:18.783: Vi1.1 IPCP: I CONFREQ [ACKrcvd] id 2 len 10
*Jul 15 04:41:18.783: Vi1.1 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 15 04:41:18.783: Vi1.1 IPCP: O CONFACK [ACKrcvd] id 2 len 10
*Jul 15 04:41:18.783: Vi1.1 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 15 04:41:18.783: Vi1.1 IPCP: Event[Receive ConfReq+] State[ACKrcvd to Open]
*Jul 15 04:41:18.795: Vi1.1 IPCP: State is Open
*Jul 15 04:41:18.795: Vi1.1 Added to neighbor route AVL tree: topoid 0, address 10.1.1.1
*Jul 15 04:41:18.795: Vi1.1 IPCP: Install route to 10.1.1.1 Server#show pppoe session
1 session in LOCALLY_TERMINATED (PTA) State
1 session total

```

Uniq ID	PPPoE SID	RemMAC LocMAC	Port	VT	VA VA-st	State Type
1	1	64f6.9d6e.dd3f a0ec.f9d8.9dd0	Gi0/0	1	Vi1.1	PTA UP

故障排除

本部分提供的信息可用于对配置进行故障排除。

遵从标准的[Ppp故障排除步骤](#)。

注意：如果BDI接口没有配置，并且PPPoE客户端配置在千兆以太网接口应用，您看到PPPoE会话不被设立并且显示此错误消息。

```

padi timer expired
Sending PADI: Interface = GigabitEthernet0/0/1

```

相关信息

- [配置PPPoE客户端](#)
- [PPP over Ethernet客户端](#)
- [技术支持和文档 - Cisco Systems](#)