SplunkWeb UI访问失败，出现“意外情况”

适用范围

Splunk企业

描述

SplunkWeb UI访问失败，并显示以下消息

```
"The server encountered an unexpected condition which prevented it from fulfilling the
request. Click here to return to Splunk homepage"
```

调查

$SPLUNK_HOME/var/log/splunk/web_service.log中报告了以下错误

```
2019-09-10 07:25:58,388 INFO [5d7741f661397e0ba470] error:323 - HEAD /favicon.ico 127.0.
8065
2019-09-10 07:25:58,390 INFO [5d7741f661397e0ba470] error:324 - 500 Internal Server Erro
The server encountered an unexpected condition which prevented it from fulfilling the re
2019-09-10 07:25:58,390 ERROR [5d7741f661397e0ba470] error:325 - Traceback (most recent
File "S:\Program Files\Splunk\Python-2.7\Lib\site-packages\cherrypy\_cprequest.py", line
self.hooks.run('before_request_body')
File "S:\Program Files\Splunk\Python-2.7\Lib\site-packages\cherrypy\_cprequest.py", line
hook()
File "S:\Program Files\Splunk\Python-2.7\Lib\site-packages\cherrypy\_cprequest.py", line
return self.callback(**self.kwargs)
File "S:\Program Files\Splunk\Python-2.7\Lib\site-packages\cherrypy\lib\sessions.py", li
timeout=timeout, domain=domain, secure=secure, httponly=httponly)
File "S:\Program Files\Splunk\Python-2.7\Lib\site-packages\cherrypy\lib\sessions.py", li
cookie[name]['expires'] = http.HTTPDate(time.time() + timeout)
TypeError: unsupported operand type(s) for +: 'float' and 'str'
```

验证是否已将字符串设置为web.conf中的其中一个超时值
<#root>

```
$SPLUNK_HOME/bin/splunk btool web list settings
```

```
[settings]
busyKeepAliveIdleTimeout = 12
keepAliveIdleTimeout = 7200
response.timeout = 7200
splunkdConnectionTimeout = 30
tools.sessions.timeout = 60
ui_inactivity_timeout = 60
```

以上是默认设置，但是如果有任何更改为一个字符串（例如，tools.sessions.timeout = 1h），则恢复为默认值并验证问题是否仍然存在。

分辨率

如果所有超时值均有效，一个可能的解决方法是修改sessions.py以显式设置最大老化时间。

<#root>

$SPLUNK_HOME/lib/python2.7/site-packages/cherrypy/lib/sessions.py

更改以下内容：

```
# We'd like to use the "max-age" param as indicated in
    # http://www.faqs.org/rfcs/rfc2109.html but IE doesn't
    # save it to disk and the session is lost if people close
    # the browser. So we have to use the old "expires" ... sigh ...
##    cookie[name]['max-age'] = timeout * 60
    if timeout:
        #cookie[name]['expires'] = http.HTTPDate(time.time() + (timeout * 60))
        # Replace Cherrypy's version of this so that cookies alwasy last for
        # 24 hours by default - Setting them to 1 hour causes problems for IE
        # users who's clocks are off from the server
        timeout = timeout * 60 # convert to seconds
        if timeout < 86400:
            timeout = 86400 # Cookies last at least 24 hours
        try:
                cookie[name]['expires'] = http.HTTPDate(time.time() + timeout)
        except TypeError:
                raise AssertionError("HTTPDate error, timeout=%s not set." % timeout)
```

执行此更改：

```
# http://www.faqs.org/rfcs/rfc2109.html but IE doesn't
# save it to disk and the session is lost if people close
```

```
# the browser. So we have to use the old "expires" ... sigh ...
## cookie[name]['max-age'] = timeout * 60
cookie[name]['max-age'] = 86400
###   if timeout:
        #cookie[name]['expires'] = http.HTTPDate(time.time() + (timeout * 60))
        # Replace Cherrypy's version of this so that cookies alwasy last for
        # 24 hours by default - Setting them to 1 hour causes problems for IE
        # users who's clocks are off from the server
###       timeout = timeout * 60 # convert to seconds
###       if timeout < 86400:
###           timeout = 86400 # Cookies last at least 24 hours
###       cookie[name]['expires'] = http.HTTPDate(time.time() + timeout)
```

然后重新启动Splunk

关于此翻译
思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。