

Splunk 8.0升级后无法加载Splunk Web GUI。

适用范围

Splunk企业

描述

- NOTE:要安装Upgrade Readiness App，必须已安装Splunk Enterprise 7.1、7.2或7.3版本以及应用或加载项。如果已升级到8.0，则无法安装此应用。
- 在大多数情况下，管理员可能忽略了升级到8.0的升级先决条件。其中一个先决条件就是运行以下网址上提供的升级准备工具：

调查

Splunk平台升级就绪应用是一个工具，用于协助您在Python 2和Python 3之间进行过渡。即使您的部署通过所有检查，您仍需要独立测试您的专用和自定义应用以及加载项的不兼容性。

- 如果任何应用都有CherryPy终端，则整个Web UI在升级到8.0后不会加载。
- 如果任何应用具有Mako模板或高级XML，则升级到8.0时不会加载某些特定应用的视图。
- 这仅适用于UI。其他Python脚本可以正常工作，但建议迁移到双兼容Python 2-3的Python。
- 请使用专为此而设计的就绪应用。它应识别web.conf中定义的所有CherryPy终端。如果应用正在使用CherryPy（也称Web UI不会加载），且未在web.conf中定义终端，则就绪应用尚无法检测到该终端。

*检查日志，特别是web_service.log和splunkd.log，了解与该问题相关的消息。

分辨率

检查日志，特别是web_service.log，查找与Python 3不兼容的应用，并移动或删除应用。最后，重新启动Splunk。

web_service.log的屏幕截图示例：

```

File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 28, in helper
    return f(*a, **kw)
File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 448, in getInstalledModules
    mods = self.getModuleList(root)
File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 37, in helper
    return f(*a, **kw)
File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 223, in getModuleList
    mod = __import__(modname)
File "/opt/splunk/etc/apps/SA-VMNetAppUtils/appserver/modules/SOLNSearchSwapper/SOLNSearchSwapper.py", line 16
    owner = 'nobody'
    ^
TabError: inconsistent use of tabs and spaces in indentation
2019-10-27 11:16:26,140 INFO [5db5def9dd7f860cc91f50] __init__:174 - Using default logging config file: /opt/splunk/etc/log.cfg
2019-10-27 11:16:26,141 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk level=INFO
2019-10-27 11:16:26,141 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.appserver level=INFO
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.appserver.controllers level=INFO
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.appserver.controllers.proxy level=INFO
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.appserver.lib level=WARN
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.pdfgen level=INFO
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.archiver_restoration level=INFO
2019-10-27 11:16:26,532 ERROR [5db5def9dd7f860cc91f50] root:769 - Unable to start splunkweb
2019-10-27 11:16:26,532 ERROR [5db5def9dd7f860cc91f50] root:770 - inconsistent use of tabs and spaces in indentation
(SOLNSearchSwapper.py, line 16)
Traceback (most recent call last):
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/root.py", line 132, in <module>
    from splunk.appserver.mrsparkle.controllers.top import TopController
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/controllers/top.py", line 27, in <module>
    from splunk.appserver.mrsparkle.controllers.admin import AdminController
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/controllers/admin.py", line 25, in <module>
    from splunk.appserver.mrsparkle.controllers.appinstall import AppInstallController
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/controllers/appinstall.py", line 22, in <module>
    from splunk.appserver.mrsparkle.lib import module
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 465, in <module>
    moduleMapper = ModuleMapper()
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 83, in __init__
    self.installedModules = self.getInstalledModules()
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 28, in helper
    return f(*a, **kw)
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 448, in getInstalledModules
    mods = self.getModuleList(root)
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 37, in helper
    return f(*a, **kw)
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 223, in getModuleList
    mod = __import__(modname)
  File "/opt/splunk/etc/apps/SA-VMNetAppUtils/appserver/modules/SOLNSearchSwapper/SOLNSearchSwapper.py", line 16
    owner = 'nobody'
    ^
TabError: inconsistent use of tabs and spaces in indentation
2019-10-27 11:27:11,006 INFO [5db5e17ec17fd051661150] __init__:174 - Using default logging config file: /opt/splunk/etc/log.cfg
2019-10-27 11:27:11,007 INFO [5db5e17ec17fd051661150] __init__:212 - Setting logger=splunk level=INFO

```

Delete

相关链接

[关于Splunk平台升级就绪应用](#)

关于此翻译

思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。