

如何设置在ESA和茨雷斯岛的多公司徽标？

目录

[简介](#)

[如何设置在ESA和茨雷斯岛的多公司徽标？](#)

[ESA配置](#)

[茨雷斯岛配置](#)

简介

本文描述如何设置与使用的多个品牌新特性AsyncOS 7.0和思科注册的信封服务(茨雷斯岛)。

如何设置在ESA和茨雷斯岛的多公司徽标？

ESA配置

1. 创建在ESA的一新的茨雷斯岛加密配置文件。

Edit Encryption Envelope Profile

Encryption Profile Settings	
Profile Name:	Encrypt02
Key Server Settings	
Key Service Type:	Cisco Registered Envelope Service
Proxy:	A proxy server is not currently configured.
Cisco Registered Envelope Service URL:	https://res.cisco.com
Envelope Settings	
Example Envelope	
Envelope Message Security:	<input type="radio"/> High Security <i>Recipient must enter a password to open the encrypted message, even if credentials are cached ("Remember Me" selected).</i>
	<input checked="" type="radio"/> Medium Security <i>No password entry required if recipient credentials are cached ("Remember Me" selected).</i>
Logo Link:	<input checked="" type="radio"/> No link
	<input type="radio"/> Custom link URL: <input type="text"/> <i>By defining a URL, the logo in the upper left corner of the recipient envelope will become a link (example: http://www.mycompany.com/).</i>
Read Receipts:	<input checked="" type="checkbox"/> Enable Read Receipts
Advanced	Advanced envelope settings.
Message Settings	

2. 在这种情况下，已经有呼叫Encrypt01的配置文件，因此新配置文件呼叫Encrypt02。中等安全为此品牌设置。并且，将使用一个不同的通知文本。对于此，请添加一种新的文本资源。

Add Text Resource

Text Resource	
Name:	<input type="text" value="Encrypt02"/>
Type:	Encryption Notification Template (HTML) ▼
Text:	<p>This field accepts HTML, but will not validate it. It is recommended you modify or write HTML in another editor.</p> <pre><tr> <td>&nbsp;&nbsp;&nbsp;</td> </tr> <tr> <th style="font-family:Verdana,sans-serif;font-weight:700; font-size:10pt;text-align:left;color:#333333"> You have received a secure message from my other brand; </th> </tr> <tr> <td style="border-top:1px solid black">&nbsp;&nbsp;&nbsp;</td> </tr> <tr> <td style="font-family:Verdana,sans-serif;font-size:8pt;</pre>
Preview Text	

3. 添加此到加密配置文件。

Message Settings	
Example Message	
End-User Controls:	<input checked="" type="checkbox"/> Enable Secure Reply All <input type="checkbox"/> Enable Secure Message Forwarding
Notification Settings	
Encrypted Message HTML Notification:	<input type="text" value="Encrypt02"/> Preview Message <small>(see Mail Policies > Text Resources > Encryption Notification Template - HTML)</small>
Encrypted Message Text Notification:	System Generated Preview Message <small>(see Mail Policies > Text Resources > Encryption Notification Template - Text)</small>
Encryption Failure Notification:	Message Subject: <input type="text" value="[[ENCRYPTION FAILURE]]"/> Message Body: System Generated Preview Message <small>(see Mail Policies > Text Resources > DSN Bounce and Encryption Failure Notification Template)</small>
<input type="button" value="Cancel"/>	
<input type="button" value="Submit"/>	

4. 设置新配置文件。

IronPort Email Encryption Settings

Info			
Cisco Registered Envelope Service "Encrypt02" was successfully provisioned.			
Email Encryption Global Settings			
IronPort Email Encryption:	Enabled		
Proxy Server (optional):	Not Configured		
<input type="button" value="Edit Settings..."/>			
Email Encryption Profiles			
<input type="button" value="Add Encryption Profile..."/>			
Profile	Key Service	Provision Status	Delete
Encrypt01	Cisco Registered Envelope Service	Provisioned <input type="button" value="Re-provision"/>	
Encrypt02	Cisco Registered Envelope Service	Provisioned <input type="button" value="Re-provision"/>	
PXE Engine Updates			
Type	Last Update	Current Version	
PXE Engine	21 Jan 2010 21:39 (GMT)	6.7.1-003	
Domain Mappings File	Never updated	1.0.0	
<input type="button" value="Update Now"/>			

5. 添加一个流出的内容过滤器使用新的加密配置文件。



6. 提交并且确认更改。

茨雷斯岛配置

1. 请使用茨雷斯岛管理员ID为了添加镜像关联与新的ESA加密配置文件。 此处信封配置文件名称必须是相同的象在ESA的加密配置文件。



2. 当您通过新的内容过滤器时传送信息收件人接收新的通知文本和一个信封有新的徽标的(显示此处， A在左顶部角落)。

You have received a secure message from my other brand

Read your secure message by opening the attachment, **securedoc.html**. You will be prompted to open (view) the file or save (download) it to your computer. For best results, save the file first, then open it in a Web browser. To access from a mobile device, forward this message to mobils@res.cisco.com to receive a mobile login URL.

If you have concerns about the validity of this message, contact the sender directly.

First time users - will need to register after opening the attachment. For more information, click the following Help link.

Help - <https://res.cisco.com/websafe/help?topic=RegEnvelope>

About Cisco Registered Email Service - <https://res.cisco.com/websafe/about>



From: Dave Miller <Dave@ironport.eu>
To: davmill2@cisco.com
Subject: other brand
Password: No password required.

Personal Security Phrase:
Your personal phrase is not enabled on this computer.
[More info](#)

OPEN

[Select a different address](#)
If you experience problems opening this message, try to [Open Online](#)

Cisco Registered Envelope Service



© 2000-2009 Cisco Systems Inc. All rights reserved.

注

意信封显示密码没有要求，当消息安全设置为介质，并且您已经输入您的密码并且以前设置记住我Cookie。新的徽标也出现在打开的信封，但是不在安全回复，应答所有或者转发屏幕。



Secured Message

[Reply](#) [ReplyAll](#)

From: Dave Miller <Dave@ironport.eu>
To: davmill2@cisco.com
Date: January 28, 2010 3:50:24 PM GMT
Subject: other brand

3. 注册过程依然是思科标记了。切记茨雷斯岛用户向思科登记，不与发送他们他们的第一茨雷斯岛安全电子邮件的公司。它是记住的重要差异。