

报告和跟踪数据保持扩展的ESA

目录

[简介](#)

[先决条件](#)

[报告数据](#)

[跟踪数据](#)

[相关信息](#)

简介

本文描述如何增加在思科电子邮件安全工具(ESA)的允许报告的和跟踪的数据保持为了数据重叠。

先决条件

Cisco 建议您了解以下主题：

- 思科ESA
- 思科内容安全管理设备(SMA)

报告数据

当SMA是脱机或不可得到的时，ESA开始排队报告数据。默认情况下ESA保留100个文件，其中每一有一15分钟持续时间的。本质上，ESA保留数据为当前1,500分钟(15 x 100)，相当于25个小时。如果SMA发生故障30个小时，则您丢失报告的数据为前5个小时(30个小时- 25个小时)。

在本例中请使用信息为了增加在ESA保留文件的数量：

```
example.com> reportingconfig
```

```
Choose the operation you want to perform:
```

- MAILSETUP - Configure reporting for the ESA.
- MODE - Enable centralized or local reporting for the ESA.

```
[> mailsetup
```

```
SenderBase timeout used by the web interface: 2 seconds
```

```
Sender Reputation Multiplier: 3
```

```
The current level of reporting data recording is: unlimited
```

```
No custom second level domains are defined.
```

```
Legacy mailflow report: Disabled
```

```
Choose the operation you want to perform:
```

- SENDERBASE - Configure SenderBase timeout for the web interface.
- MULTIPLIER - Configure Sender Reputation Multiplier.
- COUNTERS - Limit counters recorded by the reporting system.
- THROTTLING - Limit unique hosts tracked for rejected connection reporting.
- TLD - Add customer specific domains for reporting rollup.
- STORAGE - How long centralized reporting data will be stored on the C-series before being overwritten.

```
- LEGACY - Configure legacy mailflow report.  
[ ]> storage
```

While in centralized mode the C-series will store reporting data for the M-series to collect. If the M-series does not collect that data then eventually the C-series will begin to overwrite the oldest data with new data.

```
A maximum of 24 hours of reporting data will be stored.  
How many hours of reporting data should be stored before data loss?  
[24]> 30
```

跟踪数据

同样地，当SMA是脱机或不可得到的时，ESA开始排队跟踪数据。ESA保留60个文件，其中每一有一三分钟持续时间的。所以，ESA保留数据为过去180分钟(60 x 3)。没有从ESA大于三个小时获取并且的任何跟踪数据丢失。

在本例中请使用信息为了增加跟踪文件最大：

```
example.com> trackingconfig
```

```
Choose the operation you want to perform:  
- MODE - Set whether tracking is run on box or centralized.  
[ ]> storage
```

While in centralized mode the C-series will store tracking data for the M-series to collect. If the M-series does not collect that data then eventually the C-series will begin to overwrite the oldest data with new data.

```
A maximum of 60 files are presently stored. This means a maximum of 3 hours  
will be stored, though depending on load that time may be smaller.  
How many files should be stored before data loss?  
[60]> 500
```

相关信息

- [电子邮件安全用户指南的AsyncOS](#)
- [技术支持和文档 - Cisco Systems](#)