

# 如何解压缩从存档mbox的一电子邮件注册电子邮件安全工具？

## 目录

### [简介](#)

### [如何解压缩从存档mbox的一电子邮件注册ESA？](#)

### [相关信息](#)

## 简介

本文描述如何解压缩从电子邮件安全工具创建的归档日志的一电子邮件(ESA)。

## 如何解压缩从存档mbox的电子邮件注册ESA？

1. 检索您会解压缩电子邮件从的存档mbox日志。 如何获取存档mbox是可用的在提供的 [条款](#)。  
(<https://www.cisco.com/c/en/us/support/docs/security/email-security-appliance/118315-technote-esa-00.html>)
2. 使用文本编辑，打开归档文件。使用 *Notepad++*，下面的示例显示。
3. 识别您希望解压缩在归档日志外面的电子邮件。每电子邮件在存档将开始与从<address>。
4. 复制单个电子邮件的内容到一个新的文本文件并且保存它作为 .eml 分机。
5. 打开在您的邮件客户端的解压缩的电子邮件，例如Outlook查看内容。

**Note:** 存档mbox日志可能包含多电子邮件。

示例在归档日志内的电子邮件来源：

1 2 3 4 5 7

```
From test1@cisco.com Mon Jan 15 08:31:54 2018
X-IronPort-RCPT-TO: test2@cisco.com
Authentication-Results: ironport.example.com; spf=None
smtp.pra=test1@cisco.com; spf=SoftFail smtp.mailfrom=test1
@cisco.com; spf=None smtp.helo=postmaster@L1B1VARG-6622F
Received-SPF: None (ironport.example.com: no sender authenticity
information available from domain of test1@cisco.com)
identity-pra; client-ip=10.196.112.18;
receiver=ironport.example.com;
envelope-from="test1@cisco.com"; x-sender="test1@cisco.com";
x-conformance-sidf_compatible
Received-SPF: SoftFail (ironport.example.com: domain of
test1@cisco.com is inclined to not designate 10.196.112.18 as
permitted sender) identity-mailfrom; client-ip=10.196.112.18;
receiver=ironport.example.com;
envelope-from="test1@cisco.com"; x-sender="test1@cisco.com";
x-conformance-sidf_compatible; x-record-type="v-spf1"
Received-SPF: None (ironport.example.com: no sender authenticity
information available from domain of
postmaster@L1B1VARG-6622F) identity-helo;
client-ip=10.196.112.18; receiver=ironport.example.com;
envelope-from="test1@cisco.com";
x-sender="postmaster@L1B1VARG-6622F";
x-conformance-sidf_compatible
Received: from unknown (HELO L1B1VARG-6622F) [10.196.112.18]
by ironport.example.com with ESMTP; 15 Jan 2018 08:31:54 +0530
MIME-Version: 1.0
From: test1@cisco.com
To: test2@cisco.com
Date: 15 Jan 2018 11:16:23 +0530
Subject: Test archive filter
Content-Type: multipart/mixed; boundary="--boundary_0_
05c6bfa8-119c-40df-b0e9-917b1ffc110e
```

```
-----boundary_0_05c6bfa8-119c-40df-b0e9-917b1ffc110e
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: quoted-printable
```

This is a test email. Please ignore. Or don't.

```
-----boundary_0_05c6bfa8-119c-40df-b0e9-917b1ffc110e
Content-Type: application/octet-stream; name=onward.pdf
Content-Transfer-Encoding: base64
```


```
Q29udGVudC10eXB1018tdRkx0aXBhcnQvcvV0YXR12DaNC1B1b3V0PyeT91LS0tLT1
fThV4
dFBhcnRf00cw0Tcx040Mz0wMj0xMD12NT11DQpYLU1zLzJNaW110LB0cnV1DQpYLU01
z2zJN
aW11LUNnaWVudC17B0JtaXQtVU1t2TogTW9uLCAwOCBKYW4gMjAxOC0xMz0yMDowKSA=
tM0w
```

```

kItqV
S301TK400ytc03huqkJDQ0NH80VFSXEraStFcTN10GRt0Xc9C1Y1Q3110GNPaZVPd3Z
ubzFS
DQ03NFVn8NNeWa19G9EhbHfCV1hRcXNaV0dtVGJ4Sn1LUNNEWJ8zS1Qw005L8K1tYWN
xYjdN
aF1b0FE9ckJBNKEvbGdxaXdbqnc3VGH1SkkySVNTNhdDd25L53V1d1BtRJA0V3RQRnV
TVV2p
SFhEz3NkZ2doaEJ0Q31EK01YezdaNcp0d08YQ2YNCJ21ZU9Hb3ezazBae0d3SR1n6Wa
y8a75
V016R1R0MEpZwVU3S7hBNGdR0sd2W2nh02EkevR0JN7y90N09oaaz22SKN4eFF1cXJ67hp
zUnIN
cJjY22g371V5c1ZV8GorQaR02TK0REaQ1hX110M058V1pL5StwR1dJN1p6cFFx7RE
BR0VP
RULJ5V1T7Xkvbns8pbF2R11kYsh1bnkN0Cax0M01K71p8a3N0029xa2x2MjFo8G1n7Hp
n8Kax
TV2td01T5VAJ2F1H80N3ZERwgaeybctx0EyyQjdMeCayLz4d73V1M01Dsk1H0z2ANcd
1T2cz
8a42N1p300xyd18aY2N2709HhJ0cPhJbkQ1QkFna2bCgkNDQ09vSXYaeUhaaGNL1J
LY2Va
72cTa1VvQXVNE50M4Q1WFc9CaFMjhnY0pQ2dk0GtvYzVX4BBqa0RDY1QweG43N1V
nb1qy
S2UyZ3B08ndEdWpa2k2b0nFw8zJaMnF1Ma04a08v8zBfc0x2VaE3d0kNC1dYH01QMj2
RntD
d01pZjA5a8DUNGtNTzNPNKR0zdzrYzhV73F1VEpLQ04FR0VJSU110a23VnpQmLaQ0P
KozdJ
SUX171N4KcawRD0NcaJLL0VgRvfyZDjuYaAydU5w7G1aMGP1Q0NYVUxKcPh0G9Q1J
V5jfo
dE40YnU1b3F0SKZ1bVpE7Xh2K1RkbFy1Vz10rjR4b6wyb1YNCjQwTjBhM0x1b01R02c
2N3B0
NE9YWTN0cKN2M1p0C0M2bdQa0Z2P0caJm1RM028K22hoGkJDQ0NTL0J2N0Kva0x
DT1hY
QjF1dzc0Cn1FN0pVYz21dF1R0VFn22hoGkJDeUJQ0W2v2mp0N211cDVAeV11ZaxuqkJ
DQ0NH
R0VPTe1wL1B0THV12aNOZn2xd11te04vcK1CQK0N0C0N0R0VFR0aJV191ZEx12M21R2R
KN1Fr
dJy0VFRZ2doaEJ0Q32vWTN1c8B00Wdna2bCgkNDQ09vS01J5V00wS01JWVFS0WdnaEw
0YVgN
CaMwS01JWVFR0Wdna0VM0HdJazRJSV1R0VFn22hoZ8d2MH0SK1ZUNFRZ2doaEp8Mhc
4c2VJ
WVFR0WdnaGhCRH12bae1SjR0VFn22gh0CahCgkNY23d2NTR0VFn22hoGkJDeU12aDV
ad1FR
Z2doaEJ0Q0NTa3h2Snd0UWdna2bCgkNDQ09V2aHB0e1Fn22hoGkJDQ0NTa3haQaKNC1R
n32bo
qkJDQ0NH0X2CaGvE22toaeJ0Q0NDR0Vz0a25Z10VMY0r2z8yanVz00o2ckf6Q0f88Wx
GUGt7
dVFTQ0M0c10TL50tLT1f7hV4dFBhcnRf0DcwoTcaM40HzUwMjUaMDI2NT11LQ0K
---boundary_0_05e4bfca0-119c-40df-b0e9-917b1ffc118e--

```

在Outlook解压缩和打开的示例电子邮件：



## 相关信息

- [思科电子邮件安全工具-最终用户指南](#)
- [技术支持和文档 - Cisco Systems](#)
- [什么是UNIX mbox \(邮箱\)格式？](#)
- [日志在哪里如何存储在思科电子邮件安全工具\(ESA\)，并且访问他们？](#)
- [如何归档在电子邮件安全工具\(ESA\)的电子邮件](#)