

使用与自签证书的主模式配置在路由器和ASA之间的Easy VPN通道

目录

[简介](#)

[先决条件](#)

[要求](#)

[使用的组件](#)

[背景信息](#)

[配置](#)

[NTP](#)

[网络图](#)

[配置](#)

[验证](#)

[故障排除](#)

[相关的思科支持社区讨论](#)

简介

本文描述如何设置在思科可适应安全工具(ASA)和运行Cisco IOS软件使用主模式与自签证书的路由器之间的Easy VPN通道。

先决条件

路由器到路由器Easy VPN解决方案的配置示例根据假设在Cisco Easy VPN服务器的IP地址是静态的，并且在Cisco Easy Vpn客户端的IP地址是静态的。

要求

Cisco 建议您了解以下主题：

- Internet 密钥交换 (IKE)
- 证书和公共密钥基础设施(PKI)

使用的组件

本文档中的信息基于以下软件和硬件版本：

- 运行软件版本8.4(7)的Cisco ASA 5510自适应安全设备
- Cisco 2821系列集成业务路由器(ISR)该运行Cisco IOS软件版本15.2(4)M2

相关产品

本文档也可用于以下硬件和软件版本：

- 运行软件版本8.4或以上的Cisco ASA
- Cisco ISR运行Cisco IOS软件版本15.0或以上的生成路由器

背景信息

本文谈论使用在不支持与预先共享密钥的主模式的EzVPN。然而，我们能以证书验证使用主模式解决漏洞关联同积极模式：CVE-2002-1623.

本文档中的信息都是基于特定实验室环境中的设备编写的。本文档中使用的所有设备最初均采用原始（默认）配置。如果您使用的是真实网络，请确保您已经了解所有命令的潜在影响。


配置

NTP

证书验证要求在所有参与的设备的时钟同步对共源。当时钟在每个设备时可以手工设置，这不是准确的，并且可以是笨重的。最容易的方法同步在所有设备的时钟是使用NTP。NTP同步在一套的计时分布式时间服务器和客户端中。此同步允许将关联的事件，当系统日志创建时，并且，当其他时间精确的事件发生时。关于如何配置NTP的更多信息，参考网络时间协议：最佳实践白皮书。

<http://www.cisco.com/c/en/us/support/docs/availability/high-availability/19643-ntp.html>

网络图



配置

Router:

Current configuration : 6024 bytes

!
!

hostname CISCO_LAB_ROUTER

!

-----CA Server configuration

crypto pki server ASA

issuer-name cn=ASA, ou=VPN, o=cisco, c=US

grant auto

lifetime ca-certificate 300

!

-----PKI Trustpoint configuration

crypto pki trustpoint router

enrollment url http://11.11.11.11:80

revocation-check none

!

!

crypto pki certificate chain router

certificate 03

```
30820225 3082018E A0030201 02020103 300D0609 2A864886 F70D0101 05050030
39310B30 09060355 04061302 5553310E 300C0603 55040A13 05636973 636F310C
300A0603 55040B13 0356504E 310C300A 06035504 03130341 5341301E 170D3135
31313234 31383034 32365A17 0D313630 39313931 38303130 395A3027 31253023
06092A86 4886F70D 01090216 1642474C 2E532E31 362D3238 30302D31 342E6369
73636F30 819F300D 06092A86 4886F70D 01010105 0003818D 00308189 02818100
D7423408 DAEDB119 5E1D6F9B F627F80B 28F6691F 799AFCC5 ECBF5FAA 23D4D890
335CDF2B 7C4717A7 979E6A73 515F70AB 905A4935 37873935 9D7406F8 D6986395
A427410D FA3432E2 D71FDF8B FFA34C74 C3518E53 E23E5076 06C73C5A C83CC2F3
A7EB4349 523571C8 84EA4D58 480ADF47 C4AB29AE EA1FF522 DBCDFEE8 8A9E40A5
02030100 01A34F30 4D300B06 03551D0F 04040302 05A0301F 0603551D 23041830
1680143B A9F1006C 39BCFFD6 9E8EF705 DD4FD606 268A1E30 1D060355 1D0E0416
0414B13F D97C0877 63A7087E 7C31E429 C0D8ADD8 2B1A300D 06092A86 4886F70D
01010505 00038181 0039C03A B8B91B3F BFE17248 F1777B78 EBF49CA3 F967C986
268C16D4 6AFE2905 0237F56A 369A3BB8 E9A5C1C9 9CF77C9D 2EC71C81 ABB1A64C
2FD44A78 3499A357 986D4B8E 08345355 80B481C4 A3AB3408 C3F6F1A6 E42E4585
F7B02B33 A57E7D6F 2BD4862A 6DDD4253 B253B3C5 481B3E54 1FB7CEA9 97A01C50
0414ECA9 A85CD3F9 EE
```

quit

certificate ca 01

```
3082024B 308201B4 A0030201 02020101 300D0609 2A864886 F70D0101 04050030
39310B30 09060355 04061302 5553310E 300C0603 55040A13 05636973 636F310C
300A0603 55040B13 0356504E 310C300A 06035504 03130341 5341301E 170D3135
31313234 31383031 30395A17 0D313630 39313931 38303130 395A3039 310B3009
06035504 06130255 53310E30 0C060355 040A1305 63697363 6F310C30 0A060355
040B1303 56504E31 0C300A06 03550403 13034153 4130819F 300D0609 2A864886
F70D0101 01050003 818D0030 81890281 8100BAFF C15ABB3D 78778733 762F71A7
9BE2C81C A2BEB6EF CFD98FB2 21D466D5 65301232 163FFCD0 1CCCCF07 6CAEABD8
E3A1C3EB B48D916A AD4D56D8 0730C32B 97388937 193BCD22 729D3F61 5712E71A
61315E75 A29E4D7B 881F37A2 3EA74B93 05C3FA73 E50A7DE9 CC2BBF15 F21E8615
13EA3E0A 80C95C5E 866B92C7 D98AB734 C41D0203 010001A3 63306130 0F060355
1D130101 FF040530 030101FF 300E0603 551D0F01 01FF0404 03020186 301F0603
551D2304 18301680 143BA9F1 006C39BC FFD69E8E F705DD4F D606268A 1E301D06
03551D0E 04160414 3BA9F100 6C39BCFF D69E8EF7 05DD4FD6 06268A1E 300D0609
2A864886 F70D0101 04050003 8181000B 34F5327C 95DD6B24 09E5F485 7B2B9918
9BEBE081 B7CE0946 0402C1A2 3849B319 937E4CD7 DF24944E 35482A00 ED28FB5B
804A2682 44CB5B81 938F3E68 30E34F33 C9F2E0BF D65CB235 2FFA5301 705ECD56
8A3F80F9 12DAA450 CDA84849 1FD44822 79CBBF0B 75E507B5 9A75344E 206551B5
BCA5865F 3DD16D61 935E074E FC04B9
```

quit

crypto pki certificate chain ASA

certificate ca 01

```
3082024B 308201B4 A0030201 02020101 300D0609 2A864886 F70D0101 04050030
39310B30 09060355 04061302 5553310E 300C0603 55040A13 05636973 636F310C
300A0603 55040B13 0356504E 310C300A 06035504 03130341 5341301E 170D3135
31313234 31383031 30395A17 0D313630 39313931 38303130 395A3039 310B3009
```

```
06035504 06130255 53310E30 0C060355 040A1305 63697363 6F310C30 0A060355
040B1303 56504E31 0C300A06 03550403 13034153 4130819F 300D0609 2A864886
F70D0101 01050003 818D0030 81890281 8100BAFF C15ABB3D 78778733 762F71A7
9BE2C81C A2BEB6EF CFD98FB2 21D466D5 65301232 163FFCD0 1CCCCF07 6CAEABD8
E3A1C3EB B48D916A AD4D56D8 0730C32B 97388937 193BCD22 729D3F61 5712E71A
61315E75 A29E4D7B 881F37A2 3EA74B93 05C3FA73 E50A7DE9 CC2BBF15 F21E8615
13EA3E0A 80C95C5E 866B92C7 D98AB734 C41D0203 010001A3 63306130 0F060355
1D130101 FF040530 030101FF 300E0603 551D0F01 01FF0404 03020186 301F0603
551D2304 18301680 143BA9F1 006C39BC FFD69E8E F705DD4F D606268A 1E301D06
03551D0E 04160414 3BA9F100 6C39BCFF D69E8EF7 05DD4FD6 06268A1E 300D0609
2A864886 F70D0101 04050003 8181000B 34F5327C 95DD6B24 09E5F485 7B2B9918
9BEBE081 B7CE0946 0402C1A2 3849B319 937E4CD7 DF24944E 35482A00 ED28FB5B
804A2682 44CB5B81 938F3E68 30E34F33 C9F2E0BF D65CB235 2FFA5301 705ECD56
8A3F80F9 12DAA450 CDA84849 1FD44822 79CBBF0B 75E507B5 9A75344E 206551B5
BCA5865F 3DD16D61 935E074E FC04B9
```

quit

!

!

redundancy

!

!

-----EzVPN client configurtaion

crypto ipsec client ezvpn VPN

connect auto

mode network-extension

peer 11.11.11.111

xauth userid mode interactive

!

!-----IPSEC mapping on interfaces

interface GigabitEthernet0/0

ip address 11.11.11.11 255.255.255.0

duplex auto

speed auto

crypto ipsec client ezvpn VPN

!

interface GigabitEthernet0/1

ip address 10.106.69.121 255.255.255.0

duplex auto

speed auto

crypto ipsec client ezvpn VPN inside

!

ip forward-protocol nd

ip http server

no ip http secure-server

!

end

CISCO_LAB_ROUTER#

ASA:

ASA Version 8.4(7)

!

hostname CISCO_LAB_ASA

enable password 8Ry2YjIyt7RRXU24 encrypted

passwd 2KFQnbNIdI.2KYOU encrypted

names

!

```
interface Ethernet0/0
 nameif CERT
 security-level 0
 ip address 11.11.11.111 255.255.255.0
!
interface Management0/0
 nameif tftp
 security-level 0
 ip address 10.106.69.107 255.255.255.0
```

!-----EZVPN Server configuration

```
crypto ipsec ikev1 transform-set VPN-SET esp-3des esp-sha-hmac
crypto dynamic-map dyn1 1 set reverse-route
crypto dynamic-map dynmap 10 set ikev1 transform-set VPN-SET
crypto map mymap 1 ipsec-isakmp dynamic dyn1
crypto map VPNMAP 1 ipsec-isakmp dynamic dynmap
crypto map VPNMAP interface CERT
```

!-----Trustpoint Configuration for SCEP

```
crypto ca trustpoint ASA
 enrollment url http://11.11.11.11:80
 ignore-ipsec-keyusage
 crl configure
```

-----Certificate Map configuration

```
crypto ca certificate map DefaultCertificateMap 1
 issuer-name attr cn eq asa
 issuer-name attr ou eq vpn
```

crypto ca certificate chain ASA

certificate ca 01

```
3082024b 308201b4 a0030201 02020101 300d0609 2a864886 f70d0101 04050030
39310b30 09060355 04061302 5553310e 300c0603 55040a13 05636973 636f310c
300a0603 55040b13 0356504e 310c300a 06035504 03130341 5341301e 170d3135
31313234 31383031 30395a17 0d313630 39313931 38303130 395a3039 310b3009
06035504 06130255 53310e30 0c060355 040a1305 63697363 6f310c30 0a060355
040b1303 56504e31 0c300a06 03550403 13034153 4130819f 300d0609 2a864886
f70d0101 01050003 818d0030 81890281 8100baff c15abb3d 78778733 762f71a7
9be2c81c a2beb6ef cfd98fb2 21d466d5 65301232 163ffcd0 1ccccf07 6caeabd8
e3a1c3eb b48d916a addd56d8 0730c32b 97388937 193bcd22 729d3f61 5712e71a
61315e75 a29e4d7b 881f37a2 3ea74b93 05c3fa73 e50a7de9 cc2bbf15 f21e8615
13ea3e0a 80c95c5e 866b92c7 d98ab734 c41d0203 010001a3 63306130 0f060355
1d130101 ff040530 030101ff 300e0603 551d0f01 01ff0404 03020186 301f0603
551d2304 18301680 143ba9f1 006c39bc ffd69e8e f705dd4f d606268a 1e301d06
03551d0e 04160414 3ba9f100 6c39bcff d69e8ef7 05dd4fd6 06268a1e 300d0609
2a864886 f70d0101 04050003 8181000b 34f5327c 95dd6b24 09e5f485 7b2b9918
9bebe081 b7ce0946 0402c1a2 3849b319 937e4cd7 df24944e 35482a00 ed28fb5b
804a2682 44cb5b81 938f3e68 30e34f33 c9f2e0bf d65cb235 2ffa5301 705ecd56
8a3f80f9 12daa450 cda84849 1fd44822 79cbbf0b 75e507b5 9a75344e 206551b5
bca5865f 3dd16d61 935e074e fc04b9
```

quit

certificate 02

```
30820243 308201ac a0030201 02020102 300d0609 2a864886 f70d0101 04050030
39310b30 09060355 04061302 5553310e 300c0603 55040a13 05636973 636f310c
300a0603 55040b13 0356504e 310c300a 06035504 03130341 5341301e 170d3135
31313234 31383033 32315a17 0d313630 39313931 38303130 395a3023 3121301f
06092a86 4886f70d 01090216 1262676c 2d532d31 362d4153 41353530 302d3130
819f300d 06092a86 4886f70d 01010105 0003818d 00308189 02818100 efc22ac0
35960f71 9c197870 aa2b2a8c cd6ea4ef 150bc5ed f38812a2 baad0929 cde15a14
```

```
f5982e23 9208b79e decb58ed 04e1c552 c352a7b7 0458c205 a5548367 7a4ae377
93b0e711 05da2932 6621170e 93c0197d 4de3639e 6b1ce677 aac8c68e d9e7d098
40e5cb9f ee9a13e3 8e2a63e8 96186be0 9f1db880 0eb8b63a 0c17fe3d 02030100
01a37130 6f301d06 03551d11 04163014 82126267 6c2d532d 31362d41 53413535
30302d31 300e0603 551d0f01 01ff0404 030205a0 301f0603 551d2304 18301680
143ba9f1 006c39bc ffd69e8e f705dd4f d606268a 1e301d06 03551d0e 04160414
be1953e2 579f9901 cbc6d4e4 1290451b e4bbcec0 300d0609 2a864886 f70d0101
04050003 81810081 68d44005 d2cfa98f c2575dcb 724387af 852628be 4fe1b27f
edd49e5c 84f49a04 971a4d51 b23032c5 538f889d 8f25ffae d605fc40 9d7d49f3
904814ec 5b9bb2bf c5834a38 74f56df8 8afc2588 9fe78e2a 0e7ccbfe de339970
d4149dc1 a7f5417e 0617c566 507cb91d 0adddb77 192f727a 6fbbb413 82e72b83
1cd98cc7 77fbb4
quit
```

-----IKE configuration

```
crypto ikev1 enable CERT
crypto ikev1 policy 5
authentication rsa-sig
encryption 3des
hash sha
group 2
lifetime 86400
```

-----Group Policy Configuraiton

```
group-policy VPNPOLICY internal
group-policy VPNPOLICY attributes
re-xauth disable
split-tunnel-policy tunnelall
nem enable
```

```
username cisco password 3USUcOPFUimCO4Jk encrypted
```

-----Tunnel Group configuration

```
tunnel-group DefaultRAGroup general-attributes
default-group-policy VPNPOLICY
tunnel-group DefaultRAGroup ipsec-attributes
ikev1 trust-point ASA
tunnel-group VPN type remote-access
tunnel-group VPN general-attributes
default-group-policy VPNPOLICY
tunnel-group VPN ipsec-attributes
ikev1 trust-point ASA
tunnel-group-map enable rules
tunnel-group-map DefaultCertificateMap 1 VPN
!
: end
```

验证

验证设备顺利地登记与CA:

路由器

```
CISCO_LAB_ROUTER#show crypto pki certificates
Certificate
Status: Available
Certificate Serial Number (hex): 03
Certificate Usage: General Purpose
Issuer:
```

cn=ASA
ou=VPN
o=cisco
c=US
Subject:
Name: CISCO_LAB_ROUTER.cisco
hostname=CISCO_LAB_ROUTER.cisco
Validity Date:
start date: 18:04:26 UTC Nov 24 2015
end date: 18:01:09 UTC Sep 19 2016
Associated Trustpoints: router
Storage: nvram:ASA#3.cer
CA Certificate
Status: Available
Certificate Serial Number (hex): 01
Certificate Usage: Signature
Issuer:
cn=ASA
ou=VPN
o=cisco
c=US
Subject:
cn=ASA
ou=VPN
o=cisco
c=US
Validity Date:
start date: 18:01:09 UTC Nov 24 2015
end date: 18:01:09 UTC Sep 19 2016
Associated Trustpoints: ASA router
Storage: nvram:ASA#1CA.cer

ASA

```
CISCO_LAB_ASA# show crypto ca certificates
Certificate
Status: Available
Certificate Serial Number: 02
Certificate Usage: General Purpose
Public Key Type: RSA (1024 bits)
Signature Algorithm: MD5 with RSA Encryption
Issuer Name:
cn=ASA
ou=VPN
o=cisco
c=US
Subject Name:
hostname=CISCO_LAB_ASA
Validity Date:
start date: 18:03:21 UTC Nov 24 2015
end date: 18:01:09 UTC Sep 19 2016
Associated Trustpoints: ASA
CA Certificate
Status: Available
Certificate Serial Number: 01
Certificate Usage: Signature
Public Key Type: RSA (1024 bits)
Signature Algorithm: MD5 with RSA Encryption
Issuer Name:
cn=ASA
ou=VPN
o=cisco
c=US
Subject Name:
```

```
cn=ASA
ou=VPN
o=cisco
c=US
Validity Date:
start date: 18:01:09 UTC Nov 24 2015
end date: 18:01:09 UTC Sep 19 2016
Associated Trustpoints: ASA
```

验证通道是UP

路由器

阶段1验证：

```
CISCO_LAB_ROUTER # show crypto isakmp sa
IPv4 Crypto ISAKMP SA
dst          src          state          conn-id status
11.11.11.111 11.11.11.11  QM_IDLE       1114 ACTIVE
```

第2阶段验证：

```
CISCO_LAB_ROUTER# show crypto ipsec sa

interface: GigabitEthernet0/0
  Crypto map tag: GigabitEthernet0/0-head-0, local addr 11.11.11.11

protected vrf: (none)
  local ident (addr/mask/prot/port): (10.106.69.0/255.255.255.0/0/0)
  remote ident (addr/mask/prot/port): (0.0.0.0/0.0.0.0/0/0)
  current_peer 11.11.11.111 port 500
    PERMIT, flags={origin_is_acl,}
    #pkts encaps: 5, #pkts encrypt: 5, #pkts digest: 5
    #pkts decaps: 5, #pkts decrypt: 5, #pkts verify: 5
```

ASA

阶段1验证：

```
CISCO_LAB_ASA# show crypto isakmp sa

IKEv1 SAs:

  Active SA: 1
  Rekey SA: 0 (A tunnel will report 1 Active and 1 Rekey SA during rekey)
Total IKE SA: 1

1  IKE Peer: 11.11.11.11
   Type    : user          Role    : responder
   Rekey   : no          State   : MM_ACTIVE  -----> MM denotes main mode
```

```
IPv6 Crypto ISAKMP SA
```

第2阶段验证：

```
CISCO_LAB_ASA#show crypto ipsec sa
interface: CERT
  Crypto map tag: dynmap, seq num: 10, local addr: 11.11.11.111

  local ident (addr/mask/prot/port): (0.0.0.0/0.0.0.0/0/0)
```



```
remote ident (addr/mask/prot/port): (10.106.69.0/255.255.255.0/0/0)
current_peer: 11.11.11.11, username: cisco
dynamic allocated peer ip: 0.0.0.0
```

```
#pkts encaps: 5, #pkts encrypt: 5, #pkts digest: 5
#pkts decaps: 5, #pkts decrypt: 5, #pkts verify: 5
```

故障排除

在ASA的调试

警告：在ASA，您能设置多种调试级别;默认情况下，使用1级。如果改变调试级别，调试的冗余也许增加。

推荐使用有条件调试查看仅调试单个对等体的：

```
debug crypto condition peer <peer ip address>
```

执行此小心地，特别是在生产环境。

隧道协商的ASA调试是：

```
debug crypto ikev1 <0-255>
debug crypto ipsec <0-255>
```

证书验证的ASA调试是：

```
debug crypto ca
```

在路由器的调试

隧道协商的路由器调试是：

```
debug crypto ikev1
debug crypto ikev1 error
debug crypto ikev1 internal
```

证书验证的路由器调试是：

```
debug crypto pki validation
debug crypto pki transaction
debug crypto pki messages
```