

互联网访问策略的配置在WRVS4400N无线N千兆位安全路由器的

客观

互联网访问策略是网络的责任人/管理器适用于一些台特定计算机或一个大计算机系统的一组规则。这些互联网访问策略用于允许或阻止对一个组个人计算机或特定个人计算机的互联网访问为了改进网络的安全。

此条款说明如何配置在WRVS4400N无线N千兆位安全路由器的互联网访问策略设置。

可适用的设备


- WRVS4400N

软件版本

- v2.0.2.1

互联网访问策略配置

步骤1. 登陆到Web配置工具并且选择防火墙>互联网访问策略。互联网访问策略页打开：



The screenshot shows the 'Internet Access Policy' configuration page. At the top, there is a dropdown menu for 'Internet Access Policy' with the value '10' selected, and buttons for 'Delete' and 'Summary'. Below this, the 'Status' section has radio buttons for 'Enable' and 'Disable', with 'Disable' selected. There is a text input field for 'Enter Policy Name' and a button for 'Edit List of PCs'. The 'Access Restriction' section has radio buttons for 'Deny' and 'Allow', with 'Deny' selected. Below this is the text 'Internet Access During Selected Days and Hours.' The 'Schedule' section has a 'Days' row with checkboxes for 'Everyday', 'Su', 'Mo', 'Tu', 'We', 'Th', 'Fr', and 'Sa', all of which are checked. The 'Time' section has radio buttons for '24 Hours' and 'From: [00] : [00] To: [00] : [00]', with '24 Hours' selected. At the bottom, there is a section for 'Website Blocking by URL Address'.

步骤2. 选择您希望从互联网访问策略下拉列表创建的期望策略编号。可以被创建策略的最大数

量是10。

Internet Access Policy: 10

Summary

Status: Enable Disable

Enter Policy Name:

PCs:

Access Restriction: Deny Allow

Internet Access During Selected Days and Hours.

Schedule

Days: Everyday Su Mo Tu We Th Fr Sa

Time: 24 Hours From: : To: :

步骤3. 点击**Enable (event)**为了enable (event)策略。

Internet Access Policy: 20

Delete Summary

Status: Enable Disable

Enter Policy Name:

PCs:

Access Restriction: Deny Allow

Internet Access During Selected Days and Hours.

Schedule

Days: Everyday Su Mo Tu We Th Fr Sa

Time: 24 Hours From: : To: :

Website Blocking by URL Address

步骤4. 送进策略名称在Policy Name字段。

Internet Access Policy: 2 ()

Delete Summary

Status: Enable Disable

Enter Policy Name: policy2.exp

PCs: Edit List of PCs

Access Restriction: Deny Allow

Internet Access During Selected Days and Hours.

Schedule

Days: Everyday Su Mo Tu We Th Fr Sa

Time: 24 Hours From: 00 : 00 To: 00 : 00

Website Blocking by URL Address

步骤5. 点击编辑个人计算机列表选择策略影响的个人计算机。个人计算机页列表打开：

Internet Access Policy: 2 ()

Delete Summary

Status: Enable Disable

Enter Policy Name: policy2.exp

PCs: Edit List of PCs

Access Restriction: Deny Allow

Internet Access During Selected Days and Hours.

Schedule

Days: Everyday Su Mo Tu We Th Fr Sa

Time: 24 Hours From: 00 : 00 To: 00 : 00

Website Blocking by URL Address

第6步(可选)输入您希望分配在MAC字段的策略计算机的MAC地址。请使用MAC地址，当您不让超过8位设备和您了解时什么其中每一的MAC地址个设备是。

List of PCs

Enter MAC Address of the PCs in this format: xxxxxxxxxxxx

| | |
|---|---|
| MAC 01 <input style="width: 100%;" type="text" value="0123456789ab"/> | MAC 05 <input style="width: 100%;" type="text" value="000000000000"/> |
| MAC 02 <input style="width: 100%;" type="text" value="000000000000"/> | MAC 06 <input style="width: 100%;" type="text" value="000000000000"/> |
| MAC 03 <input style="width: 100%;" type="text" value="000000000000"/> | MAC 07 <input style="width: 100%;" type="text" value="000000000000"/> |
| MAC 04 <input style="width: 100%;" type="text" value="000000000000"/> | MAC 08 <input style="width: 100%;" type="text" value="000000000000"/> |

Enter the IP Address of the PCs

| | |
|---|---|
| IP 01 192.168.1. <input style="width: 50px;" type="text" value="0"/> | IP 04 192.168.1. <input style="width: 50px;" type="text" value="0"/> |
| IP 02 192.168.1. <input style="width: 50px;" type="text" value="0"/> | IP 05 192.168.1. <input style="width: 50px;" type="text" value="0"/> |
| IP 03 192.168.1. <input style="width: 50px;" type="text" value="0"/> | IP 06 192.168.1. <input style="width: 50px;" type="text" value="0"/> |

Enter the IP Range of the PCs

| | |
|--|--|
| IP Range 01 | IP Range 02 |
| 192.168.1. <input style="width: 50px;" type="text" value="0"/> ~ <input style="width: 50px;" type="text" value="0"/> | 192.168.1. <input style="width: 50px;" type="text" value="0"/> ~ <input style="width: 50px;" type="text" value="0"/> |

第7.步(可选)输入您希望分配在IP字段的策略计算机的IP地址。请使用IP地址，当您不让超过6位设备和您了解时什么其中每一个的IP地址设备是。

List of PCs

Enter MAC Address of the PCs in this format: xxxxxxxxxxxx

| | |
|---|---|
| MAC 01 <input style="width: 100%;" type="text" value="0123456789ab"/> | MAC 05 <input style="width: 100%;" type="text" value="000000000000"/> |
| MAC 02 <input style="width: 100%;" type="text" value="000000000000"/> | MAC 06 <input style="width: 100%;" type="text" value="000000000000"/> |
| MAC 03 <input style="width: 100%;" type="text" value="000000000000"/> | MAC 07 <input style="width: 100%;" type="text" value="000000000000"/> |
| MAC 04 <input style="width: 100%;" type="text" value="000000000000"/> | MAC 08 <input style="width: 100%;" type="text" value="000000000000"/> |

Enter the IP Address of the PCs

| | |
|---|---|
| IP 01 192.168.1. <input style="width: 50px;" type="text" value="7"/> | IP 04 192.168.1. <input style="width: 50px;" type="text" value="0"/> |
| IP 02 192.168.1. <input style="width: 50px;" type="text" value="0"/> | IP 05 192.168.1. <input style="width: 50px;" type="text" value="0"/> |
| IP 03 192.168.1. <input style="width: 50px;" type="text" value="0"/> | IP 06 192.168.1. <input style="width: 50px;" type="text" value="0"/> |

Enter the IP Range of the PCs

| | |
|--|--|
| IP Range 01 | IP Range 02 |
| 192.168.1. <input style="width: 50px;" type="text" value="3"/> ~ <input style="width: 50px;" type="text" value="4"/> | 192.168.1. <input style="width: 50px;" type="text" value="0"/> ~ <input style="width: 50px;" type="text" value="0"/> |

第8.步(可选)输入IP地址的范围您希望分配在IP范围字段的策略的计算机的。请使用IP地址的范围，当您有超过6个设备时您希望互联网策略影响。

List of PCs

Enter MAC Address of the PCs in this format: xxxxxxxxxxxx

| | | | |
|--------|---|--------|---|
| MAC 01 | <input type="text" value="0123456789ab"/> | MAC 05 | <input type="text" value="000000000000"/> |
| MAC 02 | <input type="text" value="000000000000"/> | MAC 06 | <input type="text" value="000000000000"/> |
| MAC 03 | <input type="text" value="000000000000"/> | MAC 07 | <input type="text" value="000000000000"/> |
| MAC 04 | <input type="text" value="000000000000"/> | MAC 08 | <input type="text" value="000000000000"/> |

Enter the IP Address of the PCs

| | | | | | |
|-------|------------|--------------------------------|-------|------------|--------------------------------|
| IP 01 | 192.168.1. | <input type="text" value="7"/> | IP 04 | 192.168.1. | <input type="text" value="0"/> |
| IP 02 | 192.168.1. | <input type="text" value="0"/> | IP 05 | 192.168.1. | <input type="text" value="0"/> |
| IP 03 | 192.168.1. | <input type="text" value="0"/> | IP 06 | 192.168.1. | <input type="text" value="0"/> |

Enter the IP Range of the PCs

| | |
|--|--|
| IP Range 01 | IP Range 02 |
| <input type="text" value="192.168.1."/> <input type="text" value="3"/> <input type="text" value="~"/> <input type="text" value="4"/> | <input type="text" value="192.168.1."/> <input type="text" value="0"/> <input type="text" value="~"/> <input type="text" value="0"/> |

步骤9. 点击“Save”应用更改。

步骤10. 点击**拒绝**或基于的**Allow**您是否要拒绝或阻止在个人计算机页列表列出的个人计算机的互联网访问。

Internet Access Policy:

Status: Enable Disable

Enter Policy Name:

PCs:

Access Restriction: Deny Allow

Internet Access During Selected Days and Hours.

Schedule

Days: Everyday Su Mo Tu We Th Fr Sa

Time: 24 Hours From: : To: :

Website Blocking by URL Address

第11步。 当在几天字段时，必须强制执行策略请检查日。 您能检查选项每天或检查日您类似会强制执行的策略。

Internet Access Policy: 2 ()

Delete Summary

Status: Enable Disable

Enter Policy Name: policy2.exp

PCs: Edit List of PCs

Access Restriction: Deny Allow

Internet Access During Selected Days and Hours.

Schedule

Days: Everyday Su Mo Tu We Th Fr Sa

Time: 24 Hours From: 00 : 00 To: 00 : 00

Website Blocking by URL Address

步骤12。点击24小时日间强制执行规则或点击另一个单选按钮和选择时间范围您类似策略会有效从下拉列表。

Internet Access Policy: 2 ()

Delete Summary

Status: Enable Disable

Enter Policy Name: policy2.exp

PCs: Edit List of PCs

Access Restriction: Deny Allow

Internet Access During Selected Days and Hours.

Schedule

Days: Everyday Su Mo Tu We Th Fr Sa

Time: 24 Hours From: 07 : 00 To: 17 : 00

Website Blocking by URL Address

第13步。输入您希望在Add字段阻拦网站的域。

Website Blocking by URL Address

Forbidden Domains

Add: (eg: ebay.com)

www.example2.com
www.example3.com

步骤14。输入您希望在Add字段阻拦的关键字。如果其中任一关键字出现于网站的URL然后访问到该站点将被阻拦。

Note:仅URL被检查网站的而不是内容。

Website Blocking by Keyword

Keywords

Add:

第15步。点击“**Save**”保存所有配置设置。

第16步。(可选)请点击汇总，并且做的变化显示在互联网策略汇总窗口上。

Internet Access Policy

Internet Access Policy: 1 ()

Delete

Summary

Status: Enable Disable

Enter Policy Name:

PCs:

Access Restriction: Deny Allow

Internet Access During Selected Days and Hours.

Schedule

Days: Everyday Su Mo Tu We Th Fr Sa

Time: 24 Hours From: 00 : 00 To: 00 : 00

Website Blocking by URL Address

互联网策略窗口打开。

| Internet Policy Summary | | | | | | | | | | |
|-------------------------|-------------|------------------|---|---|---|---|---|-------------|---------------|--------------------------|
| No. | Policy Name | Days (Sun - Sat) | | | | | | Time of Day | Delete | |
| 1. | | S | M | T | W | T | F | S | 00:00 - 00:00 | <input type="checkbox"/> |
| 2. | policy2.exp | S | M | T | W | T | F | S | 07:00 - 17:00 | <input type="checkbox"/> |
| 3. | | S | M | T | W | T | F | S | 00:00 - 00:00 | <input type="checkbox"/> |
| 4. | | S | M | T | W | T | F | S | 00:00 - 00:00 | <input type="checkbox"/> |
| 5. | | S | M | T | W | T | F | S | 00:00 - 00:00 | <input type="checkbox"/> |
| 6. | | S | M | T | W | T | F | S | 00:00 - 00:00 | <input type="checkbox"/> |
| 7. | | S | M | T | W | T | F | S | 00:00 - 00:00 | <input type="checkbox"/> |
| 8. | | S | M | T | W | T | F | S | 00:00 - 00:00 | <input type="checkbox"/> |
| 9. | | S | M | T | W | T | F | S | 00:00 - 00:00 | <input type="checkbox"/> |
| 10. | | S | M | T | W | T | F | S | 00:00 - 00:00 | <input type="checkbox"/> |