

# RV016â€¢ RV042â€¢ RV042Gå'ŒRV082

## VPNè·ç"±å™..ä,Šçš,,ç"µç½†Internetè®¾ç½®

ç>®æ :

å¤§å¤šæ•°æœ‰ç°; Internetæœ♦åŠjæ♦♦ä¾»å•†(ISP)ä½¿ç"“ ä»«è’..è®¿é—®æŽ§å^¶(MAC)è°«ä»½é°D

æœ¬æ—‡è§£é‡Šå!, ä½•åœ°RV016â€¢ RV042â€¢ RV042Gå'ŒRV082  
VPNè·ç"±å™..ä,Šä,ŽISPæŒç;®å»°ç«*Internet*è¿žæŽ¥ã€,

é€,ç””è®¾å¤:

- RV016
- RV042
- RV042G
- RV082

è½-ä»¶ç‰^æœ¬

â€¢v4.2.1.02

ç”¶¼†Internetè®¾ç½®

é!—å...^í¼Œå...é¡»å»ç«*WAN*è¿žæŽ¥ã€, ä»¥ä, æ¥éª¤å°†å¼•å¬¼æ, ;å®Œæ^♦*WAN*è¿žæŽ¥çš,,è®¾ç½®ã

æ³·æ,,♦í¼šæ‰§è¡Œä»¥ä, æ¥éª¤æ—¶í¼Œè—ä½ç”“è¿žæŽ¥å^°è°få^¶è§£è°få™æ—¶å♦—ä»¥è♦”æœ°è¿ž

æ¥éª¤1:ç™»å½•è·ç”±å™..♦ç½®å®žç”“ç”“<åº♦å¹¶é‰æ<©Setup >  
Networkã€, Networké¡á♦çæ‰“å¼€í¼š

## Network

Host Name :  (Required by some ISPs)

Domain Name :  (Required by some ISPs)

### IP Mode

Mode	WAN	LAN
<input type="radio"/> IPv4 Only	IPv4	IPv4
<input checked="" type="radio"/> Dual-Stack IP	IPv4 and IPv6	IPv4 and IPv6

### LAN Setting

MAC Address : 64:9E:F3:88:C6:88

Device IP Address :

Subnet Mask :

Multiple Subnet :  Enable

### WAN Setting

Interface	Connection Type	Configuration
WAN1	Static IP	
WAN2	Static IP	

ç¬¬äºŒæ¥í¼šå♦•å‡»WAN

Setting åŒ°åÝä¸ä½¿ç”“ çš„WANæŽ¥å♦Æçš„Editå›¾æ ªã€ç¼–è¾‘WANè¿žæŽ¥é;íá♦¢æ‰“å¼€í¼š

## Network

### Edit WAN Connection

Interface :

WAN Connection Type :

Use the Following DNS Server Address

DNS Server (Required) 1 :

2 :

MTU :  Auto  Manual  bytes

æ¥é¤3.åœ·WAN Connectionä, æ<%oå^—è;”æ, é€‰æ<©Obtain an IPä€, è·¬ç”±å™·è‡ªåŠ·ä½ç”ISPä^†é...♦çš,,IPåœ°å♦€ää€,  
 æ¥é¤4.i¼å♦é€‰oï¼‰oå^,æžœè | ♦è¾“å...¥æ‰€éœ€çš,,DNSæœ♦åŠ;å™“i¼Œè·é€‰ä,ä½ç”;  
 æ¥é¤5.åœ·DNS Servera—æ®µ,è¾“å...¥DNSæœ♦åŠ;å™“çš,,æ‰€éœ€åœ°å♦€ää€,  
 ç—å...æ¥i¼šä»ŽMTUä, æ<%oå^—è;”æ,i¼Œé€‰æ<©æœ€å¤§ä¼ è¾“♦•ä½♦(MTU)å¤§å°♦çš,,é...♦ç½Œ  
 · Auto å€”  
 é€‰æ<©æœ€‰é;”è‡ªåŠ“å°†MTUè®¾ç½®ä,ºé»~è®¤å¤§å°♦i¼^æŽ“è♦♦i¼‰ä€,  
 æ³·æ,,♦i¼šå¬å°ŽDHCPå’Œé♦TMæ€♦IPè;žæŽ¥ç±“åž<i¼Œé»~è®¤MTUå¤§å°♦ä,º1500å—èŠ,i¼Œ  
 ·æ‰  
 å!,æžœæ,“çš,,ISPè|♦æ±,æ’æ”¹æ,“çš,,MTUå¤§å°♦i¼Œè·é€‰æ<©æœ€‰é;”ä€,è¾“å...¥MTUçš,,  
 æ¥é¤7.Click Save.

## MACåœ°å♦€å... éš†

æ¤è®¾ç½®çš,,æœ€å♦Žä,€ä,ºè¿‡ç”  
 æ~“MACå...  
 éš†i¼Œå®få°†çj®ä|Internetè;žæŽ¥ä€,ä»¥ä,æœ€‰é;”è‡ªåŠ“å°†ç”“ç”“å°♦é€‰æ<©Setup > Mac Address Clone  
 ä€,ç³»ç»Ÿå°†æ‰“å¼ŒMac Address Cloneé;”ç”“å¼Œ

Interface	MAC Address	Configuration
WAN1	64:9E:F3:88:C6:89	
WAN2	64:9E:F3:88:C6:8A	

ç—ä°Œæ¥i¼šä»Žæ¤PCå♦•å‡»æ‰€ç”“WANæŽ¥å♦£çš,,Editå¾æ †ä€ç¼–è¾‘Macåœ°å♦€å...  
 éš†é;”ç”“å¼Œi

MAC Address Clone	
Edit MAC Address Clone	
Interface :	WAN1
User Defined WAN MAC Address :	<input checked="" type="radio"/> 64:9E:F3:88:C6:89 (Default : 64:9E:F3:88:C6:89)
MAC Address from this PC :	<input checked="" type="radio"/> 3C:07:54:2F:9A:1C
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

ç—ä,‰æ¥i¼šä»Žæ¤PCå♦•å‡»MACåœ°å♦€i¼Œå...  
 éš†è;žæŽ¥å°ä”è♦”ç½‘çš,,MACåœ°å♦€ää€,  
 ç—å...æ¥i¼šClick Save.

## 关于此翻译

思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。

## 关于此翻译

思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。