



第二步：从上述CSV文件，请保证包含UMS帐户需要从交换被移植到办公室365的仅那些用户。例如，从导出的CSV文件，第一个用户测试已经使用办公室365，因此从CSV文件删除此。

1	Subscriber	ServiceDisplayName	OptionalServiceAccountID	UMEmailAddr	EmailAddr	EnableCalc	EnableMe	EnableMb	EnableTts	IsPrimary	LoginType	UserId	UserProfileNumber
2	deepak	Exchange-2010	74d72040-4179-	deepak@dkumai		0	1	0	1	0	0		
3	FANIS	Exchange-2010	34427aca-b989-	fanish@dkumar		0	1	0	1	1	0		
4	deepman	Exchange-2010	02e7bd35-f08a-	deepman@dkur		0	1	0	1	1	0		
5	melbin	Exchange-2010	dea09935-da7f-	melbin@dkumar		0	1	0	1	1	0		
6													

第三步：在CSV文件上请使用由批量管理工具删除用户Exchange-2010现有UMS帐户。

导航到Tools>批量管理工具和下选择操作检查删除，下面然后请选择对象类型检查统一消息帐户。在包含仅那些用户，UMS帐户需要删除)的此以后，请浏览上述CSV文件(并且点击Submit，如镜像所显示，：

Bulk Administration Tool Refresh Help

Submit Cancel Display Last Operation

**Select Operation**

Create  Update  Delete  Export

Do Not Delete Users With Items in Their Mailboxes

**Select Object Type**

Users  Users with Mailbox  System Contacts  Distribution Lists  Distribution List Members  Unified Messaging Accounts

**Select File**

CSV File (UTF-8 or UTF-16 encoding only)\*  All\_UM\_Accounts.csv

Failed Objects Filename\*

Submit Cancel Display Last Operation

如果所有用户UMS帐户顺利地删除，您应该获得通知：

“完成的批量管理工具。成功编号：4，失败编号：0”

第四步：现在您需要创建办公室的365 UMS帐户。打开上述CSV文件并且做这些变动：

- 重命名与UMS为办公室创建的服务帐户客户名的第2列ServiceDisplayName 365。
- 留下第3列OptionalServiceAccountID空白。

1	Subscriber	ServiceDisplayName	OptionalServiceAccountID	UMEmailAddr	EmailAddr	EnableCalc	EnableMe	EnableMb	EnableTts	IsPrimary	LoginType	UserId	UserProfileNumber
2	deepak	Office-365		deepak@dkur		0	1	0	1	0	0		
3	FANIS	Office-365		fanish@dkum		0	1	0	1	1	0		
4	deepman	Office-365		deepman@dk		0	1	0	1	1	0		
5	melbin	Office-365		melbin@dkur		0	1	0	1	1	0		
6													

步骤5.创建使用在CSV文件上的用户办公室365 UMS帐户。

导航到Tools>批量管理工具如镜像所显示，并且检查创建下选择操作，然后选择统一消息帐户下选择对象类型。现在请浏览上述CSV文件。

Bulk Administration Tool Refresh Help

Submit Cancel Display Last Operation

**Select Operation**

Create  Update  Delete  Export

Do Not Delete Users With Items in Their Mailboxes

**Select Object Type**

Users  Users with Mailbox  System Contacts  Distribution Lists  Distribution List Members  Unified Messaging Accounts

**Select File**

CSV File (UTF-8 or UTF-16 encoding only)\*  All\_UM\_Accounts.csv

Failed Objects Filename\*

Submit Cancel Display Last Operation

如果所有用户UMS帐户顺利地创建，您应该获得象这样的一个通知：

“完成的批量管理工具。成功编号：4，失败编号：0”

步骤6.，如果用户UMS帐户顺利地，创建请验证。

Status ▾	Alias	Display Name	UM Service	Exchange Calendar/Contacts	TTS	Single Inbox	MeetingPlace Scheduling and Joining	Email Address
	<a href="#">test</a>	test	<a href="#">Office-365</a>	E	E	E	N/A	test@dkumar9.com
	<a href="#">deepak</a>	deepak	<a href="#">Office-365</a>	E	DU	E	N/A	deepak@dkumar9.com
	<a href="#">FANIS</a>	ANIS, FARHEEN	<a href="#">Office-365</a>	E	E	E	N/A	fanish@dkumar9.com
	<a href="#">melbin</a>	, melbin	<a href="#">Office-365</a>	E	E	E	N/A	melbin@dkumar9.com
	<a href="#">deepman</a>	Harsh, Deepman	<a href="#">Office-365</a>	E	E	E	N/A	deepman@dkumar9.com