

# 目录

[简介](#)

[先决条件](#)

[要求](#)

[使用的组件](#)

[规则](#)

[打开Cisco CallManager管理](#)

[添加新用户](#)

[相关信息](#)

## 简介

请使用本文添加每个Cisco IP SoftPhone用户对Cisco CallManager管理页。当用户的软电话客户端登陆时，在Cisco IP SoftPhone配置的用户名和密码必须正确地匹配什么在此步骤的服务器配置。

本文是文档集的一部分。它假设您已经通过上一个步骤和登陆作为Cisco CallManager系统的管理员。对于每个其他文件的信息，请参见[安装和配置Cisco IP SoftPhone](#)的此集的索引。

本文如何解释在Cisco CallManager服务器的添加用户帐户运行Cisco IP SoftPhone的客户端的登陆。对于关于怎样的一概述配置IP软电话，参考[安装和配置Cisco IP SoftPhone](#)。

## 先决条件

### 要求

本文档的读者应掌握以下这些主题的相关知识：

- Cisco CallManager管理
- Windows 2000终端服务

### 使用的组件

本文档中的信息基于以下软件和硬件版本：

- Cisco CallManager版本3.0 (Revision 6或以上版本)
- Cisco CallManager 3.1要求IP软电话版本1.2或以上
- CallManager 4.01，[Cisco IP SoftPhone版本的](#)参考的[版本注释1.3\(4\)](#)
- Microsoft Windows 95、Windows 98、Windows NT 4.0 (服务包4或以上)，或者Windows 2000

本文档中的信息都是基于特定实验室环境中的设备编写的。本文档中使用的所有设备最初均采用原始（默认）配置。如果您使用的是真实网络，请确保您已经了解所有命令的潜在影响。

### 规则

有关文档规则的详细信息，请参阅[Cisco 技术提示规则](#)。

## 打开Cisco CallManager管理

要获得管理屏幕出现，请输入 `servername` 是您的 Cisco CallManager 系统的名称或 IP 地址的 URL `http://servername/ccmadmin`。



## 添加新用户

执行这些步骤添加新用户：

1. 点击用户并且选择添加新用户。新用户屏幕出现的添加。
2. 填入有请求的信息的所有用户字段。必填字段是由星号(\*)表示的。这是示例屏幕如何应该照看

**User Configuration** [Add a New User](#) [Basic Search](#)

**Application Profiles of**  
<No Application Profiles>  
Application Profiles can be accessed after the new User is inserted in the directory.

**User : New User**  
Status: Ready

First Name	<input type="text" value="Wayne"/>
Last Name*	<input type="text" value="Bruce"/>
User ID*	<input type="text" value="12345"/>
User Password*	<input type="password" value="*****"/>
Confirm Password*	<input type="password" value="*****"/>
PIN *	<input type="password" value="*****"/>
Confirm PIN *	<input type="password" value="*****"/>
Telephone Number	<input type="text"/>
Manager User ID	<input type="text"/>
Department	<input type="text"/>
User Locale	<input type="text" value=" &lt; None &gt;"/>
Enable CTI Application Use	<input checked="" type="checkbox"/>
Call Park Retrieval Allowed	<input type="checkbox"/>
Enable Calling Party Number Modification	<input type="checkbox"/>

\* indicates required item.

View page in

Page displayed at Wed Feb 25 14:58:45 EST 2004  
Copyright © 1999 - 2003 Cisco Systems, Inc. All rights reserved

填装在字段：

注意：相关的PC领

域为与虚拟会议室的协作要求。


3. 在填装以后在字段，请点击**插入键**。那启动用户配置进程屏幕。

The screenshot shows the 'User Configuration' page for a user named Bruce Wayne. The page has a yellow background and a red title. On the left, there is a sidebar titled 'Application Profiles of Bruce' with a list of links: Device Association, Cisco IPMA, Extension Mobility, SoftPhone, Cisco IPMA, Extension Mobility, SoftPhone, Cisco IPMA, Extension Mobility, SoftPhone, Cisco IPMA, Extension Mobility, SoftPhone, Cisco IPMA, Extension Mobility, SoftPhone, Cisco IPMA, Extension Mobility, SoftPhone. The main content area is titled 'User : Bruce Wayne' and shows the status 'Status: Insert Completed.' with an 'Update' button. Below this are various fields for user information: First Name (Bruce), Last Name\* (Wayne), User ID (bwayne), User Password\* (with a 'Change...' button), PIN\* (with a 'Change...' button), Telephone Number, Manager User ID, Department, User Locale (set to '< None >'), and several checkboxes for application settings: 'Enable CTI Application Use' (checked), 'Call Park Retrieval Allowed' (unchecked), 'Enable Calling Party Number Modification' (unchecked). Other fields include 'Associated PC' (Not Defined), 'Primary Extension' (Not Defined), 'Controlled Devices' (none), 'Enable Authentication Proxy Rights' (False), and 'Controlled Device Profiles' (none). A note at the bottom states '\* indicates required item.' At the very bottom, there is a language selection dropdown set to 'English, United States' and a timestamp: 'Page displayed at Wed Feb 25 14:37:52 EST 2004'.

用户当前被添加，但是仍然需要关联与设备及早创建的- SoftPhonePort。该进程在下一部分被处理。

现在您已完成了此任务。返回到[安装的和配置的Cisco IP SoftPhone](#)。

## 相关信息

- [语音技术支持](#)
- [语音和统一通信产品支持](#)
- [Cisco IP 电话故障排除](#) 
- [技术支持 - Cisco Systems](#)