

设置在Cisco小型企业VoIP路由器的WPA无线安全

Contents

[简介](#)

[如何设置在Cisco小型企业VoIP路由器的WPA无线安全？](#)

[相关信息](#)

[Introduction](#)

本文是一系列协助设置、排错和维护Cisco小型企业产品文档中的一篇。

[Q. 如何设置在Cisco小型企业VoIP路由器的WPA无线安全？](#)

A.

Wi-Fi保护访问(WPA)是设计为了改进WEP安全功能的Wi-Fi标准。WPA比WEP加密严格。合并消息完整性代码的PSK和PSK2是WPA的类型与使用对称128-Bit块数据加密的两个加密方法、临时密钥完整性协议(TKIP) (MIC)为了提供防护黑客和高级加密系统(AES)的。

为了设置在您的Cisco小型企业VoIP路由器的WPA无线安全，请完成这些步骤：


设置upthe Cisco小型企业VoIP路由器为了使用WPA

步骤 1：

访问路由器的基于Web的设置页。如需指导，请点击[这里](#)。

步骤 2：

当路由器的基于Web的设置页出版时，请点击无线>无线安全。



步骤 3：
寻找安全模式，并且选择WPA预共用的键。

LINKSYS®
A Division of Cisco Systems, Inc.

Wireless

Setup Wireless Security Access Restrictions Applications & Gaming Administration Status Voice

Basic Wireless Settings | Wireless Security | Wireless MAC Filter | Advanced Wireless Settings

Wireless Security

Security Mode:

- Disable
- WPA-Preshared Key
- WPA-RADIUS
- RADIUS
- WEP

Select WPA-Preshared Key.

More...

Save Settings Cancel Changes

CISCO SYSTEMS

步骤 4：
寻找WPA算法，并且选择TKIP。

LINKSYS®
A Division of Cisco Systems, Inc.

Wireless

Setup Wireless Security Access Restrictions Applications & Gaming Administration Status Voice

Basic Wireless Settings | Wireless Security | Wireless MAC Filter | Advanced Wireless Settings

Wireless Security

Security Mode:

WPA Algorithms:

WPA Shared Key:

Group Key Renewal: seconds

Select TKIP.

More...

Save Settings Cancel Changes

CISCO SYSTEMS

步骤 5：
寻找WPA共享密钥关键字域，并且输入“MySecretKey”或您的期望WPA键。这将担当您的网络键，每当您连接到您的无线网络。

Note:请勿产生此键任何人。此键将巩固您的无线网络。留给组密钥续订设置为3600秒。

The screenshot displays the Linksys configuration interface for Wireless Security. The main navigation bar includes 'Wireless', 'Setup', 'Wireless', 'Security', 'Access Restrictions', 'Applications & Gaming', 'Administration', 'Status', and 'Voice'. The 'Wireless Security' section is active, showing the following settings:

- Security Mode: WPA-Preshared Key
- WPA Algorithms: TKIP
- WPA Shared Key: MySecretKey
- Group Key Renewal: 3600 seconds

A yellow callout box with a yellow arrow pointing to the 'WPA Shared Key' field contains the text: "Enter your desired WPA key here. This key should be unique." At the bottom of the page, there are two buttons: "Save Settings" and "Cancel Changes".

步骤 6 :

单击。

步骤 7 :

重新连接对您的无线网络。如需指导，请点击[这里](#)。

[Related Information](#)

- [Technical Support & Documentation - Cisco Systems](#)