

Splunk 8.0升級後無法載入Splunk Web GUI。

適用性

Splunk企業版

說明

- 附註：要安裝Upgrade Readiness App，您必須安裝Splunk Enterprise 7.1、7.2或7.3版以及應用或載入項。如果已升級到8.0，則無法安裝此應用。
- 在大多數情況下，管理員可能忽略了升級到8.0的升級先決條件。其中一個先決條件就是運行以下網址提供的升級準備工具：

調查

Splunk平台升級就緒應用是一個工具，用於協助您在Python 2和Python 3之間進行過渡。即使您的部署通過所有檢查，您仍然需要獨立測試您的專用和自定義應用以及附加程式的不相容性。

- 如果任何應用具有CherryPy端點，則升級到8.0後，整個Web UI不會載入。
- 如果任何應用具有Mako模板或Advanced XML，則升級到8.0時，將不會載入特定應用的檢視。
- 這僅適用於UI。其他Python指令碼可以正常工作，但建議遷移到雙相容Python 2-3的Python。
- 請使用為此目的設計的就緒性應用。它應標識web.conf中定義的所有CherryPy端點。如果應用程式正在使用CherryPy（也就是Web UI不會載入），並且沒有在web.conf中定義終結點，則就緒應用程式尚無法檢測到它。

*檢查日誌，特別是web_service.log和splunkd.log，瞭解與此問題相關的消息。

解析

檢查日誌，特別是web_service.log，查詢與Python 3不相容的應用程式，並移動或刪除應用程式。最後，重新啟動Splunk。

web_service.log的螢幕截圖示例：

```

File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 28, in helper
    return f(*a, **kw)
File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 448, in getInstalledModules
    mods = self.getModuleList(root)
File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 37, in helper
    return f(*a, **kw)
File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 223, in getModuleList
    mod = __import__(modname)
File "/opt/splunk/etc/apps/SA-VMNetAppUtils/appserver/modules/SOLNSearchSwapper/SOLNSearchSwapper.py", line 16
    owner = 'nobody'
    ^
TabError: inconsistent use of tabs and spaces in indentation
2019-10-27 11:16:26,140 INFO [5db5def9dd7f860cc91f50] __init__:174 - Using default logging config file: /opt/splunk/etc/log.cfg
2019-10-27 11:16:26,141 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk level=INFO
2019-10-27 11:16:26,141 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.appserver level=INFO
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.appserver.controllers level=INFO
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.appserver.controllers.proxy level=INFO
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.appserver.lib level=WARN
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.pdfgen level=INFO
2019-10-27 11:16:26,142 INFO [5db5def9dd7f860cc91f50] __init__:212 - Setting logger=splunk.archiver_restoration level=INFO
2019-10-27 11:16:26,532 ERROR [5db5def9dd7f860cc91f50] root:769 - Unable to start splunkweb
2019-10-27 11:16:26,532 ERROR [5db5def9dd7f860cc91f50] root:770 - inconsistent use of tabs and spaces in indentation
(SOLNSearchSwapper.py, line 16)
Traceback (most recent call last):
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/root.py", line 132, in <module>
    from splunk.appserver.mrsparkle.controllers.top import TopController
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/controllers/top.py", line 27, in <module>
    from splunk.appserver.mrsparkle.controllers.admin import AdminController
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/controllers/admin.py", line 25, in <module>
    from splunk.appserver.mrsparkle.controllers.appinstall import AppInstallController
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/controllers/appinstall.py", line 22, in <module>
    from splunk.appserver.mrsparkle.lib import module
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 465, in <module>
    moduleMapper = ModuleMapper()
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 83, in __init__
    self.installedModules = self.getInstalledModules()
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 28, in helper
    return f(*a, **kw)
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 448, in getInstalledModules
    mods = self.getModuleList(root)
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 37, in helper
    return f(*a, **kw)
  File "/opt/splunk/lib/python3.7/site-packages/splunk/appserver/mrsparkle/lib/module.py", line 223, in getModuleList
    mod = __import__(modname)
  File "/opt/splunk/etc/apps/SA-VMNetAppUtils/appserver/modules/SOLNSearchSwapper/SOLNSearchSwapper.py", line 16
    owner = 'nobody'
    ^
TabError: inconsistent use of tabs and spaces in indentation
2019-10-27 11:27:11,006 INFO [5db5e17ec17fd051661150] __init__:174 - Using default logging config file: /opt/splunk/etc/log.cfg
2019-10-27 11:27:11,007 INFO [5db5e17ec17fd051661150] __init__:212 - Setting logger=splunk level=INFO

```

Delete

相關連結

[關於Splunk平台升級就緒應用](#)

關於此翻譯

思科已使用電腦和人工技術翻譯本文件，讓全世界的使用者能夠以自己的語言理解支援內容。請注意，即使是最佳機器翻譯，也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責，並建議一律查看原始英文文件（提供連結）。