

ç, °MDMå®%å... çµç« Macè çµ å™ å'Æè»Æé

ç>®éÆ,,

ç°;ä»<

[MDMé... ç½®æ"æj^](#)

[è«®è©ç](#)

[æœ€ä½žZä½œæ¥ç³»qtè|æ±,](#)

[é†æè|æ'æ"¹](#)

[Mac Connector macOSæ"å±•çš,æ%å¹††](#)

[åœ"ç«è»zæ%å¹††Mac Connector macOSæ"å±•](#)

[ä½žç"MDMæ%å¹††Mac Connector macOSæ"å±•](#)

[ä½žç"MDMå^æ™Macè çµ å™ macOSæ"å±•](#)

[å...çfççÿè"å•](#)

[åœ"çµç«ä, Šæ%å¹††å° ç½žæ-¼1.18.0çš,è çµ å™ ç%å^æœ-é€²è;Æå... çfççÿè"å•](#)

[æ%å¹††çµç«çš,Cisco Orbitalå... çfççÿè"å•](#)

[åœ"çµç«ä, Šæ%å¹††æ€çš'å®%å... çµ,ç«è çµ å™ 1.18.0å Šæ'æ-°ç%å^æœ-çš,å®Æå... çfççÿè"å•](#)

[æ%å¹††ä½žç"MDMçš,è çµ å™ çš,å... çfççÿè"å•](#)

[é€šéžMDMæ%å¹††å° Cisco Orbitalé²è;Æå... çfççÿè"å•](#)

[MDMé... ç½®é... ç½®æ"æj^ç³å¾¼<](#)

[MacOS 10.15æ^æ'æ—©ç%å^æœ-çš,MDMé... ç½®ç³å¾¼<](#)

[æ-°å»°ç>®éÆ,çæš<](#)

[ç%å^æœ-1.14.0å°1.16.2](#)

[1.18.0å Šæ'æ-°ç%å^æœ-](#)

[MacOS 11.0å'ÆMac Connector 1.14.1çš,å²çÿå•é;Æã€,](#)

[MacOS 10.15/11.0å'ÆMac Connector 1.14.0çš,å²çÿå•é;Æã€,](#)

[èššé™å®%èšç³»çµ±æ"å±•æœÿé-"çš,å²çÿå•é;Æ](#)

[Intuneéf"ç½²å®%èšæÆ#ä»çç¼](#)

[é†æ-°å"ç%å®ÆåÆ-çš,Macè çµ å™ i¼^ç%å^æœ-1.18.0å Šæ'æ-°ç%å^æœ-i¼%å](#)

[ä;®è",è"éÆ,,](#)

ç°;ä»<

[æœ-æ-†æ"å»<ç¹ç®çç†å"jéf" ç½²Mac connector](#)

[1.14å Šæ'æ«ç%å^æœ-çš,,æœ€æ-°æ'æ"å'Ææ¥é©ÿã€,](#)

MDMé... ç½®æ"æj^

[å¼çf^å»è°ä½žç"æž^ä^æ%å€éœ€æ%å¹††è±æ-æ-Šçš,MDMé... ç½®æ"æj^å¾¼téf" ç½²Macè çµ å™](#)

è«®è©ç

[Macè çµ å™ 1.14ç%å^å¼å...¥å°téœ€è|æ³æ,,çš,æ'æ"i¼š](#)

- [å...çfççÿè"å•æ%å¹††](#)

Extensionsä¼tç>£æŽšmacOSç%o^æœ-æ%o€éœ€çš,,ç³»çµ±æ'»â«ã€‚âœ¨ macOS

11ä,Ši¼ŒSystem Extensionsâ°†æ>çæ»macOS

11âŠæ'é«~ç%o^æœ-ä,æ"æçš,,èŠç%o^æ,â;fæ"â±•ã€,æ%o€æœ%o macOSç%o^æœ-é f½éœ€ä½çç

Mac connector 1.14â¼•â...¥ä°†â...©â€œæ-°çš,,macOSç³»æ"â±•i¼š

1. ä,€â€œ»ç,°Secure Endpoint File Monitori¼^ä»¥â%oç"±ç,°AMP Security Extensioni¼%oçš,,Endpoint Securityæ"â±•i¼Œç"æ-¼ç>£æŽšç³»çµ±â°â»¶
2. âçç,°Cisco Secure Endpoint Filteri¼^â%oè°çç,°AMPç¶²è-æ"â±•i¼%oçš,,ç¶²è-â...šâ®!éŽæ;¼â™"æ"â±•i¼Œç"æ-¼ç>fæŽš

â...©â€œèŠç%o^æ,â;fæ"â±•ampfileop.kextâ'Œampnetworkflow.kextâŒ...â«âœ¨ä,æ"æ"æ-° macOSç³»

MacOS 11âŠæ'é«~ç%o^æœ-**éœ€æ%o¹â†ti¼š

- æ%o¹â††è¼%oâ...¥â®%oâ...çµçé»žæ"æj^ç>£è|-â™"
- æ%o¹â††è¼%oâ...¥æ€çš'â®%oâ...çµ,çµé»žç-©é,â™"
- â...è"±æ€çš'â®%oâ...çµ,ç«-éŽæ;¼â™"éŽæ;¼ç¶²è-â...šâ®¹

** Mac connectorç%o^æœ-1.14.0â¼Yèlæ±,âœ¨ macOS

10.15ä,Šç²â¾—é™ä°æ%o¹â†tã€, âœ¨ MacOS 10.15ä,Ši¼ŒMac connector

1.14.1æ^-æ'é«~ç%o^æœ-ä,â†éœ€è|é™ä°æ%o¹â†tã€,

macOS 10.14âŒ macOS 10.15æ%o€éœ€çš,,æ%o¹â††i¼š

- æ%o¹â††è¼%oâ...¥èçµâ™"æ,â;fæ"â±•

é™ä°æ%o¹â††â»¥âœ¨çµ,ç«-ä,Šçš,,macOSâ®%oâ...âŒéš±çšé|-é,é...ä,æŽ^ä°i¼Œä¹Yâ»ä»

âœ¨ç«-é»žæ%o¹â††Mac Connector macOSæ"â±•

â»ä»¥â¾žmacOSâ®%oâ...âŒéš±çšé|-é,é...çª—æ¼ä,æ%oâ«æ%o¹â†tç³»çµ±âŒæ,â;fæ"â±•ã



ä½ç”MDMæ%¹â‡Mac Connector macOSæ“’â±•

æ³æ,,ï¼šmacOSæ“’â±•ä,éf½é€šŽMDMè½æ°æ%¹â‡ã€‚,æžœæœ”â®%œ€èèçµâ™”ä¹ã%œ

1. æœ”â²è½æ°éf”ç½²ç®çé...ç½®æ”æj^çš,,çµ,ç«_ä,šæ%œ&œ”â®%œ¹â‡macOSæ“’â±•ã€‚
2. â°‡Macèçµâ™”ââ‡çšã^œ”ç•¶â%œéf”ç½²çš,,èçµâ™”æ’æ-°çš,,ç%œ^æœ-ã€‚,â²è½æ°

å...æœ%œ^è¼%œè

æœ%œ^è¼%œè	å±-æ€§	åf¹å¼
ç³»çµæ“å±	AllowedSystemExtensions	com.cisco.endpoint.svc.securityextensions
	AllowedSystemExtensionType	EndpointSecurityExtensionNetwork
	AllowedTeamIdentials	DE8Y96K9QP
SystemPolicyKernelExtensions	AllowedKernelExtensions	com.cisco.amp.fileopâcom.cisco.a
	AllowedTeamIdentials	TDNYQP7VRK
WebContentFilter	AutoFilterEnabled	å
	FilterDataProviderBundleIdentifier	com.cisco.endpoint.svc.networkextensi
	FilterDataProviderDesignatedRequirement	anchor apple generic and identifier "com.cisco.endpoint.svc.networkextension" leaf[field.1.2.840.113635.100.6.1.9] /*& leaf[field.1.2.840.113635.100.6.13] /*&
	ç³»çµæ“å±	é²ç«ç%œ†
	éŽæ¼å™ ç€è½å™	å
	éŽæ¼è³æ™â€œ...	å
	FilterSockets	true
	å±-æŽæ†ç¶å€...ID	com.cisco.endpoint.svc
	UserDefinedName	æçš'â@%œå... çµ,ç-éŽæ¼å™

å¼ç”MDMå^é™Macè çµå™ macOSæ”å±

MacOS

12åŠæ’é«ç%œ^æœ-å...è±¼ç” [RemovableSystemExtensionså±-æ€§å¼macOSæ“å±æ™ç±ç,°å](#) ç³»çµæ“å±å^é™å çš»é™è±å-šæ™,¼â»å¼å...æœ%œrootè” ç³»çµæ“å±æ€§çšŽMDMåŽæ°å^é™MacOSæ“å±æ€,å,æžœœèššé™å@%œèèè çµå™å¹å%

åœå@%œèå...æœ%œ-åçŽå°SystemExtensionsè² è¼%œçš,,RemovableSystemExtensionså±-æ€§çšç

æœ%œ^è¼%œè	å±-æ€§	åf¹å¼
ç³»çµæ“å±	RemovableSystemExtensions	com.cisco.endpoint.svc.securityextensions¼â com.cisco.endpoint.svc.networkextension

å...çšççÿè”å

MacOS

10.14åŠæ’é«ç%œ^æœ-éœ€è|ç¶“éŽæ¼å™å†¼â€œæ±%œç” ç”å¼æ%œèf½è”åæ”æjç³»çµæ“å±

å»¥å%œçš,,Macè çµå™ ç%œ^æœ-è|æ±,å¼ç” è€...æŽå°å ampdaemonç”å¼çš,,â@â€œ çšç

- "éçåçµ,ç«çš,,AMPæœå™
- "AMPå@%œå...æ“å±"

Mac OS 1.16.0 Šæ'æ-°ç%o^æœ-éœ€è | éj å-çš,,å... çf ççÿè "å• ï¼š

- åœœæ çš'è»œé "ã€ ï¼^åœ ç-ç•¥ä,å•ÿç""ï¼%ï¼œæ ä¾å,, ååçå'œé«ç'šè"å•

Mac OS 1.18å Šæ'æ-°ç%o^æœ-éœ€è | ä»¥ä,èf ç½®çš,,å... çf ççÿè "å• ï¼š


- "å®%å...ç«é»žæœ å™"
- "å®%å...ç«é»žç³»ç#ç>£æžšå™"
- åœ ç-ç•¥ä,å•ÿç""Orbitalæ™, åœœæ çš'è»œé "ã€ (æ ä¾å,, ååçå'œé«ç'šè"å•)

ampdaemonç å¼ ä, å† éœ€è | ä½ç " Mac OS ç%o^æœ-1.14å Šæ'æ-°ç%o^æœ-éœ²è;œå

å ä»¥åœ çµ,ç« çš,,macOSå®%å... å'œéš±çš é|-é, é ...ä,æ^ -é€šé žæµ å•èf ç½®ç®;ç†(N

åœ çµç« ä, Šæ%å¹å† å° ä½žæ-¼1.18.0çš,, è çµ å™ ç%o^æœ-éœ²è;œå... çf ççÿè

å ä»¥å¾žmacOSå®%å... å'œéš±çš é|-é, é ...çª—æ ¼æ%ååå%å¹å†å... çf ççÿè "å• ã€,



åæ¨çµ«¬ä,Šæ%0¹â††æ€çš'â®%0â...¨çµ,ç«¬è-çµâ™¨1.18.0âŠæ>æ-°ç%0^æœ-ç
â-ä»¥â¼žmacOSâ®%0â...¨â'ŒÉš±çšé|-éé...çª—æ¼æ%0<â>æ%0¹â††â...¨ç£ççÿè¨ªâ•â€,

è ^{aa} æ~Z	â±~æ€§	âf ¹ â€¼
	è~â~Ÿçç¼	com.cisco.endpoint
	IdentifierType	æ◆†ç¶◆◆â€…ID
â®%â…¨çµç«ç³»ç#ç>£æŽšâ™™i¼^AMPâ®%â…¨æ“~â±•i¼%o	â.²â…◆è¨±	true
	CodeRequirement	anchor apple generic "com.cisco.endpoint leaf[field.1.2.840.1 /*â~âœ¨*/æ^~certifi /*â~âœ¨¨/â'Ÿcertifi leaf[field.1.2.840.1 /*â~âœ¨¨/â'Ÿcertifi DE8Y96K9QP)
	è~â~Ÿçç¼	com.cisco.endpoint
	IdentifierType	æ◆†ç¶◆◆â€…ID

â!,æžœæ,¨çš,,éf¨ç¼²â€…æ<~â®%œè£◆ä°†è◆~çµ◆â™™ç%oo^æœ~1.12.7æ^~æ'æ—©ç%oo^æœ~çš,,é»è...|i

è ^{aa} æ~Z	â±~æ€§	âf ¹ â€¼
ampdaemon	â.²â…◆è¨±	true
	CodeRequirement	è~â~Ÿçç¼~è™™Ÿampdaemonâ'ŸéŸé»žapple genericâ'Ÿcertificate 1[field.1.2.840.113635.100.6.2.6] /*â~âœ¨¨/â'Ÿcertificate leaf[field.1.2.840.113635.100.6.1.13] /*â~âœ¨¨/â'Ÿcertificate leaf[subject.OU] = TDNYQP7VRK
	è~â~Ÿçç¼	/opt/cisco/amp/ampdaemon
	IdentifierType	è.~â³¼'

é€šé€ŽMDMæ%o¹â††â°◆Cisco Orbitalé€²è;Ÿâ…¨ç£◆ççŸè¨â•◆

â!,æžœæ,¨çš,,éf¨ç¼²â€…æ<~â¼çç¨¨Cisco Secure Endpoint Mac
connectorç%oo^æœ~1.16.0æ^~æ'è«ç%oo^æœ~çš,,é»è...|i¼Ÿæœ¨macOS
10.15æ^~æ'è«ç%oo^æœ~çš,,é»è...|ä,Ši¼Ÿä,|ä,¨ç~ç•Ÿä,â•Ÿç¨¨â°†Orbitali¼Ÿâ®%o†â»◆éœ€è|◆æœé™„âš æç◆

è ^{aa} æ~Z	â±~æ€§	âf ¹ â€¼
Cisco Orbital	â.²â…◆è¨±	true
	CodeRequirement	anchor apple generic and identifier "com.cisco.endpoint.orbital.app"â'ŸŸ(certificate leaf[field.1.2.840.113635.100.6.1.9] /*â~âœ¨¨*/æ^~certificate 1[field.1.2.840.113635.100.6.2.6] /*â~âœ¨¨/â'Ÿcertificate leaf[field.1.2.840.113635.10.6.13] /*â~âœ¨¨/â'Ÿcertificate leaf[subject.OU] = DE8Y96K9QP)
	è~â~Ÿçç¼	com.cisco.endpoint.orbital.app
	IdentifierType	æ◆†ç¶◆◆â€…ID

MDMé...

PayloadIdentifier

92624553-06C3-4BE0-9000-91D8A260CC65

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.system-extension-policy

PayloadUUID

92624553-06C3-4BE0-9000-91D8A260CC65

PayloadVersion

1

RemovableSystemExtensions

DE8Y96K9QP

com.cisco.endpoint.svc.securityextension

com.cisco.endpoint.svc.networkextension

PayloadDescription

PayloadDisplayName

Privacy Preferences Policy Control

PayloadEnabled

PayloadIdentifier

290AAF9E-D9F1-4470-B802-2468AC836142

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.TCC.configuration-profile-policy

PayloadUUID

290AAF9E-D9F1-4470-B802-2468AC836142

PayloadVersion

1

Services

SystemPolicyAllFiles

Allowed

1

CodeRequirement

anchor apple generic and identifier "com.cisco.endpoint.svc" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

Identifier

com.cisco.endpoint.svc

IdentifierType

bundleID

StaticCode

0

Allowed

1

CodeRequirement

identifier ampdaemon and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = TDNYQP7VRK

Identifier

/opt/cisco/amp/ampdaemon

IdentifierType

path

StaticCode

0

Allowed

1

CodeRequirement

anchor apple generic and identifier "com.cisco.endpoint.orbital.app" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /* exists */ or certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

Identifier

com.cisco.endpoint.orbital.app

IdentifierType

bundleID

StaticCode

0

FilterDataProviderBundleIdentifier

com.cisco.endpoint.svc.networkextension

FilterDataProviderDesignatedRequirement

anchor apple generic and identifier "com.cisco.endpoint.svc.networkextension" and (certificate leaf[field.1.2.840.113635.100.6.1.9] /*

exists */ or certificate I[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = DE8Y96K9QP)

FilterGrade

firewall

FilterPackets

FilterSockets

FilterType

Plugin

PayloadDisplayName

Web Content Filter Payload

PayloadIdentifier

F630E2F3-F917-47F5-93E9-343C4C787C28

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.webcontent-filter

PayloadUUID

F630E2F3-F917-47F5-93E9-343C4C787C28

PayloadVersion

1

PluginBundleID

com.cisco.endpoint.svc

UserDefinedName

AMP Network Extension

VendorConfig

PayloadDescription

PayloadDisplayName

Cisco Secure Endpoint Settings [DEMO]

PayloadEnabled

PayloadIdentifier

36DAAE4E-5BA2-497B-8381-D58FCB62FA1B

PayloadOrganization

Cisco Systems, Inc.

PayloadRemovalDisallowed

PayloadScope

System

PayloadType

Configuration

PayloadUUID

36DAAE4E-5BA2-497B-8381-D58FCB62FA1B

PayloadVersion

1

MacOS 10.15

- `com.apple.MDM`

AllowNonAdminUserApprovals

AllowUserOverrides

AllowedKernelExtensions

TDNYQP7VRK

com.cisco.amp.nke

com.cisco.amp.fileop

PayloadDescription

PayloadDisplayName

Approved Kernel Extensions

PayloadEnabled

PayloadIdentifier

A872B6D5-D67C-41FE-BE64-3DD674C43C4F

PayloadOrganization

Cisco Systems, Inc.

PayloadType

com.apple.syspolicy.kernel-extension-policy

PayloadUUID

A872B6D5-D67C-41FE-BE64-3DD674C43C4F

PayloadVersion

1

1.14.0 to 1.16.2

Mac connector 1.14.0 to 1.16.2

1. Applications > Cisco AMP for Endpoints
2. Applications > Cisco AMP for Endpoints Connector.app

Contents > Cisco AMP for Endpoints Connector.app

Mac connector 1.14.0 to 1.16.2

```
Applications
  Cisco AMP for Endpoints
  AMP for Endpoints Connector.app
  Contents
  MacOS
  AMP for Endpoints Service.app
  Contents
  MacOS
  ampcli
  ampdaemon
  amscansvc
  ampcreport
  ampupdater
  SupportTool
  Support Tool.app
Library
  Application Support
  Cisco
  AMP for Endpoints Connector
  SupportTool
  Logs
  Cisco
Users
  *
  Library
  Logs
  Cisco
opt
  cisco
  amp
  ampcli
```

1.18.0

Mac connector 1.18.0

1. Applications > Cisco AMP for Endpoints

Mac connector 1.18.0

關於此翻譯

思科已使用電腦和人工技術翻譯本文件，讓全世界的使用者能夠以自己的語言理解支援內容。請注意，即使是最佳機器翻譯，也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責，並建議一律查看原始英文文件（提供連結）。