

# 如何在ESA和CRES上設定多個公司徽標？

## 目錄

[簡介](#)

[如何在ESA和CRES上設定多個公司徽標？](#)

[ESA配置](#)

[CRES配置](#)

## 簡介

本文檔介紹如何使用AsyncOS 7.0和思科註冊信封服務(CRES)的新功能設定多個品牌。

## 如何在ESA和CRES上設定多個公司徽標？

### ESA配置

1. 在ESA上建立新的CRES加密配置檔案。

#### Edit Encryption Envelope Profile

Encryption Profile Settings	
Profile Name:	Encrypt02
Key Server Settings	
Key Service Type:	Cisco Registered Envelope Service
Proxy:	A proxy server is not currently configured.
Cisco Registered Envelope Service URL:	https://res.cisco.com
Envelope Settings	
Example Envelope	
Envelope Message Security:	<input type="radio"/> High Security <i>Recipient must enter a password to open the encrypted message, even if credentials are cached ("Remember Me" selected).</i>
	<input checked="" type="radio"/> Medium Security <i>No password entry required if recipient credentials are cached ("Remember Me" selected).</i>
Logo Link:	<input checked="" type="radio"/> No link
	<input type="radio"/> Custom link URL: <input type="text"/>
	<i>By defining a URL, the logo in the upper left corner of the recipient envelope will become a link (example: http://www.mycompany.com/).</i>
Read Receipts:	<input checked="" type="checkbox"/> Enable Read Receipts
Advanced:	Advanced envelope settings.
Message Settings	

2. 在這種情況下，已經有一個名為Encrypt01的配置檔案，因此新的配置檔案稱為Encrypt02。已為此品牌設定「中等安全」。此外，還會使用不同的通知文本。為此，新增新的文本資源。

### Add Text Resource

**Text Resource**

Name:

Type: Encryption Notification Template (HTML)

Text: *This field accepts HTML, but will not validate it. It is recommended you modify or write HTML in another editor.*

```
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<th style="font-family:Verdana,sans-serif;font-weight:700;
font-size:10pt;text-align:left;color:#333333">
You have received a secure message from my other brand
</th>
</tr>
<tr>
<td style="border-top:1px solid black">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td style="font-family:Verdana,sans-serif;font-size:8pt;
```

Preview Text

3. 將此項新增到加密配置檔案。

**Message Settings** Example Message

End-User Controls:  Enable Secure Reply All  
 Enable Secure Message Forwarding

**Notification Settings**

Encrypted Message HTML Notification:   
Preview Message (see Mail Policies > Text Resources > Encryption Notification Template - HTML)

Encrypted Message Text Notification: System Generated  
Preview Message (see Mail Policies > Text Resources > Encryption Notification Template - Text)

Encryption Failure Notification: Message Subject:   
 Message Body: System Generated  
Preview Message (see Mail Policies > Text Resources > DSN Bounce and Encryption Failure Notification Template)

4. 設定新配置檔案。

### IronPort Email Encryption Settings

Info — Cisco Registered Envelope Service "Encrypt02" was successfully provisioned.

**Email Encryption Global Settings**

IronPort Email Encryption: Enabled  
 Proxy Server (optional): Not Configured

**Email Encryption Profiles**

Profile	Key Service	Provision Status	Delete
Encrypt01	Cisco Registered Envelope Service	Provisioned <input type="button" value="Re-provision"/>	<input type="button" value="Delete"/>
Encrypt02	Cisco Registered Envelope Service	Provisioned <input type="button" value="Re-provision"/>	<input type="button" value="Delete"/>

**PXE Engine Updates**

Type	Last Update	Current Version
PXE Engine	21 Jan 2010 21:39 (GMT)	6.7.1-003
Domain Mappings File	Never updated	1.0.0

5. 新增傳出內容過濾器以使用新的加密配置檔案。



6. 提交和提交更改。

## CRES配置

1. 使用CRES管理員ID新增與新的ESA加密配置檔案關聯的映像。此處的「信封配置檔案」名稱必須與ESA上的加密配置檔案相同。



2. 通過新內容過濾器傳送郵件時，收件人會收到新的通知文本和具有新徽標的信封（此處左上角顯示為A）。

**You have received a secure message from my other brand**

Read your secure message by opening the attachment, **securedoc.html**. You will be prompted to open (view) the file or save (download) it to your computer. For best results, save the file first, then open it in a Web browser. To access from a mobile device, forward this message to [mobils@res.cisco.com](mailto:mobils@res.cisco.com) to receive a mobile login URL.

If you have concerns about the validity of this message, contact the sender directly.

**First time users** - will need to register after opening the attachment. For more information, click the following Help link:

**Help** - <https://res.cisco.com/websafe/help?topic=Reg@velope>

**About Cisco Registered Email Service** - <https://res.cisco.com/websafe/about>



**From:** Dave Miller <Dave@ironport.eu>  
**To:** davmil2@cisco.com  
**Subject:** **other brand**  
**Password:** No password required.

**Personal Security Phrase:**  
Your personal phrase is not enabled on this computer.  
[More info](#)

**OPEN**

[Select a different address](#)  
If you experience problems opening this message, try to [Open Online](#)

**Cisco Registered Envelope Service**



© 2000-2009 Cisco Systems Inc. All rights reserved.

請

注意，信封顯示不需要密碼，因為郵件安全設定為Medium，而您之前已經輸入了密碼並設定了remember me cookie。新徽標也會出現在開啟的信封中，但不會出現在安全的回覆、回覆所有或轉發螢幕中。



[Help](#) | [Forget me on this computer](#)

**Secured Message**

[Reply](#) [ReplyAll](#)

**From:** Dave Miller <Dave@ironport.eu>  
**To:** davmil2@cisco.com  
**Date:** January 28, 2010 3:50:24 PM GMT  
**Subject:** other brand

3. 註冊流程仍為思科品牌。請記住，CRES使用者向思科註冊，而不是向向他們傳送其第一個CRES安全電子郵件的公司註冊。這是一個重要的區別，需要記住。

## 關於此翻譯

思科已使用電腦和人工技術翻譯本文件，讓全世界的使用者能夠以自己的語言理解支援內容。請注意，即使是最佳機器翻譯，也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責，並建議一律查看原始英文文件（提供連結）。