

如何從郵件安全裝置上的存檔郵箱日誌提取電子郵件？

目錄

[簡介](#)

[如何從ESA上的存檔mbox日誌提取電子郵件？](#)

[相關資訊](#)

簡介

本文檔介紹如何從郵件安全裝置(ESA)建立的歸檔日誌中提取電子郵件。

如何從ESA上的存檔mbox日誌提取電子郵件？

1. 檢索要從中提取電子郵件的存檔mbox日誌。在提供的文章中提供了如何檢索存檔mbox的 [方法](#)。
(<https://www.cisco.com/c/en/us/support/docs/security/email-security-appliance/118315-technote-esa-00.html>)
2. 使用文本編輯器開啟存檔檔案。以下範例使用 `記事本++` 顯示。
3. 確定要從歸檔日誌提取的電子郵件。存檔中的每個電子郵件將以 *From* <地址> 開頭。
4. 將單個電子郵件的內容複製到新的文本檔案，並將其另存為 *.eml* 副檔名。
5. 在郵件客戶端 (如Outlook) 中開啟提取的電子郵件以檢視內容。

注意：存檔郵箱日誌可能包含多個電子郵件。

存檔日誌中的電子郵件源示例：

1 2 3 4 5 7

```
From test1@cisco.com Mon Jan 15 08:31:54 2018
X-IronPort-RCPT-TO: test2@cisco.com
Authentication-Results: ironport.example.com; spf=None
smtp.pra=test1@cisco.com; spf=SoftFail smtp.mailfrom=test1
@cisco.com; spf=None smtp.helo=postmaster@L1B1VARG-6622F
Received-SPF: None (ironport.example.com: no sender authenticity
information available from domain of test1@cisco.com)
identity-pra; client-ip=10.196.112.18;
receiver=ironport.example.com;
envelope-from="test1@cisco.com"; x-sender="test1@cisco.com";
x-conformance-sidf_compatible
Received-SPF: SoftFail (ironport.example.com: domain of
test1@cisco.com is inclined to not designate 10.196.112.18 as
permitted sender) identity-mailfrom; client-ip=10.196.112.18;
receiver=ironport.example.com;
envelope-from="test1@cisco.com"; x-sender="test1@cisco.com";
x-conformance-sidf_compatible; x-record-type="v-spf1"
Received-SPF: None (ironport.example.com: no sender authenticity
information available from domain of
postmaster@L1B1VARG-6622F) identity-helo;
client-ip=10.196.112.18; receiver=ironport.example.com;
envelope-from="test1@cisco.com";
x-sender="postmaster@L1B1VARG-6622F";
x-conformance-sidf_compatible
Received: from unknown (HELO L1B1VARG-6622F) [10.196.112.18]
by ironport.example.com with ESMTP; 15 Jan 2018 08:31:54 +0530
MIME-Version: 1.0
From: test1@cisco.com
To: test2@cisco.com
Date: 15 Jan 2018 11:16:23 +0530
Subject: Test archive filter
Content-Type: multipart/mixed; boundary="--boundary_0_
05c6bfa8-119c-40df-b0e9-917b1ffc110e
```

```
-----boundary_0_05c6bfa8-119c-40df-b0e9-917b1ffc110e
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: quoted-printable
```


This is a test email. Please ignore. Or don't.

```
-----boundary_0_05c6bfa8-119c-40df-b0e9-917b1ffc110e
Content-Type: application/octet-stream; name=onward.pdf
Content-Transfer-Encoding: base64
```

```
Q29udGVudC10eXB1018tdRkx0aXBhcnQvcnV0YXR12DaNC1B1b3Vn2GFyeT91LS0tLT1
fThV4
dFBhcnRf00cw0Tcx040Mz0wMj0xMD12NT11DQpYLU1zLzJNaW110LB0cnV1DQpYLU01
zLzJN
aW11LUNnaWVudC17B0JtaXQtVU1t2TogTW9uLCAwOCBKYW4gMjAxOC0xMz0yMDowKSA=
tM0w
```

```
KtUqV
S301TK400ytnc03hugkJDQ0NH80VFSXEraStFcTN10GRt0Xc9C1Y1Q3110GNPaZVPd3Z
ubzFS
DQ03NFVn8NNeWa19G9EhbHhFV1hRcXNAV0dtVGJ4Sn1LUNNEWJ8zS1Qw005L8K1tYWN
xYjdN
aF1b0FEMckJBNKEvbGdxaXdbqnc3Vgh1SskcySVNTNhdDd25L53V1d1BtRJA0V3RQRnV
TVV2p
SFhEz3NkZ2doaEJ0Q31EK01YcndaNcp0d08YQ2YNCJ21ZU9Hb3czazBaeUd3SR1n6Wa
y8a75
V016R1R0MEpZwVU3S7hBNGdR0sd2W2nh02EkevR0JN7y90N09oaaz22SKN4eFF1cXJ67hp
zUnIN
cJjY22g371V5c1ZVhGorQaR0zT0KERAQ1hX110M058V1pL5StwR1dJN1p6cFFx7RE
BR0VP
RULJ5V1T7XkvbnaBpbF2R11kYsh1bnkKCaKMU1K71p8a3N0029xa2x2MjFo8G1n7Hp
n8Kax
TV2td01T5VAJ2F1H80N3ZERwgaeybctx0EkyQjdMeCayLz4d73V1M01Dsk1H0z2ANcd
1T2cz
8a42N1p300xycd18aYTN2T09HhJUCPhJbkQ1QkFna2bCgkNDQ09vSXYaeUhaaGNL1J
LY2Va
72cTa1VvQXVvNE50M4Q1WFc9CaFMjhnY0pQ2dk0GtVzVX4BBqa0RDY1QweG43N1V
nb1qy
S2UyZ3B08ndEdWpa2k2b0nFwRzJaMnF1Ma04aU8vRzBfc0x5VaE3dKNC1dYH01QMj2
RntD
d01pZjA5a8DUNGtNTzNPNKR0zdrYzhV73F1VEpLQ04FR0VJSU110a23VnpQmLaQ0P
Kz2dJ
SUX171NAKcawRD0NcaJLL0VgRvfyZDjuYaAydU5w7G1aMGP1Q0NYVUxKcPh0G9Q1J
V5jfo
dE40YnU1b3F0SKZ1bVpE7Xh2K1RkbFy1Vz10rjR4b6wyb1YNCjQw7jBhM0x1b01R02c
2N3B0
NE9YWTN0cKX2M1p0C9M3bdQa0Z2P0caJm1RM028K22hoGkJDQ0NTL0J2N0Kva0x
DT1hY
QjF1dzcHcn1FN0pVz21dF1R0VFn22hoGkJDeUJQNK2v2mp6N211cDVAwV11ZaxuqkJ
DQ0NB
R0VPTe1wL1B0THV12aNOZn2xd11te04vcK1CQKMK0KND00VFR0aJV191ZEx12M21R2R
KN1Fr
dJy0VFRZ2doaEJ0Q32vWTN1c8B00Wdna2bCgkNDQ09vSj5Y00wS01JWVFS0WdnaEw
0YVgN
CaMwS01JWVFR0Wdna2VMMHdjazRJSV1R0VFn22hoZ8d2MH0SK1ZUNFRZ2doaEp8Mhc
4c2VJ
WVFR0WdnaGhCRH12bmc1SjR0VFn22gh0CahCgkNY23d2NTR0VFn22hoGkJDeU12aDV
ad1FR
Z2doaEJ0Q0NTa3h2SndUOWdna2bCgkNDQ0V2aHBke1Fn22hoGkJDQ0NTa3haQaKNC1R
n32bo
qkJDQ0NB0X2CaGV622toaeJ0Q0ND0Vz2a25Z10VMY8r2z8yanVz00o2ckf6Q0F8Wx
GUGt7
dVFTQ0MNC10TL80tLT1f7hV4dFBhcnRf0Dew0TcdC40HzUwMjUxMDI2NT11LQ0K
---boundary_0_05e4bf40-119c-40df-b0e9-917b1ffc118e---
```

在Outlook中提取和開啟的示例電子郵件：



相關資訊

- [Cisco Email Security Appliance — 最終使用手冊](#)
- [技術支援與文件 - Cisco Systems](#)
- [什麼是 UNIX mbox \(信箱 \) 格式？](#)
- [思科郵件安全裝置\(ESA\)上的日誌儲存在哪裡，如何訪問這些日誌？](#)
- [如何在郵件安全裝置\(ESA\)上存檔電子郵件](#)