

配置UCC以在Chrome瀏覽器中啟用開發人員模式

目錄

[簡介](#)

[概觀](#)

[解決方案](#)

簡介

本文檔介紹如何在Chrome瀏覽器中啟用Umbrella Chromebook Client(UCC)的開發人員模式。

概觀

必須啟用Chrome瀏覽器的開發人員模式，才能從Umbrella Chromebook客戶端應用和Umbrella Chromebook客戶端擴展收集診斷日誌。

解決方案

如果開發人員模式訪問受到限制，請使用以下步驟啟用它：

1. 登入Google管理控制檯(位於admin.google.com)。
2. 導覽至Device > Chrome > Settings。
3. 在左側，選擇包含要更改其配置的使用者的適當組織單位。
4. 使用「始終允許使用內建開發工具」更新開發工具設定。
5. 除非在較低級別被覆蓋，否則您對組織所做的更改也會被子組織中的使用者繼承。管理控制檯會標籤設定是Inherited還是被覆蓋 (標籤為「Locally applied」) 。
6. 按一下「SAVE」。

Google Admin Search for users, groups or settings

Devices > Chrome > Settings

Search for organizational units

USER & BROWSER SETTINGS

DEVICE SETTINGS

MANAGED GUEST SESSION SETTINGS

+ Search or add a filter

Spell check	Inherited from Google default	Allow the user to decide
Spell check service	Locally applied	Allow the user to decide
Google Translate	Locally applied	Allow the user to decide
Alternate error pages	Locally applied	Allow the user to decide
Developer tools	Locally applied	Always allow use of built-in developer tools
		Note: to prevent end-users from tampering with force-installed extensions, developer tools should be blocked.
Form auto-fill	Locally applied	Allow user to configure
Payment methods	Inherited from Google default	Allow websites to check if the user has payment methods saved
Emoji suggestions	Inherited from Google default	Disable emoji suggestions when users type
DNS pre-fetching	Locally applied	Allow the user to decide

UCC_DeveloperMode.png

關於此翻譯

思科已使用電腦和人工技術翻譯本文件，讓全世界的使用者能夠以自己的語言理解支援內容。請注意，即使是最佳機器翻譯，也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責，並建議一律查看原始英文文件（提供連結）。