

# æªçè!–RV016ã€◆RV042ã€◆RV042Gå’ŒRV082 VPNè·¬ç”±å™”ä,Šçš,,VPNçš,,æ’~è!◆è³‡è”Š

ç>®æ··TM

è™,æ“¬å°^ç””ç¶²è.-(VPN)æ~ä,€ç··®å°^ç””ç¶²è.-½Œç””æ-½é€š◆žå...¬å...±ç¶²è·¬ä»¥è™,æ”¬æ-½å¼◆é  
Summaryé◆é◆çéj¬ç¤°VPNéššé◆”çš,,ä,€è^¬è³‡è”Ši½Œä¾<å!,å◆¬ç””çš,,VPNéššé◆”æ·,ã€◆  
to Gatewayã€◆Client to Gatewayå’ŒGroup VPNç·€æ...<è³‡è”Šã€,

æœ¬æ-‡ä»«ç’¹RV0XXç³»å^—VPNè·¬ç”±å™”ä,Šçš,,VPN  
Summaryé◆é◆çä,æ◆◆ä¾>çš,,è³‡è”Šã€,

é◆©ç””è£◆ç½®

- RV016
- RV042
- RV042G
- RV082

è»Ÿé«”ç‰^æœ¬

- v4.2.2.08

VPNæ’~è!◆

æ¥é©Ÿ1. ç™»å...¥è·¬ç”±å™”é...◆ç½®å¬!ç””ç””<å¼◆ä,!é◆æ”‡VPN >  
Summaryã€,Summaryé◆é◆çéš”å◆³é-<å•Ÿi¼š

## Summary

0 Tunnel(s) Used      50 Tunnel(s) Available      [Details](#)

### Tunnel Status

1 Tunnel(s) Enabled      1 Tunnel(s) Defined

Items 1-1 of 1 Rows per page : 5

No.	Name	Status	Phase2 Enc/Auth/Grp	Local Group	Remote Group	Remote Gateway	Tunnel Test	Config.
1	tunnel_1	waiting for connection	DES/MD5/1	192.168.1.0 255.255.255.0	N/A	192.168.1.3	<a href="#">Connect</a>	

[Add](#)

Page 1 of 1

### Group VPN Status

Group Name	Connected Tunnels	Phase2 Enc/Auth/Grp	Local Group	Remote Client	Remote Client Status	Tunnel Test	Config.
tunnel_2	0	DES/MD5/1	192.168.1.0 255.255.255.0	domain1	<a href="#">Detail List</a>	N/A	

[Add](#)

### VPN Client Status

Items 1-2 of 2 Rows per page : 5

No.	Username	Status	Start Time	End Time	Duration	<a href="#">Disconnect</a>
1	user_1	Offline	---	---	---	<input type="checkbox"/>
2	user_2	Offline	---	---	---	<input type="checkbox"/>

Page 1 of 1

æ“˜è!?

**Summary**

0	Tunnel(s) Used	50	Tunnel(s) Available	<a href="#">Details</a>
---	----------------	----	---------------------	-------------------------

**Tunnel Status**

1	Tunnel(s) Enabled	1	Tunnel(s) Defined
---	-------------------	---	-------------------

Items 1-1 of 1 Rows per page : 5

No.	Name	Status	Phase2 Enc/Auth/Grp	Local Group	Remote Group	Remote Gateway	Tunnel Test	Config.
1	tunnel_1	waiting for connection	DES/MD5/1	192.168.1.0 255.255.255.0	N/A	192.168.1.3	<a href="#">Connect</a>	

[Add](#) Page 1 of 1

**Group VPN Status**

Group Name	Connected Tunnels	Phase2 Enc/Auth/Grp	Local Group	Remote Client	Remote Client Status	Tunnel Test	Config.
tunnel_2	0	DES/MD5/1	192.168.1.0 255.255.255.0	domain1	<a href="#">Detail List</a>	N/A	

[Add](#) Page 1 of 1

**VPN Client Status**

Items 1-2 of 2 Rows per page : 5

No.	Username	Status	Start Time	End Time	Duration	<a href="#">Disconnect</a>
1	user_1	Offline	--	--	--	<input type="checkbox"/>
2	user_2	Offline	--	--	--	<input type="checkbox"/>

Page 1 of 1

·å·ä½ç”çš,,éš§é◆“ â€” éjç¤ºæ£åœ“ ä½ç”çš,,éš§é◆“æ•,ã€,

·å◆ç”ç”éš§é◆“ â€” éjç¤ºå◆ç”ç” æ-¼VPNé€£ç·šçš,,éš§é◆“ç,½æ•,ã€,

æ¥é©Ý1ã€,í¼^å◆é◆í¼%oå¡,æžœè¡◆æªçè¡|æœ‰é—æéš§é◆“çš,,è©³ç’ºè³‡è”Ší¼Œè»«æŒ‰

<https://192.168.1.1/VpnSetting.htm>

No.	Name	Status	Phase 2 Enc/Auth/Grp	Loc
1	tunnel_1	waiting for connection	DES/MD5/1	192.168.1.3

  

Group Name	Connected Tunnels	Phase 2 Enc/Auth/Grp	Loc
tunnel_2	0	DES/MD5/1	192.168.1.3

â€¢ç·è™Ý â€” ç”æ-¼VPNé€£ç·šçš,,éš§é◆“è™Ýã€,

·å◆ç”± â€” ç”æ-¼VPNé€£ç·šçš,,éš§é◆“å◆ç”±ã€,

·ç«€æ...  
·ç“VPNé€£ç·šçš,,ç•¶å%♦ç«€æ...  
·ç“

·ç“VPNé€£ç·šçš,,ç•¶å%♦ç“

·ç“VPNé€£ç·šçš,,ç•¶å%♦ç“

·ç“VPNé€£ç·šçš,,ç•¶å%♦ç“

·æœ¬åœ°çµ

·é♦ç“çµ,,

·é♦ç“ç¶²é—œ

·æœ¬åœ°çµ,,

·æœ¬åœ°çµ,,

## VPNé€šé♦ç“ç«€æ... ·ç“

Summary											
Tunnel(s) Used		50		Tunnel(s) Available		Details					
Tunnel Status											
1 Tunnel(s) Enabled				1 Tunnel(s) Defined				Items 1-1 of 1 Rows per page : 5			
No.	Name	Status	Phase2 Enc/Auth/Grp	Local Group	Remote Group	Remote Gateway	Tunnel Test	Config.			
1	tunnel_1	waiting for connection	DES/MD5/1	192.168.1.0 255.255.255.0	N/A	192.168.1.3	<a href="#">Connect</a>	<a href="#">Edit</a>			
<a href="#">Add</a>				Page 1 of 1							
Group VPN Status											
Group Name	Connected Tunnels	Phase2 Enc/Auth/Grp	Local Group	Remote Client	Remote Client Status	Tunnel Test	Config.				
tunnel_2	0	DES/MD5/1	192.168.1.0 255.255.255.0	domain1	<a href="#">Detail List</a>	N/A	<a href="#">Edit</a>				
<a href="#">Add</a>				Page 1 of 1							
VPN Client Status											
No.	Username	Status	Start Time	End Time	Duration	Disconnect					
1	user_1	Offline	--	--	--	<input type="checkbox"/>					
2	user_2	Offline	--	--	--	<input type="checkbox"/>					
<a href="#">Add</a>		Page 1 of 1									

·å·²å·Ýç”éšé♦ç“

éj-ç¤ºç,ºVPNé€£ç·šå·Ýç”éšé♦ç“æ•,ã€,é€™éj-ç¤ºç,ºVPNé€£ç·šæ^♦åŠÝé...♦ç½®çš,,éšé♦ç“

·å®šç¾©çš,,éš§é◆“ â€”  
 éj-ç¤°ç,ºVPNé€£ç·šå®šç¾©çš,,éš§é◆“æ•,ã€,é€™éj-ç¤°VPNé€£ç·šçš,,å◆-ç”“ éš§é◆“æ•,í¼ŒåŒ.  
 é€£ç·šè;”

éj-ç¤°ç¶²é—œå^°ç¶²é—œå’Œå®¢æ^¶ç<-å^°ç¶²é—œi^¼å—®ä, €i^¼%oVPNé€£ç·šã€,

**Summary**

0	Tunnel(s) Used	50	Tunnel(s) Available	Details																					
<b>Tunnel Status</b>																									
1	Tunnel(s) Enabled	1	Tunnel(s) Defined																						
<table border="1"> <thead> <tr> <th>No.</th> <th>Name</th> <th>Status</th> <th>Phase2 Enc/Auth/Grp</th> <th>Local Group</th> <th>Remote Group</th> <th>Remote Gateway</th> <th>Tunnel Test</th> <th>Config.</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>tunnel_1</td> <td>waiting for connection</td> <td>DES/MD5/1</td> <td>192.168.1.0 255.255.255.0</td> <td>N/A</td> <td>192.168.1.3</td> <td><a href="#">Connect</a></td> <td></td> </tr> </tbody> </table>					No.	Name	Status	Phase2 Enc/Auth/Grp	Local Group	Remote Group	Remote Gateway	Tunnel Test	Config.	1	tunnel_1	waiting for connection	DES/MD5/1	192.168.1.0 255.255.255.0	N/A	192.168.1.3	<a href="#">Connect</a>				
No.	Name	Status	Phase2 Enc/Auth/Grp	Local Group	Remote Group	Remote Gateway	Tunnel Test	Config.																	
1	tunnel_1	waiting for connection	DES/MD5/1	192.168.1.0 255.255.255.0	N/A	192.168.1.3	<a href="#">Connect</a>																		
<a href="#">Add</a> <span style="float: right;">Items 1-1 of 1 Rows per page : 5</span>																									
<span style="float: right;">Page 1 of 1</span>																									
<b>Group VPN Status</b>																									
<table border="1"> <thead> <tr> <th>Group Name</th> <th>Connected Tunnels</th> <th>Phase2 Enc/Auth/Grp</th> <th>Local Group</th> <th>Remote Client</th> <th>Remote Client Status</th> <th>Tunnel Test</th> <th>Config.</th> </tr> </thead> <tbody> <tr> <td>tunnel_2</td> <td>0</td> <td>DES/MD5/1</td> <td>192.168.1.0 255.255.255.0</td> <td>domain1</td> <td><a href="#">Detail List</a></td> <td>N/A</td> <td></td> </tr> </tbody> </table>					Group Name	Connected Tunnels	Phase2 Enc/Auth/Grp	Local Group	Remote Client	Remote Client Status	Tunnel Test	Config.	tunnel_2	0	DES/MD5/1	192.168.1.0 255.255.255.0	domain1	<a href="#">Detail List</a>	N/A						
Group Name	Connected Tunnels	Phase2 Enc/Auth/Grp	Local Group	Remote Client	Remote Client Status	Tunnel Test	Config.																		
tunnel_2	0	DES/MD5/1	192.168.1.0 255.255.255.0	domain1	<a href="#">Detail List</a>	N/A																			
<a href="#">Add</a>																									
<b>VPN Client Status</b>																									
<table border="1"> <thead> <tr> <th>No.</th> <th>Username</th> <th>Status</th> <th>Start Time</th> <th>End Time</th> <th>Duration</th> <th>Disconnect</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>user_1</td> <td>Offline</td> <td>---</td> <td>---</td> <td>---</td> <td><input type="checkbox"/></td> </tr> <tr> <td>2</td> <td>user_2</td> <td>Offline</td> <td>---</td> <td>---</td> <td>---</td> <td><input type="checkbox"/></td> </tr> </tbody> </table>					No.	Username	Status	Start Time	End Time	Duration	Disconnect	1	user_1	Offline	---	---	---	<input type="checkbox"/>	2	user_2	Offline	---	---	---	<input type="checkbox"/>
No.	Username	Status	Start Time	End Time	Duration	Disconnect																			
1	user_1	Offline	---	---	---	<input type="checkbox"/>																			
2	user_2	Offline	---	---	---	<input type="checkbox"/>																			
<span style="float: right;">Items 1-2 of 2 Rows per page : 5</span>																									

â€¢ç·”è™Ÿ â€” ç”“æ-¼VPNé€£ç·šçš,,éš§◆“è™Ÿã€,

·å◆◆ç”± â€” ç”“æ-¼VPNé€£ç·šçš,,éš§é◆“å◆◆ç”±ã€,

·ç«€æ...[x](#) â€” VPNé€£ç·šçš,,ç•¶å%◆ç«€æ...[x](#)ã€,

â€” å·²é€£ç·š â€” ç•¶å%◆å°‡éš§é◆“ç”“æ-¼VPNé€£ç·šã€,

â€” æ£åœ...ç‰å¾...é€£ç·š â€” éš§◆“å·²ä½¿ç”“í¼Œä½†æ£åœ...ç‰å¾...å»°ç«é€£ç·šã€,

·ç¬¬2éšŽæ®Enc/Auth/Grp â€” ç”“æ-¼VPNé€£ç·šçš,,è°«ä»½é©—è‰oã€,

·æœ¬åœ°çµ â€” æœ¬åœ°çµ, IPåœ°å◆€å’Œå◆ç¶²æžç·ç¼ã€,

·é◆ç«-çµ, â€” é◆ç«-çµ,,IPåœ°å◆€å’Œå◆ç¶²æžç·ç¼ã€,

·é◆ç«-ç¶²é—œ â€” é◆ç«-ç¶²é—œçš,,IPåœ°å◆€ã€,



·æœ¬åœ°çµ â€” æœ¬åœ°µç„,IPåœ°å€å’Œåç¶²æŽ©ç¢¼ã€,

·éç«¬å®çæ^¶ç«¬â€” éç«¬å®çæ^¶ç«¬çš„åÝÝåçä€,

·éç«¬å®çæ^¶ç«¬ç<€æ...[â€”](#)

VPNé€£ç·šçš,,VPNçµ,,ã€IPåœ°å€å’Œé€£ç·šæ™,é-“çš„è©³ç’ºè³‡è”Ši¼^ä»¥ç§’ç,ºå-®ä½çi½%

·é€šé”æ,¬è©| â€” VPNé€šé”æ~¬åç|ç””æ-¼VPNé€£ç·šçš,,é€šé”ç<€æ...[ã€,](#)

æ¥é©Ý1ã€,i¼^åéç, i¼%oå|,æžœæ, ”ç·¶å‰øæœ³é€£ç·šå^ºéš§é”i¼Œè»«æŒ‰øä,€ä,«Connect»

æ¥é©Ý2.i¼^åéç, i¼%oå|,æžœç·¶å‰øé€£ç·šçš,,æ~¬VPNéš§é”i¼Œè»«æŒ‰øä,€ä,«Disconnect»

æ¥é©Ý3.i¼^åéç, i¼%oè|ç·”è¼¬å·²å®‰øè£çVPNçš,,ä»»ä½•è³‡è”Ši¼Œè»«æŒ‰øä,€ä,«Add»ã€,

æ¥é©Ý4.i¼^åéç, i¼%oè|ç·”è¼¬å·²å®‰øè£çVPNçš,,ä»»ä½•è³‡è”Ši¼Œè»«æŒ‰øä,€ä,«Edit»ã€,

æ¥é©Ý5.i¼^åéç, i¼%oè|ç·”è¼¬å·²å®‰øè£çVPNçš,,ä»»ä½•è³‡è”Ši¼Œè»«æŒ‰øä,€ä,«Delete»ã€,

## VPNä½çç””è€...ç«¬ç<€æ...[ç](#)

ã€ŒVPNå®çæ^¶ç«¬ç<€æ...[ã€](#)(VPN Client

Status)è¡”éíç¤ºæœ‰øé—æVPNå®çæ^¶ç«¬çš„è©³ç’ºè³‡è”Šã€,

Summary															
0	Tunnel(s) Used	50	Tunnel(s) Available	Details											
Tunnel Status															
Items 1-1 of 1 Rows per page : 5															
No.	Name	Status	Phase2 Enc/Auth/Grp	Local Group	Remote Group	Remote Gateway	Tunnel Test	Config.							
1	tunnel_1	waiting for connection	DES/MD5/1	192.168.1.0 255.255.255.0	N/A	192.168.1.3	<a href="#">Connect</a>								
<a href="#">Add</a>		Page 1 of 1		Page 1 of 1											
Group VPN Status															
Group Name	Connected Tunnels	Phase2 Enc/Auth/Grp	Local Group	Remote Client	Remote Client Status	Tunnel Test	Config.								
tunnel_2	0	DES/MD5/1	192.168.1.0 255.255.255.0	domain1	<a href="#">Detail List</a>	N/A									
<a href="#">Add</a>		Page 1 of 1		Page 1 of 1											
VPN Client Status															
Items 1-2 of 2 Rows per page : 5															
No.	Username	Status	Start Time	End Time	Duration	Disconnect									
1	user_1	Offline	---	---	---	<input type="checkbox"/>									
2	user_2	Offline	---	---	---	<input type="checkbox"/>									
Page 1 of 1		Page 1 of 1		Page 1 of 1											

â€¢ç·..è™ÿâ€” VPNå®çæ¶ç«çš,,æ..™è~è™ÿã€,  
·ä½ç”“è€...å♦ç “± â€” ç”“ æ-¼æ ..™è~VPNä½ç”“ è€...çš,,å”“ä, €å♦ç “±ã€,  
·ç<sup>o</sup>æ...<sup>o</sup> â€” å®çæ¶ç«VPNé€£ç·çš,,ç•¶å%♦ç<sup>o</sup>æ...<sup>o</sup>ã€,  
â€” é>ç·š â€” æœä½ç”“é€<sup>o</sup>ã€,  
â€” å·²é€£ç·š â€” ç•¶å%♦å°†éssé♦ç”“ æ-¼VPNé€£ç·çšã€,  
â€” æ£åœ¤ç‰å¾...é€£ç·š â€” éš§♦“å·²ä½ç”“ï¼Œä½†æ£åœ¤ç‰å¾...å»°ç«é€£ç·çšã€,  
·é—å§<sup>o</sup>æ... â€” VPNå®çæ¶ç«å»°ç«VPNé€£ç·çš,,é—å§<sup>o</sup>æ... å»°ç«é€£ç·çšã€,  
·çµ♦æ♦ÿæ™,é—“ â€” VPNå®çæ¶ç«å♦œæ¢VPNé€£ç·çš,,çµ♦æ♦ÿæ™,é—“ã€,  
·æŒ♦ç°Œæ™,é—“ â€” VPNé€£ç·çš,,æ’»å«æŒ♦ç°Œæ™,é—“ã€,  
æ¥é©ÿ1ã€,í¼^å♦~é♦,í¼‰å‘,æžœè|♦ä,æ-·é€£ç·çš,ï¼Œè«é♦,ä,Disconnectä,çš,,è| ^å♦-æ-¹å|çšã€

## 關於此翻譯

思科已使用電腦和人工技術翻譯本文件，讓全世界的使用者能夠以自己的語言理解支援內容。請注意，即使是最佳機器翻譯，也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責，並建議一律查看原始英文文件（提供連結）。