

é€šéŽHTTP/HTTPSåœ¨200/300ç³»å^—è¨—ç®iä

ç®æ¨™

éŸŒé«¨æ¨æŽšå^¨äºœæ®œŸæ¨ä½œå'ŒåšŸèf½çš,,ç¨å¼æ€„åçšçš,,éŸŒé«¨å¨æ¨ä¼œæœ¨æ—çš,,ç®çš,,æ¨éjçºå!„å½•å½ç¨Webä«éçäššå³ç¨å¼(HTTP/HTTPS)åçšš200å'Œ300ç³»

é®ç¨¨è£ç½®

- SF/SG 200ç³»å^—è¨—ç®iäºœæ®œŸæ¨ä™¨
- SF/SG 300ç³»å^—è¨—ç®iäºœæ®œŸæ¨ä™¨

è»Ÿé«¨¨ä,ç¼¼%URL


- [200ç³»å^—è¨—ç®iäºœæ®œŸæ¨ä™¨](#)
- [300ç³»å^—è¨—ç®iäºœæ®œŸæ¨ä™¨](#)

æ¨æ,,ç¼¼šçºä,ç¼¼%œœ€æ—çš,,éŸŒé«¨ç¨^æœ¨æ€,

åçšš/å,™ä»½éŸŒé«¨/èªžè¨€

å®%è£éŸŒé«¨/èªžè¨€æ¨æj^

æŸé©Ÿ1.ç™»å...Ÿå^ºWebé...ç½®å¨|ç¨ç¨å¼æ,|é,æ¨ç®içt>æ¨æj^ç®içt>åçšš/å,™ä»½éŸŒé«¨/èªžè¨€
Firmware/Language ééçé—å•Ÿ¼š



æŸé©Ÿ2.æ¨¨æŒTransfer Methodäæ¨,ä½ä,æŒ%ä,€ä,ä€via
HTTP/HTTPSäå-®é,æŒ%é¨æ€,

Upgrade/Backup Firmware/Language

Transfer Method: via TFTP
 via HTTP/HTTPS

Save Action: Upgrade
 Backup

File Type: Firmware Image
 Boot Code
 Language File

🌟 File Name:

æŸ©Ÿ3.æŸ%ö, æä, Save Actionæ¬, ä½ä, çš,, Upgradeå-®é, æŸ%é^•ã€,

Upgrade/Backup Firmware/Language

Transfer Method: via TFTP
 via HTTP/HTTPS

Save Action: Upgrade
 Backup

File Type: Firmware Image
 Boot Code
 Language File

🌟 File Name:

æ³·æ,, ä½šâf...â... è ±éšé Žä½ç" TFTPå, ³è¼, æ-¹æ³·âŸ·è;Ÿå,™ä»½æ" ä½œã€,

æŸ©Ÿ4.æŸ·File

Typeæ¬, ä½ä, ä¼Ÿæ»žé, è^è| ä çšçš,, æ%öéœæ"æ^ž·â^Ÿâ° æ‡%öçš,, å-®é, æŸ%é

Upgrade/Backup Firmware/Language

Transfer Method: via TFTP
 via HTTP/HTTPS

Save Action: Upgrade
 Backup


File Type: Firmware Image
 Boot Code
 Language File

File Name:

á❖ç" é❖,é ...á®šç¾©á!,ä,í¼š

- éŸŒé«"æ~ áf❖ â€"
- èªžè"€æ"æ;^ â€"

æŸé©Ÿ5.è¼,á...Ÿæ"æ;^è·â¾'æ^-æŒ%öä, €ä, ç❖❖è | ½â€! â€! ç,,¶â¾Œé-â•ŸéŸŒé«"/èªžè"€æ"æ;^â€,
æŸé©Ÿ6.æŒ%öä, €ä, <ã€ŒApplyã€❖ã€,á±ºç❖¾è | ášè | -çª—ã€,



Navigation to other screens while upgrade/backup is in progress will abort the process.

æŸé©Ÿ7.æŒ%öä, €ä, <ã€ŒKã€❖í¼^ççºá®ší¼%öä€€,é€²áº | æç❖é;çºá¹¾á^té❖~ã€,
æŸé©Ÿ8.á¹¾á^té❖~á¾Œí¼Œé€²áº | æç❖æ¶^á±ã€,ç³»çµ±áºfé;çºá,³è¼,ä,çš,,çµ±è"è³èè"šá'Œä>

é❖,æ"æ'»á«éŸŒé«"

æŸé©Ÿ1.ç™»á...Ÿá^ºWebé...❖ç½®á^!ç"ç" <á¼❖í¼Œç,,¶â¾Œé❖,æ"ç®;ç❖❖t>æ"æ;^>ç®;ç❖❖t>a
Imageé ❖é❖ çí¼š

Active Image

Active Image:	Image 1
Active Image Version Number:	6.2.10.18
Active Image After Reboot:	6.2.10.18 ▼
Active Image Version Number After Reboot:	6.2.10.18

æŸé©Ÿ2.â¼žActive Image After

Rebootä, <æ%œé,â-®ä,é,æ"†æ%œéœéçš,,éŸŒé«"ç%o^æœ-ã€,

Active Image

Active Image:	Image 1
Active Image Version Number:	6.2.10.18
Active Image After Reboot:	6.2.10.18 ▼
Active Image Version Number After Reboot:	6.2.10.18 1.3.7.18

æŸé©Ÿ3.æŒ%öä, €ä, <ã€œApplyã€œi¼Œé,æ"†ä°æ>æ©Ÿé†æ-°â•Ÿâ•æ™,è| ä½ç" çš,,éŸŒé

é†æ-°â•Ÿâ•æ™

èæ†%ç" â†çšçš,,éŸŒé«"ç%o^æœ-i¼Œäž...é^†æ-°â•Ÿâ•æ™>æ©Ÿä€,â!,æžœæ'æ-

æŸé©Ÿ1.ç™»â...Ÿâ°Webé...ç½®â|ç" ç" <â¼i¼Œç,,¶â¼Œé,æ"†Administration >
Rebootã€Reboot é éçš"â³é-â•Ÿi¼š

Reboot

To reboot the device, click the 'Reboot' button.

Clear Startup Configuration File

To reboot the device and return to factory default settings, click the "Reboot to Factory Defaults" button.

æŸé©Ÿ2.i¼^â é, i¼%öâ¼é, Clear Startup Configuration

Fileè!â-æ-¹â;ši¼Œä»Ÿâœ" ä°æ>â™" é†æ-°é-æ©Ÿâ¼Œä^æ™â•Ÿâ•çµ,,æ...ã€,â•Ÿç" æ

æŸé©Ÿ3.æŒ%öä, €ä, <ã€œRebootã€œ

◆ ã€‚ ä°µæ◆ >ã™™ é†◆ æ-°é-«æ©ÿä, |ã¥—ç™™ æ>æ-°çš„, éÿŒé«"ã€‚,

關於此翻譯

思科已使用電腦和人工技術翻譯本文件，讓全世界的使用者能夠以自己的語言理解支援內容。請注意，即使是最佳機器翻譯，也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責，並建議一律查看原始英文文件（提供連結）。