在CUCDM中設定URL服務標籤時出現問題

目錄

<u>簡介</u> <u>必要條件</u> <u>需求</u> <u>採用元件</u> <u>問題:指定服務名稱的URL標籤時出現問題</u> <u>解決方案</u> 通過「電話」選單新增電話時啟用url標籤 <u>通過「訂戶」選單新增電話時啟用url標籤</u> <u>驗證</u>

簡介

本文檔介紹如何在Cisco Unified Communication Domain Manager(CUCDM)中新增服務URL標籤。

必要條件

需求

思科建議您瞭解以下主題:

- •思科託管合作解決方案(HCS)
- Cisco Unified Communication Domain Manager(Cisco UCDM)

採用元件

本文中的資訊係根據以下軟體和硬體版本:

• CUCDM 10.6.3 SU1a

本文中的資訊是根據特定實驗室環境內的裝置所建立。文中使用到的所有裝置皆從已清除(預設))的組態來啟動。如果您的網路正在作用,請確保您已瞭解任何指令可能造成的影響。

問題:指定服務名稱的URL標籤時出現問題

在分機移動配置檔案或電話中,服務選單不允許指定服務名稱的URL標籤。

🕒 P1 🗙 🝷 Select an Option 🦄		
Phones [SEP123456789012]		
Phone Lines Speed Dials S	ervices Busy Lamp Fields Blf D	Pirected Call Parks Dual Mode Settings
Service	•	
	Service Name*	Login/Logout
	Url Button Index	1

解決方案

通過「電話」選單新增電話時啟用url標籤

以提供程式管理員身份登入並移動到角色管理>欄位顯示策略(FDP)下



• 選擇SubscriberPhoneMenuitemProvider並在客戶層次結構下克隆FDP。這可以通過選擇 SubscriberPhoneMenuitemProvider並開啟該提供程式來實現。然後在右上角,可以克隆有問 題的FDP,如下圖所示:

*	A ?	8 P P1	1Admin ProviderAc	dministre 🔻	^
		Q Sea	rch		
Save	Delete	Help	Back	Action 👻	
		Clor	ne ort		

cisco.					*	A	?	A P	EAdmin ProviderAd
Enbliement	IL.	P1 × • BRU × • Select an Option	-			1		Q See	ech
 User Management 	Field	Display Policies				,	Add	Delete	Help
Role Management		Name	• T Description	Target Model Type	Hiera	archy			
Roles	13	AddSubscriberWizard_AdvPhone_FDP	FDP for Advanced Phone settings in Subscriber Wi	device/cucm/Phone	sys				
Themes	13	AddSubscriberWizard_AdvPhoneRel_FDP	FDP for Advanced Phone settings in Subscriber Wi	relation/SubscriberPhone	sys				
	12	selfservice_device_cucm_phone		device/cucm/Phone	sys				
 Menu Layouts 	13	selfservice_relation_subscriber_phone	Governs fields displayed to end user	relation/SubscriberPhone	sys				
 Landing Pages 	13	SubscriberPhoneMenuItem	FDP for Phone Relation.	relation/SubscriberPhone	sys	Д	,		
- Credential Policy	12	SubscriberPhoneMenuItemCustomer	FDP for Phone Relation at Customer Level	relation/SubscriberPhone	sys	V			
		SubscriberPhoneMenuItemProvider	FDP for Phone Relation at Provider level.	relation/SubscriberPhone	sys				
 Default Credential Policy 	13	SubscriberPhoneMenuItemProvider	FDP for Phone Relation at Provider level.	relation/SubscriberPhone	sys.he	cs.P1.8	RU		
 Field Display Policies 	10	SubscriberPhoneMenuItemSite	FDP for Phone Relation at Site Level	relation/SubscriberPhone	sys		_		
- Configuration Templates									
- Self Service Feature									

- •在客戶層次結構級別打開新的SubscriberPhoneMenuitemProvider。
- •移動到「服務欄位」部分下面。
- •選擇services.service.name屬性。
- 上移service.service.name屬性,如下圖所示。
- 按一下儲存。

Available	Selected
Available	Selected
aarNeighborhoodName	services
addOnModules	services.service
addOnModules.addOnModule	services.service.name
addOnModules.addOnModule.index	services.service.telecasterServiceName
addOnModules.addOnModule.loadInformation	services.service.urlButtonIndex
addOnModules.addOnModule.model Se	lect services.service.urlLabelAscii
allowCtiControlFlag	
allowiXApplicableMedia	nove
AllowPresentationSharingUsingBfcp	
alwaysUsePrimeLine	
alwaysUsePrimeLineForVoiceMessage	
authenticationMode	
authenticationString	
- <u> </u>	
e III F	

將以上步驟應用到此FDP:

- SubscriberPhoneMenuitemCustomer
- SubscriberPhoneMenuitemSite

通過「訂戶」選單新增電話時啟用url標籤

以提供程式管理員身份登入並移動到角色管理>欄位顯示策略(FDP)下

• 選擇SubscriberAdvancedDefault並在客戶層次結構下克隆FDP。 這可以通過選擇 SubscriberPhoneMenuitemProvider並開啟它來完成。然後,在右上角,您可以克隆有問題的 FDP。

在本示例中,系統級別的SubscriberAdvancedDefault FDP克隆到客戶級別的 SubscriberAdvancedDefault(sys.hcs.P1.BRU)



在客戶層次結構級別開啟新的FDP SubscriberAdvancedDefault。

- 移動到Extension Mobility部分下。
- 選擇DeviceProfile.services.service.name屬性。
- 上移service.service.name屬性,如下圖所示。

• 按一下儲存。	
Title* Extension Mobility	
Display as Fieldset 📃	
Number of Columns	
Fields	
Available	Selected
 associatedGroups.userGroup.userRoles associatedGroups.userGroup.userRoles.userRoles.userRoles.userRoles.userRoles.userRoles.userRoles.userRoles.userRoles associatedPc authenticationType calendarPresence convertUserAccount ctiControlledDeviceProfiles ctiControlledDeviceProfiles.profileName CUCUser Address 	ove DeviceProfile.blfDirectedCallParks.blfDirectedCa DeviceProfile.blfDirectedCallParks.blfDirectedCa Image: Comparison of the compar
CUCUser.AddressAfterRecord	DeviceProfile.services.service.name
CUCUser.AddressMode	

以提供商管理員身份登入CUCDM,導航至**Subscriber Management > Phone > Select the phone >** Services。

	Service	٠				
		•	📀 Login	/Logout		
				Name*	TestLoginLout	
			Service	Name*	Login/Logout	
			Url Button	Index	1	

登入CUCM >> Device >> Phone >> Phone Configuration >> Subscribe/Unsubscribe選單

Subscribed Cisco IP Phone Services for SEP123456780912 - Mozilla Firefox	
🕕 🚯 🛙 https://10.48.50.68/ccmadmin/ipphoneServiceSubscribeEdit.do?device=7b977f69-l	b0d9-d799-e42e-fec15326b(
Subscribed Cisco IP Phone Services for SEP123456780912	
Next 💡 Help	
_ Status	^
🛈 Status: Ready	
Service Information	
Service Subscription: New	
Select a Service* Not Selected 🗸	
Service Description	
Subscribed Services TestLoginLogout	
Next Close	
LL Cottion Templete	