

如果RTMT不可訪問或可用，則收集CUCM日誌

目錄

[簡介](#)

[背景](#)

[如果RTMT不可訪問或可用，如何從CUCM收集跟蹤](#)

簡介

本文檔介紹從CLI收集Cisco Unified Communication Manager(CUCM)日誌的過程。

背景

有時，為了對特定問題進行故障排除，必須收集CUCM跟蹤，而且即時監控工具(RTMT)訪問不起作用。

作者：Nenos Nicko，思科TAC工程師。

如果RTMT不可訪問或可用，如何從CUCM收集跟蹤

使用以下路徑通過CUCM安全殼層(SSH)獲取日誌：

注意：如果CUCM根CLI登入收集了跟蹤，則替換：`file get activelog` 與 `/var/log/active/`。

注意：在收集日誌之前，請確保外部SFTP伺服器已配置且可訪問。

條目

檔案規範

| | |
|----------------|--|
| 程式日誌 | <code>檔案get activelog cm/trace/ccm/Proglogs/*.*</code> <code>檔案get activelog cm/trace/cti/Proglogs/*.*</code> |
| 服務管理員 | <code>file get activelog platform/log/servm*.log</code> |
| SNMP主代理 | <code>file get activelog platform/snmp/snmpdm/*.*</code> |
| MIB2代理 | <code>file get activelog platform/snmp/mib2agt/*.*</code> |
| 主機資源代理 | <code>file get activelog platform/snmp/hostagt/*.*</code> |
| 系統應用代理 | <code>file get activelog platform/snmp/sappagt/*.*</code> |
| 事件檢視器 — 應用程式日誌 | <code>檔案get activelog syslog/CiscoSyslog/*.*</code> |
| 事件檢視器 — 系統日誌 | <code>file get activelog</code> |

| | |
|------------------|--|
| | syslog/messages.* |
| 啟動日誌 | 檔案get activelog syslog/boot。* |
| 安裝和升級日誌 | 檔案獲取安裝* |
| SELinux日誌 | file get activelog platform/selinux_startup.log file get activelog syslog/security-diagnostics.tar.gz |
| Cisco Tomcat日誌 | 檔案get activelog tomcat/logs/catalina*.* 檔案get activelog tomcat/logs/host-manager。* 檔案get activelog tomcat/logs/admin。* 檔案get activelog tomcat/logs/diagnostic-memory。 檔案get activelog tomcat/logs/diagnostic-info.* file get activelog tomcat/logs/localhost_access*.txt 檔案get activelog tomcat/logs/manager。* 檔案get activelog tomcat/logs/diagnostic-threads。 檔案get activelog tomcat/logs/*.hprof 檔案get activelog tomcat/logs/localhost*.log |
| Cisco Tomcat安全日誌 | file get activelog tomcat/logs/security/log4j/security*.* |
| IPT平台GUI日誌 | 檔案get activelog tomcat/logs/iptplatform/log4j/iptplatform*.* |
| IPT平台CertMgr日誌 | file get activelog platform/log/certMgmt*.log |
| IPT平台IPSecMgmt日誌 | file get activelog platform/log/ipsecMgmt*.log |
| IPT平台群集管理器日誌 | 檔案get activelog platform/log/clustermgr* |
| IPT平台CLI日誌 | file get activelog platform/log/cli*.log |
| IPT平台CLI建立的報告 | 硬體 : file get activelog platform/log/SystemReport*.tgz 平台 : file get activelog platform/log/platformConfig*.tar SE Linux:file get activelog syslog/security-diagnostics.tar.gz |
| IPT平台遠端支援日誌 | 檔案get activelog platform/log/getflag* 檔案get activelog platform/log/create* file get activelog |

| | |
|--------------------------|--|
| | platform/log/remote* 檔案get activelog platform/log/display* 檔案get activelog platform/log/decoder* |
| IPT平台證書監視器日誌 | file get activelog platform/log/certm*.log |
| 安裝檔案簽名 | file get activelog platform/log/authenticate*.* |
| 思科批次調配服務 | file get activelog cm/trace/bps/log4j/bps.log |
| Cisco TAPS服務 | |
| Cisco CDR代理 | file get activelog cm/trace/cdragent/log4j/cdrag ent.log |
| Cisco DHCP監控服務 | file get activelog cm/trace/dhcpmon/log4j/dhcp mon.log |
| Cisco CallManager SNMP服務 | file get activelog cm/trace/ccmmib/sdi/CcmMib Agent.txt |
| Cisco UXL Web服務 | 檔案get activelog core/UXLService.* |
| Cisco CTIManager | file get activelog cm/trace/cti/sdl/SDL.txt |
| Cisco CDR資料庫管理員 | file get activelog cm/trace/cdrrep/log4j/cdrrepm gr.log |
| Cisco AXL Web服務 | file get activelog tomcat/logs/axl/log4j/axl.log |
| 思科使用者資料服務 | file get activelog tomcat/logs/cucm-uds/log4j/cucm-uds.log |
| 自助調配IVR | 檔案獲取activelog core/PnPLauncher.* |
| Cisco TAPS服務 | file get activelog cm/trace/taps/log4j/taps.log |
| 思科撥出號碼分析器伺服器 | file get activelog cm/trace/dnserver/sdi/dna.txt |
| 思科撥出號碼分析器 | 檔案get activelog tomcat/logs/dna/Results |
| 思科目錄號碼別名同步 | file get activelog cm/trace/dnaliassync/log4j/dn aliassync.log |
| 思科集群間查詢服務 | 檔案get activelog cm/trace/ils/sdi/SDL.* |
| 思科授權管理員 | file get activelog cm/trace/userlicensing/log4j/u serlicensing*.log file get activelog cm/trace/licensing/postinstall/l og4j/licensepostinstall*.log file get activelog cm/trace/licensing/log4j/licens eclient*.log 檔案get activelog |

| | |
|--|--|
| | tomcat/logs/licensing/log4j/lice nseloader*.log |
| 思科位置頻寬管理員 | 檔案get activelog cm/trace/lbm/sdl/SDL。 * |
| 思科延伸行動化 | file get activelog tomcat/logs/em/log4j/emservic e.log |
| 思科電話號碼別名查詢 | file get activelog tomcat/logs/dnaliaslookup/log 4j/dnaliaslookup.log |
| Cisco CallManager | SDL:file get activelog cm/trace/ccm/sdl/SDL。 * CallLog: file get activelog cm/trace/ccm/callogs/callogs .txt |
| Cisco IP管理員助理 | file get activelog tomcat/logs/ipma/log4j/ipma_ ChangeLog.log file get activelog tomcat/logs/ipma/log4j/service .log file get activelog tomcat/logs/ipma/log4j/ipma_ CtiClient.log file get activelog tomcat/logs/ipma/log4j/ipma_S ecurity.log |
| Cisco CAR排程器 | file get activelog cm/trace/carsch/log4j/carsch.l og |
| 思科延伸功能 | file get activelog cm/trace/cef/sdi/cef.txt |
| Cisco CAR Web服務 | file get activelog tomcat/logs/car/log4j/car.log |
| 思科信任驗證服務 | file get activelog cm/trace/tvs/sdi/tvs.txt |
| Cisco CallManager Cisco IP電話服務 | file get activelog tomcat/logs/ccmcip/log4j/ccmc ip.log |
| Cisco WebDialer Web服務 | file get activelog tomcat/logs/webdialer/log4j/w ebdialer.log file get activelog tomcat/logs/webdialer/log4j/w ebdialer_CTIClient.txt file get activelog tomcat/logs/webdialer/log4j/w ebdialer_Security.txt |
| Cisco Unified Mobile Voice Access Service | file get activelog tomcat/logs/ccmivr/log4j/ccmiv r.log |
| Cisco IP語音媒體串流應用程式 | file get activelog cm/trace/cms/sdi/cms.txt |
| SOAP — 診斷門戶資料庫服務 | file get activelog tomcat/logs/dp/log4j/dp.log |
| Cisco Tftp | SDL:file get activelog cm/trace/ctftp/sdl/* |

| | |
|-----------------------------------|--|
| | SDI: file get activelog cm/trace/ctftp/sdi/ctftp.txt |
| Cisco CTL提供程式 | file get activelog cm/trace/ctlprovider/sdi/ctlprovider.txt |
| 思科憑證授權代理功能 | file get activelog cm/trace/capf/sdi/capf.txt |
| 思科稽核事件服務 | file get activelog cm/trace/auditlog/sdi/audittrace.txt |
| 思科訊息介面 | file get activelog cm/trace/cmi/sdi file get activelog cm/trace/cmi/sdi/csumi.txt |
| Cisco E911服務 | file get activelog tomcat/logs/e911proxy/log4j/e911proxy.log |
| Cisco WebDialerRedirector Web服務 | file get activelog tomcat/logs/redirector/log4j/redirector.log |
| Cisco AMC服務 | file get activelog cm/trace/amc/log4j/amc.log |
| Cisco SOAPMessage服務 | file get activelog tomcat/logs/soapmessage/log4j/soapmessage.log |
| Cisco CCM DBL Web庫 | file get activelog tomcat/logs/dbl/log4j/dbl.log |
| Cisco Serviceability Reporter警報報告 | 檔案get activelog cm/report/rmtreporter/AlertReport/ |
| Cisco AMC服務裝置日誌 | 檔案get activelog cm/log/amc/DeviceLog/ |
| Cisco CCMRealm Web服務 | file get activelog tomcat/logs/ccmrealm/log4j/ccmrealm.log |
| 思科日誌分割槽監控工具 | file get activelog cm/trace/lpm/sdi/lpm.txt |
| Cisco RIS Data Collector | file get activelog cm/trace/ris/sdi/ris.txt |
| Cisco Corefile復原工具 | file get activelog cm/trace/cfrt/cfrt.txt |
| 思科資料庫層監控器 | file get activelog cm/trace/dbl/sdi/limitexceeded * file get activelog cm/trace/dbl/sdi/dbmon.txt file get activelog cm/trace/dbl/sdi/.csv |
| Cisco Tomcat Stats Servlet | file get activelog tomcat/logs/tomcatstats/log4j/tomcatstats.log |
| Cisco AMC服務呼叫日誌 | file get activelog cm/log/amc/CallLog/ |
| Cisco RIS資料收集器PerfMonLog | file get activelog cm/log/ris/csv/PerfMon.csv |
| Cisco CDP | file get activelog |

| | |
|--|---|
| | cm/trace/cdp/sdi/cdpd.txt |
| 思科外部通話控制服務 | file get activelog tomcat/logs/cucmeccs/log4j/cu cmeccs.log |
| 思科音訊翻譯器應用程式 | file get activelog cm/trace/cms/sdi/at.txt |
| 思科系統日誌代理 | file get activelog cm/trace/syslogmib/sdi/syslog mib.txt |
| Cisco DirSync | file get activelog cm/trace/dirsync/log4j/dirsync. log |
| Cisco AMC服務伺服器日誌 | file get activelog cm/log/amc/ServerLog/ |
| Cisco Serviceability Reporter裝置報告 | 檔案get activelog cm/report/rmtreporter/Device Rep/ |
| Cisco SOAP Web Service | file get activelog tomcat/logs/soap/csv/*.csv file get activelog tomcat/logs/soap/log4j/soap.lo g |
| Cisco GRT通訊Web服務 | file get activelog tomcat/logs/grt/log4j/grt.log |
| Cisco RisBean庫 | file get activelog tomcat/logs/risbean/log4j/risbe an.log |
| 思科中止交易後台處理 | 檔案get activelog cm/log/informix/ats/*.* |
| Cisco Unified Reporting Web Service | file get activelog tomcat/logs/cucreports/log4j/c ucreports.log |
| Cisco AMC服務PPRLog | file get activelog cm/log/amc/PPRLog/ |
| 思科憑證變更通知服務 | file get activelog platform/log/certCN.log |
| Cisco CCMAdmin Web Service | file get activelog tomcat/logs/ccmadmin/log4j/c cmadmin.log |
| Cisco Serviceability Reporter服務報告 | 檔案get activelog cm/report/rmtreporter/Service Rep/ |
| Cisco資料庫Cli輸出 | 檔案get activelog cm/trace/dbl/*.tar 檔案get activelog cm/trace/dbl/*.csv 檔案get activelog cm/trace/dbl/*.out |
| Cisco Serviceability Reporter PRReport | 檔案get activelog cm/report/rmtreporter/Perform anceRep/ |
| 思科追蹤收集服務 | file get activelog cm/trace/tct/log4j/tct.log |
| 思科被叫方跟蹤 | file get activelog cm/trace/ccm/dntrace/dntrace .txt |

| | |
|------------------------------------|--|
| Cisco DRF Main | file get activelog platform/drif/trace/drfMA.log file get activelog platform/drif/log/* |
| 思科通用使用者介面 | file get activelog tomcat/logs/cui/log4j/cui.log |
| Cisco Informix Database Service | file get activelog cm/log/informix/shmem* file get activelog cm/log/informix/*.log file get activelog cm/log/informix/*.gz file get activelog cm/log/informix/af* |
| 思科資料庫安裝服務 | 檔案get activelog cm/trace/dbl/sdi/*.sql.log 檔案get activelog cm/trace/dbl/sdi/installdb*.log 檔案get activelog cm/trace/dbl/sdi/installdb*.log.err 檔案get activelog cm/trace/dbl/sdi/*.sql.log.err |
| Cisco CCMUser Web服務 | file get activelog tomcat/logs/ccmuser/log4j/ccmuser.log |
| 思科資料庫通知服務 | 檔案get activelog cm/trace/dbl/sdi/dbnotify* |
| Cisco整合OS平台API | file get activelog tomcat/logs/platform-api/log4j/platform-api.log |
| 思科憑證變更通知 | file get activelog platform/log/certCN.log |
| Cisco Serviceability Reporter | file get activelog cm/trace/rtmreporter/log4j/rtmreporter.log |
| Cisco Unified OS Admin Web Service | file get activelog tomcat/logs/cmplatform/log4j/cmplatform.log |
| Cisco DRF本地 | file get activelog platform/drif/trace/drflA.log |
| Cisco Log4jinit Servlet | file get activelog tomcat/logs/log4jinit/log4j/log4jinit.log |
| 思科資料庫庫跟蹤 | 檔案get activelog cm/trace/dbl/sdi/dbl*.log |
| Cisco RTMT Web Service | file get activelog tomcat/logs/rtmt/log4j/rtmt.log |
| Cisco CCMService Web服務 | file get activelog tomcat/logs/ccmservice/log4j/ccmservice.log |
| Cisco Database Replicator跟蹤 | file get activelog cm/trace/dbl/sdi/replication_scripts_output.log file get activelog cm/trace/dbl/sdi/startrpc.log 檔案get activelog cm/trace/dbl/*.log 檔案get activelog |

| | |
|-----------|---|
| | cm/trace/dbl/sdi/dblrpc.* |
| MIB2代理 | file get activelog core/mib2agt.* |
| SNMP主要代理 | file get activelog platform/snmp/snmpd/*.* |
| Cisco SSO | file get activelog platform/log/ssoApp* file get activelog sso/policyagent/ file get activelog tomcat/logs/ssosp/log4j/*.log |

關於此翻譯

思科已使用電腦和人工技術翻譯本文件，讓全世界的使用者能夠以自己的語言理解支援內容。請注意，即使是最佳機器翻譯，也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責，並建議一律查看原始英文文件（提供連結）。