Data sheet Cisco public



Cisco Room Navigator for Table

Contents

Product overview	4
Features and benefits	5
Product specifications	7
Warranty information	g
Ordering information	ç
Cisco environmental sustainability	10
Cisco Services	10
Cisco Capital	10
Learn more	11



Transform your workplace with simple and intelligent experiences while eliminating the friction from the employee journey. The table-stand Cisco Room Navigator touch touch controller is a purpose-built room device designed to bring ease and convenience into modern workspaces by providing instant access to conference controls, smart room booking, room controls and your workspace experience workflows.



Above: Cisco Room Navigator for Table unit used as a native room controller running on Cisco RoomOS





Product overview

The table-stand model of Cisco Room Navigator is a 10-inch, platform-independent touch display that allows you to enable seamless workspace experiences by intuitively controlling your Cisco collaboration devices, apply video conference and room controls, and run third-party applications.

It can be deployed as a native RoomOS device for room controls or room scheduling, configured to run natively on Microsoft Teams Rooms, or set up in persistent web app mode to work with UMA, Appspace, and other workspace apps. Better still, it gives the flexibility to be deployed as a standalone device or paired with a video conferencing endpoint.

This touch-based unit was designed to create uninterrupted workflows and help maximize the utilization of your collaboration spaces while delivering these experiences in a way that is scalable, secure and easy to manage.

Cisco Room Navigator for table is a versatile device that combines controls, an intuitive display and sensors into an elegant touch panel. It can be either configured as a room control device or a room booking unit within meeting rooms.

It is a touch panel that gives intuitive access to multiple systems in interior spaces while the integrated sensors of the device provide the means to control and optimize the environment. When it is connected with a video device, it provides instant access to meetings, device controls, contacts, directories, and content. The device can be used to control conference systems, move partitions, curtains and other room peripherals, access third-party workspace applications and provide room booking capabilities.

The control display with its calm appearance and aesthetics showcases clean surfaces and fine details for a friendly, approachable look. It supports two positions on the table with different viewing angles, including a 180-degrees rotation of the user interface when the device is tilted. The device adapts smoothly from small to large conference spaces and huddle rooms while equipped with a detachable foot stand to enable easy disassembly, securely lock the cable and avoid connector strain.

You only need a single Ethernet cable to power the device and access the network. The Room Navigator can be connected directly to a Cisco video device or remotely paired to it via a PoE network.

Below: Cisco Room Navigator table-stand panel used as a room control device in a meeting room, running on RoomOS



Features and benefits

Cisco Room Navigator offers room intelligence in a box, bringing efficiency, usability and aesthetics to your workspaces. Recognized in the Red Dot Design Awards, this room panel delivers smooth integration with collaboration endpoints and third-party applications, unmatched room intelligence, and UI consistency in a cost-effective, scalable and simple way.

It unlocks the best combination of user centric design, purpose-built hardware, native software and an open approach to integration out of the box to help you transform your physical workspaces.

Cisco Room Navigator is a competitive, feature-rich and highly flexible solution that can be used either as a room and conference control panel or a dedicated scheduling display. It offers advanced cloud device management capabilities in Control Hub, and offers rich sensor data that supports creating a safer and optimized workspace environment (requires connectivity with a video endpoint). It can be configured to run third-party applications to help you protect your existing workspace management and room booking investments. With the Room Navigator, you can experience frictionless meetings, effortless space reservation, and streamlined room and device integrations.

With the Cisco approach to workspace intelligence, you can significantly simplify your deployment, lower total cost of ownership and ease management efforts by leveraging a single vendor to provide platform agnostic video collaboration devices, the underlying meeting service, the room control hardware, and the associated room booking software solution.



Above: Cisco Room Navigator running the native Microsoft Teams Rooms Console experience

 Table 1.
 Features and benefits

Feature	Benefit
Room controls	 Brings intelligent room controls to Cisco Room Series, Room Kit Series, and Board Series-enabled workspaces
	 Optimized for an effortless user experience, the table version of the user interface can rotate 180 degrees when the device is tilted, allowing for two different viewing angles
	 Optimized for an effortless user experience – from launching a video or audio conference with one button to push, controlling the camera, and changing video layout, to sharing content, viewing contact lists and directories, and apply other in-call actions
	• The user interface can be configured by administrators to easily control other room peripherals such as lighting, blinds, room dividers, and curtains
	 In-room controls customization to extend the features and functionality available in Room Navigator, such as controlling lights, blinds and room amenities
Room booking	 The table-stand controller can be configured for lightweight room booking capabilities, blending space reservation with the core conference and room control functionality
	• Enables calendar display, ad-hoc room booking, meeting extensions, meeting end reminders, non-booked room reminders and check-outs with a few taps on the touch screen
	Offers Webex hybrid calendar synchronization
	 Beyond the native Cisco room booking solution, Room Navigator can run third-party, persistent web apps for room booking from space reservation and workspace experience solution providers
	• The native Cisco room booking solution is license-free when paired with a Cisco video device
	• Enables better resource utilization via feature like ghost meeting-release or check-in (coming soon)
Workspace intelligence	 Room Navigator comes with embedded environmental sensors to track temperature, humidity, and air quality in the room, which can be augmented with noise level and occupancy sensor metrics originating from the connected Cisco video device
	 Option to display real-time room temperature and indicate real-time occupancy on the Room Navigator to help employees and visitors find the right workspace and have a more seamless in-office experience (requires pairing with a video device)
	 Sensor-driven insights are accessible in Control Hub via APIs and can be ingested to Cisco Spaces, third- party analytics dashboards and integrated workspace management solutions for workspace optimization and resource planning purposes

Feature	Benefit
Third-party applications	 Room Navigator supports running persistent web applications to enable third-party experiences from Appspace, UMA, and other ecosystem partners
	 Web apps running on Room Navigator get access to specific RoomOS APIs to build custom integrations for room booking, wayfinding, space reservation and digital signage
	 Supports the native Microsoft Teams Rooms Console experience as part of the Microsoft Teams Rooms- certified Cisco collaboration device bundles. Please consult our <u>website</u> for certification timelines and availability
Unified management	 The touch controller can be deployed as a fully managed IT asset in Control Hub providing advanced monitoring, configurations and analytics (in paired mode), alongside the rest of your Cisco collaboration device deployment
	• Flexibility to deploy the device in standalone mode or paired with a video endpoint. The standalone version delivers the same look and feel and a rich booking experience without the need to be associated with a Cisco collaboration device
	 Room Navigator can be configured either as a meeting room controller, a room booking device or in persistent web app mode. Users can select from default options when it is booted for the first time or can configure the device for the desired use case anytime
	 Room Navigators deployed in standalone mode can easily scale their capabilities to paired mode and deliver the full experience, once the room is upgraded with a video device

Product specifications

 Table 2.
 Product specifications

Specification	Description
Product compatibility	Cisco Room Kit Series, Cisco Room Series, Cisco Room Panorama Series, Cisco Board Series (Board S Series and Board Pro Series)
Software compatibility	 RoomOS 9.14.3 or later Microsoft Teams Rooms Console on Android (optimized hardware for Microsoft Teams Rooms compatibility)
Call-control compatibility	 Hosted: Controlled by codec, Cisco Unified Communications Manager 10.5.2 or newer, Webex Cloud Cloud: Webex Cloud
Native Cisco room booking	 Integrates with O365, Exchange and Google Calendar through Webex Hybrid Calendar service (requires Webex activation) Ad-hoc space reservation with a few taps View all upcoming meetings from room calendar Extend your meetings Touchless booking inside the room with Webex Assistant Meeting reminders with single tap extension
Third-party web applications	 Supports the usage of persistent web apps enabling third-party experiences Web apps running on Room Navigator get access to the meeting room sensors' data and the Webex hybrid calendar to enhance custom integrations for wayfinding, room booking, and digital signage
Default components	Room Navigator touch panelTable stand
Signaling protocols	TCP/IP
Display	 Capacitive touch LCD 10.1-inch diagonal Anti-glare and anti-fingerprint

Specification	Description
Resolution	1920 x 1200
Memory	4GB
Sensors	 Measures temperature, humidity, and air quality (TVOC). This is combined with general noise, ambient noise, and reverberation time (RT60) for room acoustics originating from built-in sensors in the Cisco video endpoints Sensor values are accessible from RoomOS cloud APIs, displayed on the Control Hub dashboard and can be extracted to Cisco Spaces, third-party analytics and workspace management tools
Language support	English, Arabic, Catalan, Czech, Danish, Dutch, Finnish, French, German, Hebrew, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese-Brazilian, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
Digital signage	Configurable in Control Hub
Physical dimensions (H x L x D)	 2.8 x 9.53 x 6.42 in. (7.1 x 24.2 x 16.3 cm) Maximum height in vertical position 5.2 in (13.2 cm) Minimal height in lower position on the table: 3.85 in (9.77 cm) For more information, please consult the Room Navigator CAD drawings
Weight	1.39lb (0.63kg)
Power	 Power over Ethernet (PoE) 802.3af Class 0 100-240VAC, 0.5A max, 50/60Hz Option to set up office hours for the Room Navigator helping with energy savings and extends the lifetime of the touchscreen where digital signage, booking, and wake-up on motion detection is activated.
Interfaces	 1x Ethernet (RJ-45) 100/1000 Mbps for LAN (external network) or direct pairing 1x microUSB (service port) 1x factory reset pinhole
Security	 Secure management using HTTPS and SSH protocols Password protection for IP administration Standards-based media encryption on all back-ends (Secure Real-time Transport Protocol [SRTP], using AES-128-GCM or AES-256-GCM) WPA3TM and WPA3-Enterprise with CCMP128 Wi-Fi ® security Password protection to access administration Network settings protection Support for 802.1x authentication protocol (either when the device is paired directly or remotely with the video endpoint)
Registration	 Room Navigator can be registered directly to a Cisco video device (via direct or remote pairing) or registered to the Webex Cloud (requires Room Navigator license) Room Navigator can be paired with a Cisco video device or deployed as a standalone hardware for workspaces without Cisco video deployment. Learn more about using the Room Navigator as a standalone device
Administration	 Centralized room and device management in Control Hub Workspace insights on a per workspace level and single dashboard for all workspaces Simple onboarding - PIN-based pairing with room device

Specification	Description
Operating temperature and humidity	 0°C to 40°C (32°F to 104°F) ambient temperature 10% to 90% Relative Humidity (RH)
Storage and transport temperature	• -20° C to 60° (-4° to 140° F) at RH 10% to 90% (noncondensing)
Regulatory compliance and standards	 Directive 2014/30/EU (EMC Directive) and Directive 2014/35/EU (Low-Voltage Directive) Directive 2011/65/EU (RoHS) Directive 2002/96/EU (WEEE) NRTL approved (product safety) EMC: EN 55032 - Class A, EN 55024 Safety: EN 60950-1, EN 62479 FCC CFR 47 Part 15B (EMC) - Class A

The list above reflects the regulations applicable at the time of publishing this document. For an updated list of regulations applicable, see the <u>Product Approval Status Database</u> for approval documents per country.

Warranty information

Warranty information is available on Cisco.com at the Product Warranties page.

Ordering information

Cisco Room Navigator devices are available as a part of an endpoint order and also as standalone units. To place an order, visit the <u>Cisco Ordering Home Page and refer to Table 2</u>. To download software, visit the <u>Cisco Software Center</u>. See individual endpoint data sheets for whether the device comes standard with product.

Table 3. Ordering information

Product Name	Part Number	Compliance Model Number
Cisco Room Navigator for Table (First Light)	CS-T10-TS-L-K9=	TTC5-15
Foot stand spare (First Light)	CS-T10-TS-FT2-G=	-

Note: Many of the products and features described herein remain in varying stages of development and will be offered on a when-and-if-available basis. This roadmap is subject to change at the sole discretion of Cisco, and Cisco will have no liability for delay in the delivery or failure to deliver any of the products or features set forth in this document.

Cisco environmental sustainability

Information about Cisco's environmental sustainability policies and initiatives for our products, solutions, operations, and extended operations or supply chain is provided in the "Environment Sustainability" section of Cisco's <u>Corporate Social Responsibility</u> (CSR) Report.

Reference links to information about key environmental sustainability topics (mentioned in the "Environment Sustainability" section of the CSR Report) are provided in the following table.

Table 4. Environmental sustainability reference links

Sustainability topic	Reference
Information on product material content laws and regulations	<u>Materials</u>
Information on electronic waste laws and regulations, including products, batteries, and packaging	WEEE compliance

Cisco makes the packaging data available for informational purposes only. It may not reflect the most current legal developments, and Cisco does not represent, warrant, or guarantee that it is complete, accurate, or up to date. This information is subject to change without notice.

Cisco Services

Cisco and our partners provide a broad portfolio of smart, personalized services and support that can help you realize the full business value of your Cisco Device investment by increasing business agility and network availability. This portfolio of services accelerates business innovation by harnessing the network as a powerful business platform.

For more information about these services, visit: https://www.cisco.com/go/collaborationservices.

Cisco Capital

Flexible payment solutions to help you achieve your objectives

Cisco Capital makes it easier to get the right technology to achieve your objectives, enable business transformation and help you stay competitive. We can help you reduce the total cost of ownership, conserve capital, and accelerate growth. In more than 100 countries, our flexible payment solutions can help you acquire hardware, software, services and complementary third-party equipment in easy, predictable payments. Learn more.

Learn more

Room Navigator offers instant connections to video conferences, room controls, content sharing, and room booking. Watch the video.

Prepare your workplace for seamless experiences, wellbeing and hybrid work success. Read our guide.

Learn more about how Room Navigator can help you infuse intelligence into your workspaces with <u>smart room booking</u>.

For more information about how Room Navigator can help you create smart, hybrid work experiences, please <u>visit our website</u> or contact your local Cisco account representative.

For more information

Please visit www.webex.com/collaboration-devices.

Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at https://www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA C78-744227-04 09/23