



# CHAPTER 2

## Tape Storage Interoperability Matrix

This chapter lists tape storage libraries and drives tested by Cisco's Solution-Interoperability Engineering group (iLAB) and/or self-certified by OEMs/Partners.

**Table 2-1      Tested Tape Storage Libraries and Drives**

<b>Vendor</b>	<b>Tape Library Model</b>	<b>Page</b>
IBM	IBM 3590 /3592 E11/E1A and H11/H1A	2
	IBM Ultrium 3584 UltraScalable	3
	IBM Ultrium 3583 Scalable	4
	IBM Ultrium 3582	5
StorageTek	L180	6
	L700e	7
	L8500	8
	SL500	9
	SL500	9
Quantum	Scalar 24	11
	Scalar 50	12
	Scalar i500	13
	Scalar 10000	15
	Scalar i2000	16
	PX720	17
HP	DX30	18
	HP MSL, ESL, EML Series	19
	HP VLS Series	20
Overland Storage	Neo Series	21
SONY	PetaSite	22
ATTO	Fibre Storage	23
Crossroad Systems	Storage Routers 8000 /6000/10000	24
	Storage Routers 4250	25
Tape Acceleration	SAN-OS 2.x, 3.x Tape Acceleration Feature	26



Table 2-2 IBM 3590 /3592 E11/E1A and H11/H1A

<b>Operating System</b>		<b>Tape Drive Models</b>	<b>Switch Fabric</b>	
<b>Type</b>	<b>Version</b>			
AIX	5.1, 5.2, 5.3	Native FC standalone or in a 3494 tape library or Silo	MDS9513	MDS9214
Windows 2003	Standard Edition		MDS9509	3.1(2a)
	Enterprise Edition		MDS9506	3.1(3a)
Windows 2000	Server		MDS9216A	3.2(1a)
	Advanced Server (SP3 or later)		MDS9216i	3.2(2c)
			MDS9140	3.2(3)
Linux	RH 2.1 & higher		3.0(2)	3.3(1a)
	SLES 7 & higher		3.0(2a)	3.3(1c)
Solaris	2.6, 7, 8, 9, 10		3.0(3)	
HP-UX	11.0, 11.11, 11.23		3.1(2a)	MDS9020
			3.1(3a)	2.1(2)
			3.2(1a)	
			3.2(2c)	Blade Center
			3.2(3)	Embedded
			3.3(1a)	Switch
			3.3(1c)	3.1(2a)
			3.2(1a)	3.1(3a)
			MDS9222i	3.2(1a)
			MDS9134	3.2(2c)
			MSM 18/4	3.2(3)
			3.2(1a)	3.3(1a)
			3.2(2c)	3.3(1c)
			3.2(3)	

**Table 2-3 IBM Ultrium 3584 UltraScalable**

Operating System		Tape Drive Models	Switch Fabric	
Type	Version		MDS9513 MDS9509 MDS9506 MDS9216A	MDS9214 3.1(2a) 3.1(3a) 3.2(1a)
AIX	5.1, 5.2, 5.3	IBM: LTO-3 FC LTO-2 FC		
Windows 2003	Standard Edition		MDS9216i	3.2(2c)
	Enterprise Edition		MDS9140	3.2(3)
Windows 2000	Server		3.0(2)	3.3(1a)
	Advanced Server (SP3 or later)		3.0(2a)	3.3(1c)
Linux	RH 2.1 & higher		3.0(3)	MDS9020
	SLES 7 & higher		3.1(2a)	
Solaris	2.6, 7, 8, 9, 10		3.1(3a)	
HP-UX	11.0, 11.11, 11.23		3.2(1a)	Blade Center Embedded Switch
OS/400	V5R2, V5R3		3.2(2c)	
			3.2(3)	
			3.3(1a)	
			3.3(1c)	
			3.2(1a)	
			MDS9222i	3.2(2c)
			MDS9134	3.2(3)
			MSM 18/4	3.3(1c)
			3.2(1a)	
			3.2(2c)	

**Table 2-4 IBM Ultrium 3583 Scalable**

Operating System		Tape Drive Models	IBM iSCSI Support	Switch Fabric	
Type	Version				
AIX	5.1, 5.2, 5.3	Native FC LTO-2, LTO-3 or Integrated SDG Module	No	MDS9513 MDS9509	MDS9222i MDS9134
Windows 2003	Standard Edition Enterprise Edition		Yes	MDS9506 MDS9216A MDS9216i MDS9140 3.0(2) 3.0(2a)	MSM 18/4 3.2(1a) 3.2(2c) 3.2(3) 3.3(1a) 3.3(1c)
Windows 2000	Server Advanced Server (SP3 or later)			3.0(3)	
Linux	RH 2.1 & higher SLES 7 & higher, 9, 10		No	3.1(2a) 3.1(3a) 3.2(1a) 3.2(2c) 3.2(3) 3.3(1a) 3.3(1c)	MDS9020 2.1(2)
Solaris	2.6, 7, 8, 9, 10			3.1(2a) 3.1(3a) 3.2(1a) 3.2(2c) 3.2(3) 3.3(1a) 3.3(1c)	Blade Center Embedded Switch
HP-UX	11.0, 11.11, 11.23			3.1(2a) 3.1(3a) 3.2(1a) 3.2(2c) 3.2(3) 3.3(1a) 3.3(1c)	3.1(2a) 3.2(2c) 3.2(3) 3.3(1a) 3.3(1c)
OS/400	V5R2, V5R3	FC LTO-2, LTO-3		MDS9214 3.1(2a) 3.1(3a) 3.2(1a) 3.2(2c) 3.2(3) 3.3(1a) 3.3(1c)	

**Table 2-5 IBM Ultrium 3582**

Operating System		Tape Drive Models	IBM iSCSI Support	Switch Fabric	
Type	Version				
AIX	5.1, 5.2	Native FC LTO-2 LTO-3	No	MDS9513	MDS9214
Windows 2003	Standard Edition Enterprise Edition		Yes	MDS9509 MDS9506 MDS9216A MDS9216i MDS9140	3.1(2a) 3.1(3a) 3.2(1a) 3.2(2c) 3.2(3)
Windows 2000	Server		No	3.0(2)	3.3(1a)
	Advanced Server (SP3 or later)			3.0(2a) 3.0(3)	3.3(1c)
Linux	RH 2.1 & higher			3.1(2a)	MDS9020
	SLES 7 & higher			3.1(3a) 3.2(1a) 3.2(2c) 3.2(3) 3.3(1a)	2.1(2) Blade Center Embedded Switch
Solaris	2.6, 7, 8, 9, 10			3.1(3a) 3.2(1a) 3.2(2c) 3.2(3) 3.3(1c)	3.1(2a) 3.1(3a) 3.2(1a)
HP-UX	11.0, 11.11, 11.23		No	MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c)	3.2(2c) 3.2(3) 3.3(1a) 3.3(1c)
				3.2(3) 3.3(1a) 3.3(1c)	3.1(2a)
				3.3(1a)	3.1(3a)
				3.3(1c)	3.2(1a)
				MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c)	3.2(2c) 3.2(3) 3.3(1a) 3.3(1c)

# StorageTek

**Table 2-6 L180**

<b>Operating System</b>		<b>Tape Drive Models</b>	<b>Switch Fabric</b>
<b>Level</b>	<b>Version</b>		
Windows 2000	Advanced Server (SP2 or later)	STK: 9840B FC	MDS9513 MDS9509 MDS9506
Windows 2003	Enterprise	9840B FC	MDS9216A
AIX	5.1, 5.2, 5.3	9840C FC	MDS9216i
HPUX	11.0, 11.11, 11.23	9940A FC	MDS9140
Solaris	7, 8, 9, 10	9940B FC T10000 FC 2G T10000 FC 4G  IBM: LTO Gen-2 FC LTO Gen-3 FC 2G LTO Gen-3 FC 4G LTO Gen-4 FC 4G  HP: LTO Gen-2 FC LTO Gen-3 FC 2G LTO Gen-3 FC 4G  Quantum: SDLT-600 2G FC S4 FC 4G	3.0(2) 3.0(2a) 3.0(3) 3.1(2) <sup>1</sup> 3.1(3a) 3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)  MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)  MDS9214 3.1(2) 3.1(3a) 3.2(1a) 3.3(1a) 4.1(1b)  MDS9020 2.1(2) 2.1(3) Get-To-Yes 3.2(3)

1. SAN-OS 3.1(2) is available from Sun Microsystems through the Get-To-Yes process.

**Table 2-7 L700e**

Operating System		Tape Drive Models	Switch Fabric
Level	Version		
Windows 2000	Advanced Server (SP2 or later)	STK: 9840A FC	MDS9513 MDS9509
		9840B FC	MDS9506
Windows 2003	Enterprise	9840C FC	MDS9216A
		9940A FC	MDS9216i
HPUX	11.0, 11i	9940B FC	MDS9140
Solaris	7, 8, 9, 10	T10000 FC 2G	3.0(2) 3.0(2a) 3.0(3) 3.1(2) <sup>1</sup> 3.1(3a)
		T10000 FC 4G	3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)
		IBM:	MDS9222i
		LTO Gen-2 FC	MDS9134
		LTO Gen-3 FC 2G	MSM 18/4
		LTO Gen-3 FC 4G	3.2(1a) 3.2(2c) 3.3(1a)
		LTO Gen-4 FC 4G	4.1(1b)
		HP:	
		LTO Gen-2 FC	
		LTO Gen-3 FC 2G	
		LTO Gen-3 FC 4G	
		LTO Gen-4 FC 4G	
		Quantum:	MDS9214
		SDLT-600 2G FC	3.1(2) 3.1(3a)
		S4 FC 4G	3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)
			MDS9020
			2.1(2) 2.1(3)
			Get-To-Yes
			3.2(3)

1. SAN-OS 3.1(2) is available from Sun Microsystems through the Get-To-Yes process.

**Table 2-8 L8500**

Operating System		Tape Drive Models	Switch Fabric
Level	Version		
Windows 2000	Advanced Server (SP2 or later)	STK:	MDS9513
		9840A FC	MDS9509
Windows 2003	Enterprise	9840B FC	MDS9506
		9840C FC	MDS9216A
AIX	5.1, 5.2, 5.3	9940A FC	MDS9216i
HPUX	11.0, 11i	9940B FC	MDS9140
Solaris	7, 8, 9, 10	T10000 FC 2G	3.0(2)
		T10000 FC 4G	3.0(2a) 3.0(3) 3.1(2) <sup>1</sup> 3.1(3a)
		IBM:	3.2(1a)
		LTO Gen-2 FC	3.2(2c)
		LTO Gen-3 FC 4G	3.3(1a) 4.1(1b)
		HP:	MDS9222i
		LTO Gen-2 FC	MDS9134
		LTO Gen-3 FC 4G	MSM 18/4 3.2(1a) 3.2(2c) 3.3(1a)
		Quantum:	3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)
		SDLT-600 2G FC	MDS9214 3.1(2) 3.1(3a) 3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)
Sun OS 3.1(2)	Get-To-Yes		MDS9020 2.1(2) 2.1(3)
			Get-To-Yes
			3.2(3)

1. SAN-OS 3.1(2) is available from Sun Microsystems through the Get-To-Yes process.

**Table 2-9 SL500**

<b>Operating System</b>		<b>Tape Drive Model</b>	<b>Switch Fabric</b>
<b>Level</b>	<b>Version</b>		
Windows 2000	Advanced Server (SP2 or later)	IBM: LTO Gen-2 FC	MDS9513 MDS9509
Windows 2003	Enterprise	LTO Gen-3 FC 4G	MDS9506 MDS9216A
AIX	5.1, 5.2, 5.3	LTO Gen-4 FC 4G	MDS9216i
HPUX	11.0, 11i		MDS9140
Solaris	7, 8, 9, 10	Quantum: SDLT-600 2G FC SDLT-320 2G FC  HP: LTO Gen-2 FC LTO Gen-3 FC 4G	3.0(2) 3.0(2a) 3.0(3) 3.1(2) <sup>1</sup> 3.1(3a) 3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)  MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)  MDS9214 3.1(2) 3.1(3a) 3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)  MDS9020 2.1(2) 2.1(3)  Get-To-Yes 3.2(3)

1. SAN-OS 3.1(2) is available from Microsystems through the Get-To-Yes process.

**Table 2-10 SL3000**

Operating System <sup>1</sup>		Tape Drive Model	Switch Fabric
Level	Version		
Windows 2000	Advanced Server (SP2 or later)	IBM: LTO Gen-3 FC 4G  LTO Gen-4 FC 4G  STK: T10000A, T10000B T9840C, T9840D  HP: LTO Gen-3 FC LTO Gen-4 FC 4G	MDS9513
Windows 2003	Enterprise		MDS9509
AIX	5.3		MDS9506
Linux	RedHat and Suse		MDS9216A
HPUX	11i		MDS9216i
Solaris	9, 10		MDS9140
			3.2(1a)
			3.2(2c)
			3.3(1a)
			4.1(1b)
			MDS9222i
			MDS9134
			MSM 18/4
			3.2(1a)
			3.2(2c)
			3.3(1a)
			4.1(1b)
			MDS9214
			3.2(1a)
			3.2(2c)
			3.3(1a)
			4.1(1b)
			MDS9020
			2.1(3)

1. Please check with the Sun account rep for customer specific environment

# Quantum

**Table 2-11      Scalar 24**

<b>Operating System</b>		<b>Tape Drive Models</b>	<b>Switch Fabric</b>
<b>Type</b>	<b>Version</b>		
Windows 2000	Advanced Server (SP2 or later)	IBM: LTO Gen-2 FC LTO Gen-3 FC 4G LTO Gen-4 FC 4G	MDS9513 MDS9509 MDS9506 MDS9216A MDS9216i MDS9140
Windows 2003	Enterprise	Quantun: SDLT-600 2G FC	3.0(2) 3.0(2a) 3.0(3) 3.1(2) 3.1(2a) 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c) 4.1(1b)
AIX	5.4		
Solaris	8, 9, 10		MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c) 4.1(1b)
			MDS9214 3.1(2) 3.2(1a) 3.2(2c) 3.3(1a) 4.1(1b)
			MDS9020 2.1(2)

**Table 2-12 Scalar 50**

Operating System		Tape Drive Models	Switch Fabric	
Type	Version			
Windows 2003	Enterprise	HP: LTO Gen-3 FC 4G	MDS9513 MDS9509	
Windows 2000	Advanced Server (SP3)	LTO Gen-4 FC 4G	MDS9506 MDS9216A	
Solaris	8, 9, 10	Quantun: DLT-S4 4G FC Quantum LTO-3 HH	MDS9216i MDS9140 3.0(2) 3.0(2a) 3.0(3) 3.1(2) 3.1(2a) 3.2(1a) 3.2(2c) 3.3(1c) 4.1(1b)  MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c) 3.3(1c) 4.1(1b)  MDS9214 3.1(2) 3.2(1a) 3.2(2c) 3.3(1c) 4.1(1b)  MDS9020 2.1(2)	

**Table 2-13 Scalar I500**

<b>Operating System</b>		<b>Tape Drive Models</b>	<b>Switch Fabric</b>
<b>Type</b>	<b>Version</b>		
Windows 2003	Enterprise	IBM: LTO Gen-2 FC	MDS9513 MDS9509
Windows 2000	Advanced Server (SP3)	LTO Gen-3 4G FC	MDS9506
Solaris	8, 9, 10	LTO Gen-4 4G FC	MDS9216A
Linux	RH 4, RH 5		MDS9216i
HPUX	11, 11iv1, 11iv2		MDS9140
AIX	5.2, 5.3, 5.4	HP: LTO Gen-4 4G FC	3.0(2) 3.0(2a) 3.0(3) 3.1(2) 3.1(2a) 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c) 4.1(1b)  MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c) 4.1(1b)  MDS9214 3.1(2) 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c) 4.1(1b)  MDS9020 2.1(2)



**Table 2-14 Scalar 10000**

Operating System		Tape Drive Models	Switch Fabric
Type	Version		
Linux	RH 4, RH 5	IBM: LTO Gen-3 4G FC	MDS9513 MDS9509
Windows 2000 AS	Advanced Server (SP3)	LTO Gen-4 4G FC	MDS9506
Windows 2003	Enterprise	IBM:3592	MDS9216A
AIX	5.1, 5.2, 5.3	IBM TS1120	MDS9216i
HPUX	11iv1, 11iv2		MDS9140
Solaris 8	8, 9, 10	Quantum: SDLT-320	3.0(2) 3.0(2a) 3.0(3) 3.1(2a) 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c) 4.1(1b)  MDS9214 3.1(2a) 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c) 4.1(1b)  MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c) 4.1(1b)  MDS9020 2.1(2)  Blade Center Embedded Switch 3.1(2a) 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c) 4.1(1b)

**Table 2-15** Scalar i2000

Operating System		Tape Drive Models	Switch Fabric
Type	Version		
Linux	RH 4, RH 5	IBM:	MDS9513
Windows 2000	Advanced Server (SP3)	LTO Gen-2 FC	MDS9509
Windows 2003	Enterprise	LTO Gen-3 4G FC	MDS9506
Solaris	8, 9, 10	LTO Gen-4 4G FC	MDS9216A MDS9216i
HPUX	11i, 11iv1, 11iv2		MDS9140
AIX	5.2, 5.3, 5.4	HP:  LTO Gen-3 4G FC LTO Gen-3 2G FC LTO Gen-4 4G FC  Quantum: DLT S4 FC SDLT-600 2G FC	3.0(2) 3.0(2a) 3.0(3) 3.1(2a) 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c)  MDS9214 3.1(2a) 3.2(1a) 3.2(2c) 3.3(1c)  MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c) 3.3(1c)  MDS9020 2.1(2)  Blade Center Embedded Switch 3.1(2a) 3.2(1a) 3.2(2c) 3.3(1a) 3.3(1c)

**Table 2-16 PX720**

Operating System		Tape Drive Models	Switch Fabric
Type	Version		
Windows 2003	Enterprise	Quantum: DLT S4 4G FC	MDS9513
Windows 2000	Advanced Server (SP3)		MDS9509
Solaris	8, 9, 10	HP:	MDS9506
HPUX	11.0, 11iv1, 11iv2	LTO Gen-2 2G FC	MDS9216A
		LTO Gen-3 4G FC	MDS9216i
		LTO Gen-3 2G FC	MDS9140
		LTO Gen-4 4G FC	3.0(2)
			3.0(2a)
			3.0(3)
			3.1(2)
			3.1(2a)
			3.2(1a)
			3.2(2c)
			3.3(1a)
			4.1(1b)
			MDS9222i
			MDS9134
			MSM 18/4
			3.2(1a)
			3.2(2c)
			3.3(1a)
			4.1(1b)
			MDS9214
			3.1(2)
			3.2(1a)
			3.2(2c)
			3.3(1a)
			4.1(1b)
			MDS9020
			2.1(2)

**Table 2-17 DX30**

Operating System		Host Bus Adapter	Tape Drive Models	Switch Fabric
Type	Version			
Windows NT	4.0 (SP6a)	Emulex: LP8000	Quantum: SDLT	MDS9513
Windows 2000	Advanced Server (SP3)	QLogic: QLA 2200		3.0(1)
Solaris 8	8	Emulex: LP8000		MDS9500 MDS9216
AIX 4.3.3	4.3.3	IBM: 6228		MDS9100 2.0(2b) 2.1(1b) 2.1(2b) 3.0(1)  MDS9216i 2.0(1b) 2.0(2b) 2.1(1b) 2.1(2b) 3.0(1)  MDS9020 2.1(2)

**Table 2-18 HP MSL, ESL, EML Series**

<b>Operating System<sup>1</sup></b>	<b>Host Bus Adapter</b>	<b>Tape Drive Models</b>	<b>Switch Fabric</b>	
			<b>Models</b>	<b>Switch Fabric</b>
Windows	HP: All HP supported models	HP: LTO-1, LTO-2, LTO-3, LTO-4	MDS9513 MDS9509 MDS9506 MDS9216A MDS9216i MDS9140 3.0(2) 3.0(2a) 3.0(3) 3.1(2) 3.1(2a) 3.1(3a) 3.2(1a) 3.2(2c) 3.2(3) 3.3(1a) 3.3(1c) 4.1(1b) 4.1(1b)	MDS9222i MDS9134 MSM 18/4 3.2(1a) 3.2(2c) 3.2(3) 3.3(1a) 3.3(1c) 4.1(1b) MDS9214 3.1(2) 3.1(3a) 3.2(1a) 3.2(2c) 3.2(3) 3.2(3) 3.3(1a) 3.3(1c) 4.1(1b) MDS9020 2.1(2) 2.1(3)
Solaris				
Linux				
HPUX				
AIX				
Open VMS				
Netware				

1. Refere to the EBS compatibility matrix at the following link for more infomation on supported operating systems and applications:  
<http://h18000.www1.hp.com/products/storageworks/ebs/index.html>

**Table 2-19 HP VLS Series**

<b>Operating System<sup>1</sup></b>	<b>Host Bus Adapter</b>	<b>Tape Drive Models</b>	<b>Switch Fabric</b>
	<b>Models</b>		
Windows	HP:	HP:	MDS9513
Solaris	All HP supported models	All supported emulated tape drives	MDS9509
Linux			MDS9506
HPUX			MDS9216A
AIX			MDS9216i
Open VMS			MDS9140
Netware			3.2(3) 3.3(1a) 4.1(1b)
			MDS9222i MDS9134 MSM 18/4 3.2(3) 3.3(1a) 3.3(1c) 4.1(1b)
			MDS9214 3.2(3) 3.3(1a) 3.3(1c) 4.1(1b)

1. Refer to the EBS compatibility matrix at the following link for more information on supported operating systems and applications:  
<http://h18000.www1.hp.com/products/storageworks/ebs/index.html>

# Overland Storage

**Table 2-20 Neo Series**

<b>Operating System</b>		<b>Host Bus Adapter</b>	<b>Tape Drive Models</b>	<b>Switch Fabric</b>
<b>Type</b>	<b>Version</b>			
Windows 2000	Advanced Server (SP3)	<b>QLogic:</b> QLA2300	HP: LTO-1, LTO-2	MDS9513 MDS9509 MDS9506 MDS9216A MDS9216i MDS9140
			Qntm ATL: SDLT320	
				3.0(2) 3.0(2a) 3.0(3) 3.1(2) 3.1(2a) 3.2(1a)
				MDS9214 3.1(2) 3.2(1a)
				MDS9222i MDS9134 MSM 18/4 3.2(1a)
		<b>Emulex:</b> LP9802		MDS9020 2.1(2)
			HP: LTO-1, LTO-2	
			Qntm ATL: SDLT320	

# SONY

**Table 2-21 PetaSite**

<b>Operating System</b>		<b>Host Bus Adapter</b>	<b>Tape Drive Models</b>	<b>Switch Fabric</b>
<b>Type</b>	<b>Version</b>			
Windows 2000	Advanced Server (SP2)	<b>Emulex:</b> LP9802	SONY:	MDS9513
Solaris	8, 9	<b>Emulex:</b> LP8000, LP9002 <b>QLogic:</b> QLA2310, QLA2342 <b>Sun:</b> X6767A, X6727A	SDZ 100 SAIT SDZ 130 SAIT	MDS9509 MDS9506 MDS9216A MDS9216i MDS9140 3.0(2)
Irix	6.5.18m, 6.5.19m, 6.5.21m & APD2.7	<b>SGI:</b> PCI-FC-1P (QLA2200) <b>QLogic:</b> QLA2340		3.0(2a) 3.0(3) 3.1(2)
HP-UX	11i	<b>HP:</b> A5158A <b>Emulex:</b> LP9002		3.1(2a) MDS9214 3.1(2) MDS9020 2.1(2)
Linux	RedHat 8	<b>QLogic:</b> QLA2300		

# ATTO

**Table 2-22 Fibre Storage**

<b>Operating System</b>		<b>Host Bus Adapter</b>	<b>Tape Library Model</b>	<b>Tape Drive Models</b>	<b>Switch Fabric</b>		
<b>Type</b>	<b>Version</b>	<b>Model</b>					
Windows Server 2003	Enterprise Edition10	<b>ATTO: FC3300</b>	FB 1180	IBM LTO-2	MDS9513		
			FB1290	IBM LTO-2	MDS9509		
			FB2300	IBM LTO-2	MDS9506		
			FB4500	SDLT 220	MDS9216A MDS9216i		
Windows 2000	Professional	<b>ATTO: FC-21PS</b>	FB2400	IBM LTO-2	MDS9140		
Mac OSX Tiger	10.4.2	<b>ATTO: FC-41XS, FC-42XS</b>	FB2300	SDLT220	3.0(2)		
Mac OSX Panther	Panther	<b>ATTO: FC-21PS</b>			3.0(2a)		
					3.0(3)		
					3.1(2)		
					3.1(2a)		
					3.2(1a)		
					MDS9214		
					3.1(2)		
					3.2(1a)		
					MDS9020		
					2.1(2)		

# Crossroad Systems

**Table 2-23 Storage Routers 8000 /6000/10000**

<b>Operating System</b>		<b>Host Bus Adapter</b>	<b>Model</b>	<b>Cisco Tested</b>	<b>Switch Fabric</b>
<b>Type</b>	<b>Version</b>				
Solaris	8	QLogic: QLA2200, QLA2342	CR 8000 fw: 4.03.27	Yes	MDS9513 3.0(1)
		JNI: FCE 1473	CR 10000 (set at 2G) 4.0.3.27		MDS9500 MDS9216 MDS9100
		JNI: FCE 1473	CR 6000		1.1(1) 1.2(1a) 1.3(4a) 2.0(1b) 2.0(2b) 2.1(1b) 2.1(2b) 3.0(1)
					MDS9020 2.1(2)

**Table 2-24 Storage Routers 4250**

Operating System		Host Bus Adapter	Model	Cisco Tested	Switch Fabric
Type	Version				
Windows 2000	AS	QLogic: QLA2200	CR 4250 fw: 306 2009m	Yes	MDS9513 3.0(1)
		Emulex: LP9002DC			MDS9500 MDS9216 MDS9100 1.1(1) 1.2(1a) 1.3(2a) 1.3(4a) 2.0(1b) 2.0(2b) 2.1(1b) 2.1(2b) 3.0(1)  MDS9020 2.1(2)

# Tape Acceleration

**Table 2-25 SAN-OS 2.x, 3.x Tape Acceleration Feature**

Tape Drive	Veritas Net Backup	Legato Networker	CA BrightStor	HP Data Protector	Commvault Galaxy	IBM TSM
IBM LTO-2, 3, 4	Yes	Yes	Yes		Yes	Yes
IBM 3590/3592	Yes	Yes	Yes		Yes	Yes
HP LTO-2, 3, 4	Yes	Yes	Yes	Yes		
HP LTO-1	Yes	Yes	Yes	Yes		
HP NSR Bridge				Yes		
Crossroad Systems	Yes	Yes	Yes	Yes	Yes	Yes
STK T9840	Yes	Yes	Yes		Yes	
STK T9940	Yes	Yes	Yes		Yes	
EMC CDL	Yes	Yes				Yes
Sony SAIT	Yes	Yes	Yes		Yes	Yes
Quantum SDLT 600, S4	Yes	Yes	Yes		Yes	Yes