

Product Family List - Select Reseller

All product codes under each Product Family should be included in the revenue

Switching	Routing	Security	Wireless	IP Tel
3750	IOS	PIX 501	AIRCA	Phone
3550	1700	PIX 506	AIRCMN	
3560	88BB	PIX 515	AP1100	
3500XL	1800	ASA 5500	AP1200	
2970	2800		AIRANT	
2950	HWIC			
2940	ABBUMOD			
GBIC				
SFP				
C2900				
C2960				
CE 500				

Switching	Description
Catalyst 3750 Series 10/100/1000, GE, 10GE Workgroup Switch	
WS-C3750G-24T-S	Catalyst 3750 24 10/100/1000T Standard Multilayer Image
WS-C3750G-24T-E	Catalyst 3750 24 10/100/1000T Enhanced Multilayer Image
WS-C3750G-24TS-S	Catalyst 3750 24 10/100/1000 + 4 SFP Std Multilayer; 1.5RU
WS-C3750G-24TS-E	Catalyst 3750 24 10/100/1000 + 4 SFP Enhcd Multilayer;1.5RU
WS-C3750G-24TS-S1U	Catalyst 3750 24 10/100/1000 + 4 SFP Std Multilayer;1RU
WS-C3750G-24TS-E1U	Catalyst 3750 24 10/100/1000 + 4 SFP Enh Multilayer;1RU
WS-C3750G-24PS-S	Catalyst 3750 24 10/100/1000T PoE + 4 SFP Standard Image
WS-C3750G-24PS-E	Catalyst 3750 24 10/100/1000T PoE + 4 SFP Enhanced Image
WS-C3750G-48TS-S	Catalyst 3750 48 10/100/1000T + 4 SFP Standard Multilayer
WS-C3750G-48TS-E	Catalyst 3750 48 10/100/1000T + 4 SFP Enhanced Multilayer
WS-C3750G-48PS-S	Catalyst 3750 48 10/100/1000T PoE + 4 SFP Standard Image
WS-C3750G-48PS-E	Catalyst 3750 48 10/100/1000T PoE + 4 SFP Enhanced Image
WS-C3750G-16TD-S	Catalyst 3750 16 10/100/1000BT+ 10GbE (req XENPAK) Std Image
WS-C3750G-16TD-E	Catalyst 3750 16 10/100/1000BT+ 10GbE (req XENPAK) Enh Image
WS-C3750G-12S-S	Catalyst 3750 12 SFP Standard Multilayer Image
WS-C3750G-12S-SD	Catalyst 3750 12 SFP DC powered Standard Multilayer Image
WS-C3750G-12S-E	Catalyst 3750 12 SFP Enhanced Multilayer Image
WS-C3750-24FS-S	Catalyst 3750 24 100BaseFX + 2 SFP Standard Multilayer Image
Catalyst 3750 Series 10/100 Workgroup Switches	
WS-C3750-24FS-S	Catalyst 3750 24 100BaseFX + 2 SFP Standard Multilayer Image
WS-C3750-24PS-S	Catalyst 3750 24 10/100 PoE + 2 SFP Standard Image
WS-C3750-24PS-E	Catalyst 3750 24 10/100 PoE + 2 SFP Enhanced Image
WS-C3750-24TS-S	Catalyst 3750 24 10/100 + 2 SFP Standard Multilayer Image
WS-C3750-24TS-E	Catalyst 3750 24 10/100 + 2 SFP Enhanced Multilayer Image
WS-C3750-48PS-S	Catalyst 3750 48 10/100 PoE + 4 SFP Standard Image
WS-C3750-48PS-E	Catalyst 3750 48 10/100 PoE + 4 SFP Enhanced Image
WS-C3750-48TS-S	Catalyst 3750 48 10/100 + 4 SFP Standard Multilayer Image
WS-C3750-48TS-E	Catalyst 3750 48 10/100 + 4 SFP Enhanced Multilayer Image
Catalyst 3750 Series OADM Modules	
CWDM-OADM1-1470=	Dual single channel OADM Module (1470nm)
CWDM-OADM1-1490=	Dual single channel OADM Module (1490nm)
CWDM-OADM1-1510=	Dual single channel OADM Module (1510nm)
CWDM-OADM1-1530=	Dual single channel OADM Module (1530nm)

CWDM-OADM1-1550=	Dual single channel OADM Module (1550nm)
CWDM-OADM1-1570=	Dual single channel OADM Module (1570nm)
CWDM-OADM1-1590=	Dual single channel OADM Module (1590nm)
CWDM-OADM1-1610=	Dual single channel OADM Module (1610nm)
CWDM-OADM4-1=	4-channels CWDM OADM Module (1470, 1490, 1510, 1530)
CWDM-OADM4-2=	4-channels CWDM OADM Module (1550, 1570, 1590, 16100)
WDM-1300-1550-S=	1300nm/1550nm WDM splitter cable
IOS Upgrades for the Catalyst 3750	
CD-3750-EMI=	Enhanced Multilayer Image upgrade for 3750 FE models
CD-3750G-EMI=	Enhanced Multilayer Image upgrade for 24-port 3750 GE models
CD-3750G-48EMI=	Enhanced Multilayer Image upgrade for 48-port 3750 GE models
3750-AISK9-LIC-B=	Advanced IP Services upgrade for 3750 FE models running SMI
3750-AISK9-LIC-S=	Advanced IP Services upgrade for 3750 FE models running EMI
3750G-AISK9-LIC-B=	Advanced IP Services upgrade for 3750 GE models running SMI
3750G-AISK9-LIC-S=	Advanced IP Services upgrade for 3750 GE models running EMI
3750G48-AISK9LC-B=	Advanced IP Services upgrade for 3750G-48 running SMI
3750G48-AISK9LC-S=	Advanced IP Services upgrade for 3750G-48 running EMI
Cisco StackWise Cables for the Catalyst 3750*	
CAB-STACK-50CM=	Cisco StackWise 50CM Stacking Cable
CAB-STACK-1M	Cisco StackWise 1M Stacking Cable
CAB-STACK-1M=	Cisco StackWise 1M Stacking Cable
CAB-STACK-3M	Cisco StackWise 3M Stacking Cable
CAB-STACK-3M=	Cisco StackWise 3M Stacking Cable
CAB-STACK-50CM-NH	Cisco StackWise 50CM Non-Halogen Lead Free Stacking Cable
CAB-STACK-50CM-NH=	Cisco StackWise 50CM Non-Halogen Lead Free Stacking Cable
CAB-STACK-1M-NH	Cisco StackWise 1M Non-Halogen Lead Free Stacking Cable
CAB-STACK-1M-NH=	Cisco StackWise 1M Non-Halogen Lead Free Stacking Cable
CAB-STACK-3M-NH	Cisco StackWise 3M Non-Halogen Lead Free Stacking Cable
CAB-STACK-3M-NH=	Cisco StackWise 3M Non-Halogen Lead Free Stacking Cable
SFPs for the Catalyst 3750	
GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBUS switches
GLC-LH-SM=	GE SFP, LC connector LX/LH transceiver
GLC-SX-MM=	GE SFP, LC connector SX transceiver
GLC-T=	1000BASE-T SFP
GLC-ZX-SM=	1000BASE-ZX SFP
CWDM-SFP-1470=	CWDM 1470 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1490=	CWDM 1490 NM SFP Gigabit Ethernet and 1G/2G FC

CWDM-SFP-1510=	CWDM 1510 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1530=	CWDM 1530 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1550=	CWDM 1550 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1570=	CWDM 1570 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1590=	CWDM 1590 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1610=	CWDM 1610 NM SFP Gigabit Ethernet and 1G/2G FC
XENPAKs for the Catalyst 3750	
XENPAK-10GB-ER	10GBASE-ER XENPAK Module
XENPAK-10GB-ER=	10GBASE-ER XENPAK Module
C3-XENPAK10GB-LR=	10GBASE-LR XENPAK Module for Catalyst 3750
LC to SC Cables for the Catalyst 3750	
CSS5-CABLX-LCSC=	CSS11500 10-Meter Fiber Single Mode LX LC-to-SC Connectors
CSS5-CABSX-LC=	CSS11500 10-Meter Fiber Multimode SX LC Connectors
CSS5-CABSX-LCSC=	CSS11500 10-Meter Fiber Multimode SX LC-to-SC Connectors
Right Angle Power Cords for the Catalyst 3750	
CAB-AC-RA=	Power Cord, Right Angle
CAB-AC-RA	Power Cord,110V, Right Angle
CAB-ACA-RA=	Power Cord, Australian, Right Angle
CAB-ACC-RA=	Power Cord China, Right Angle
CAB-ACE-RA=	Power Cord Europe, Right Angle
CAB-ACI-RA=	Power Cord-Italian, Right Angle
CAB-ACR-RA=	Power Cord, Argentina, Right Angle
CAB-ACS-RA=	Power Cord for Switzerland, Right Angle
CAB-ACU-RA=	Power Cord UK, Right Angle
CAB-JPN-RA=	Power Cord, Japan, Right Angle
CAB-JPN-RA	Power Cord-Japan, Right Angle
RPS for the Catalyst 3750	
PWR675-AC-RPS-N1=	675W Redundant Power Supply with 1 connector cable
CAB-RPS-1614=	1 RPS 675 connector cable 16/14
CAB-16AWG-AC	AC Power cord, 16AWG
CAB-16AWG-AC=	AC Power cord, 16AWG
Spare Rack Mount Kits for the Catalyst 3750	
RCKMNT-1RU=	Rack Mount Kit for 1RU for 3750,3560,3550,2900-LRE-XL
RCKMNT-3550-1.5RU=	Rack Mount Kit for 1.5RU Catalyst 3550s
RCKMNT-REC-1.5RU=	RECESSED 1.5RU RACK MOUNT FOR 3550,3750
RCKMNT-REC-1RU=	RECESSED 1RU RACK MOUNT FOR 3550, 3560, and 3750
Catalyst 3750 Relicensing for Used Equipment	

LL-3750-SMI=	Standard Multilayer SW Image License for 3750 10/100 models
LL-3750-EMI=	Enhanced Multilayer SW Image License for 3750 10/100 models
LL-3750G-SMI=	Standard Multilayer SW Image License for 3750 GE models
LL-3750G-EMI=	Enhanced Multilayer SW Image License for 3750 GE models
Catalyst 3550 Series Workgroup Switches	
WS-C3550-12G	10 GBIC ports + 2-10/100/1000 ports: EMI
WS-C3550-12T	10-10/100/1000 ports + 2 GBIC ports: EMI
WS-C3550-24-SMI	24-10/100 + 2 GBIC ports: SMI
WS-C3550-24-DC-SMI	24-10/100 + 2 GBIC ports(DC-Pwr): SMI
WS-C3550-24-FX-SMI	24-100FX MMF + 2 GBIC ports: SMI
WS-C3550-24-EMI	24-10/100 + 2 GBIC ports: EMI
WS-C3550-48-SMI	48-10/100 + 2 GBIC ports: SMI
WS-C3550-48-EMI	48-10/100 + 2 GBIC ports: EMI
WS-C3550-24PWR-SMI	24-10/100 inline power + 2 GBIC ports: SMI
WS-C3550-24PWR-EMI	24-10/100 inline power + 2 GBIC ports: EMI
EMI Upgrades for the Catalyst 3550	
CD-3550-EMI=	Enhanced Multilayer Image upgrade for 3550 FE models
GBICs for the Catalyst 3550	
WS-X3500-XL	GigaStack Stacking GBIC and 50cm cable
WS-G5487=	1000Base-ZX extended reach GBIC(singlemode)
WS-G5486=	1000BASE-LX/LH long haul GBIC (singlemode or multimode)
WS-G5484=	1000BASE-SX Short Wavelength GBIC (Multimode only)
WS-G5483=	1000BASE-T GBIC
CWDM GBIC Solution for Catalyst 3550	
CWDM-GBIC-1470=	1000BASE-CWDM 1470 nm GBIC (single mode only)
CWDM-GBIC-1490=	1000BASE-CWDM 1490 nm GBIC (single mode only)
CWDM-GBIC-1510=	1000BASE-CWDM 1510 nm GBIC (single mode only)
CWDM-GBIC-1530=	1000BASE-CWDM 1530 nm GBIC (single mode only)
CWDM-GBIC-1550=	1000BASE-CWDM 1550 nm GBIC (single mode only)
CWDM-GBIC-1570=	1000BASE-CWDM 1570 nm GBIC (single mode only)
CWDM-GBIC-1610=	1000BASE-CWDM 1610 nm GBIC (single mode only)
CWDM-GBIC-1590=	1000BASE-CWDM 1590 nm GBIC (single mode only)
CWDM-MUX8A=	8-channels CWDM MUX/DEMUX Module
CWDM-OADM1-1470=	Dual single channel OADM Module (1470nm)
CWDM-OADM1-1490=	Dual single channel OADM Module (1490nm)
CWDM-OADM1-1510=	Dual single channel OADM Module (1510nm)
CWDM-OADM1-1530=	Dual single channel OADM Module (1530nm)

CWDM-OADM1-1550=	Dual single channel OADM Module (1550nm)
CWDM-OADM1-1570=	Dual single channel OADM Module (1570nm)
CWDM-OADM1-1590=	Dual single channel OADM Module (1590nm)
CWDM-OADM1-1610=	Dual single channel OADM Module (1610nm)
CWDM-OADM4-1=	4-channels CWDM OADM Module (1470, 1490, 1510, 1530)
CWDM-OADM4-2=	4-channels CWDM OADM Module (1550, 1570, 1590, 16100)
WDM-1300-1550-S=	1300nm/1550nm WDM splitter cable
CWDM-CHASSIS-2=	2 Slot Chassis for CWDM Mux Plug in Modules
CWDM-MUX-4-SF1=	Single Fiber 4-Channel Mux/Demux
CWDM-MUX-4-SF2=	Single Fiber 4-Channel Mux/Demux
Cables for the Catalyst 3550	
CAB-GS-1M	1 meter cable for GigaStack GBIC
CAB-GS-50CM	50 centimeter cable for GigaStack GBIC
Right Angle Power Cords for the Catalyst 3550	
CAB-AC-RA=	Power Cord, Right Angle
CAB-AC-RA	Power Cord,110V, Right Angle
CAB-ACA-RA=	Power Cord, Australian, Right Angle
CAB-ACC-RA=	Power Cord China, Right Angle
CAB-ACE-RA=	Power Cord Europe, Right Angle
CAB-ACI-RA=	Power Cord-Italian, Right Angle
CAB-ACR-RA=	Power Cord, Argentina, Right Angle
CAB-ACS-RA=	Power Cord for Switzerland, Right Angle
CAB-ACU-RA=	Power Cord UK, Right Angle
CAB-JPN-RA	Power Cord-Japan, Right Angle
CAB-JPN-RA=	Power Cord, Japan, Right Angle
RPS for the Catalyst 3550	
PWR675-AC-RPS-N1=	675W Redundant Power Supply with 1 connector cable
CAB-RPS-1614=	1 RPS 675 connector cable 16/14
Spare Rack Mount Kits for the Catalyst 3550	
RCKMNT-1RU=	Rack Mount Kit for 1RU for 3750,3560,3550,2900-LRE-XL
RCKMNT-3550-1.5RU=	Rack Mount Kit for 1.5RU Catalyst 3550s
Catalyst 3550 Relicensing for Used Equipment	
LL-3550-EMI	CAT 3550 Series Family Enhanced Multilayer SW Image License
LL-3550-SMI=	CAT 3550 Series Family Standard Multilayer SW Image License
Catalyst 3550 Network Management	
EMS-CCSM-3550-3.1	Cisco Catalyst Switch Mgr v3.1 - 3550 RTU
Catalyst 3550 Accessories	

NEBS-LUG-3550=	Ground lug kit for NEBS 3550-24, -24FX, -12G
ACS-DSBUASYN=	Console kit for DSBU products
SFPs for the Catalyst 3550	
GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBU switches
Catalyst 3560 Series 10/100/1000 Workgroup Switches	
WS-C3560G-48PS-S	Catalyst 3560 48 10/100/1000T PoE + 4 SFP Standard Image
WS-C3560G-48PS-E	Catalyst 3560 48 10/100/1000T PoE + 4 SFP Enhanced Image
WS-C3560G-24PS-S	Catalyst 3560 24 10/100/1000T PoE + 4 SFP Standard Image
WS-C3560G-24PS-E	Catalyst 3560 24 10/100/1000T PoE + 4 SFP Enhanced Image
WS-C3560G-48TS-S	Catalyst 3560 48 10/100/1000T + 4 SFP Standard Image
WS-C3560G-48TS-E	Catalyst 3560 48 10/100/1000T + 4 SFP Enhanced Image
WS-C3560G-24TS-S	Catalyst 3560 24 10/100/1000T + 4 SFP Standard Image
WS-C3560G-24TS-E	Catalyst 3560 24 10/100/1000T + 4 SFP Enhanced Image
Catalyst 3560 Series 10/100 Workgroup Switches	
WS-C3560-48PS-S	Catalyst 3560 48 10/100 PoE + 4 SFP Standard Image
WS-C3560-48PS-E	Catalyst 3560 48 10/100 PoE + 4 SFP Enhanced Image
WS-C3560-24PS-S	Catalyst 3560 24 10/100 PoE + 2 SFP Standard Image
WS-C3560-24PS-E	Catalyst 3560 24 10/100 PoE + 2 SFP Enhanced Image
WS-C3560-48TS-S	Catalyst 3560 48 10/100 + 4 SFP Standard Image
WS-C3560-48TS-E	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image
WS-C3560-24TS-S	Catalyst 3560 24 10/100 + 2 SFP Standard Image
WS-C3560-24TS-E	Catalyst 3560 24 10/100 + 2 SFP Enhanced Image
IOS Upgrades for the Catalyst 3560	
CD-3560-EMI=	Enhanced Multilayer Image upgrade for 3560 10/100 models
CD-3560G-EMI=	Enhanced Multilayer Image upgrade for 3560 GE models
3560-AISK9-LIC-B=	Advanced IP Services for 3560 FE models running SMI
3560-AISK9-LIC-S=	Advanced IP Services upgrade for 3560 FE models running EMI
3560G-AISK9-LIC-B=	Advanced IP Services upgrade for 3560 GE models running SMI
3560G-AISK9-LIC-S=	Advanced IP Services upgrade for 3560 GE models running EMI
SFPs for the Catalyst 3560	
GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBU switches
GLC-LH-SM=	GE SFP, LC connector LX/LH transceiver
GLC-SX-MM=	GE SFP, LC connector SX transceiver
GLC-T=	1000BASE-T SFP
GLC-ZX-SM=	1000BASE-ZX SFP
CWDM-SFP-1470=	CWDM 1470 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1490=	CWDM 1490 NM SFP Gigabit Ethernet and 1G/2G FC

CWDM-SFP-1510=	CWDM 1510 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1530=	CWDM 1530 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1550=	CWDM 1550 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1570=	CWDM 1570 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1590=	CWDM 1590 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1610=	CWDM 1610 NM SFP Gigabit Ethernet and 1G/2G FC
CAB-SFP-50CM=	Catalyst 3560 SFP Interconnect Cable, 50cm
LC to SC Cables for the Catalyst 3560	
CSS5-CABLX-LCSC=	CSS11500 10-Meter Fiber Single Mode LX LC-to-SC Connectors
CSS5-CABSX-LC=	CSS11500 10-Meter Fiber Multimode SX LC Connectors
CSS5-CABSX-LCSC=	CSS11500 10-Meter Fiber Multimode SX LC-to-SC Connectors
Right Angle Power Cords for the Catalyst 3560	
CAB-AC-RA=	Power Cord, Right Angle
CAB-AC-RA	Power Cord,110V, Right Angle
CAB-ACA-RA=	Power Cord, Australian, Right Angle
CAB-ACC-RA=	Power Cord China, Right Angle
CAB-ACE-RA=	Power Cord Europe, Right Angle
CAB-ACI-RA=	Power Cord-Italian, Right Angle
CAB-ACR-RA=	Power Cord, Argentina, Right Angle
CAB-ACS-RA=	Power Cord for Switzerland, Right Angle
CAB-ACU-RA=	Power Cord UK, Right Angle
CAB-JPN-RA=	Power Cord, Japan, Right Angle
CAB-JPN-RA	Power Cord-Japan, Right Angle
RPS for the Catalyst 3560	
PWR675-AC-RPS-N1=	675W Redundant Power Supply with 1 connector cable
CAB-RPS-1614=	1 RPS 675 connector cable 16/14
Spare Rack Mount Kits for the Catalyst 3560	
RCKMNT-1RU=	Rack Mount Kit for 1RU for 3750,3560,3550,2900-LRE-XL
RCKMNT-REC-1RU=	RECESSED 1RU RACK MOUNT FOR 3550, 3560, and 3750
Catalyst 3560 Relicensing for Used Equipment	
LL-3560-SMI=	Standard Multilayer SW Image License for 3560 10/100 models
LL-3560-EMI=	Enhanced Multilayer SW Image License for 3560 10/100 models
LL-3560G-SMI=	Standard Multilayer SW Image License for 3560 GE models
LL-3560G-EMI=	Enhanced Multilayer SW Image License for 3560 GE models
Cables for the Catalyst 3500 XL	
CAB-GS-1M	1 meter cable for GigaStack GBIC
CAB-GS-50CM	50 centimeter cable for GigaStack GBIC

GBICs for the Catalyst 3500 XL	
WS-X3500-XL	GigaStack Stacking GBIC and 50cm cable
WS-G5483=	1000BASE-T GBIC
WS-G5484=	1000BASE-SX Short Wavelength GBIC (Multimode only)
WS-G5486=	1000BASE-LX/LH long haul GBIC (singlemode or multimode)
WS-G5487=	1000Base-ZX extended reach GBIC(singlemode)
Catalyst 3500 XL Relicensing for Used Equipment	
LLC3500XL-EN	Catalyst 3500XL Series Family Enterprise Software License
Accessories for the Catalyst 3500 XL	
STK-RACKMOUNT-1RU=	Rack Mount Kit for 1RU Catalyst 1900,2900XL,3500XL / FastHub
Catalyst 2970 Series Workgroup Switches	
WS-C2970G-24T-E	Catalyst 2970 24 10/100/1000T Enhanced Image
WS-C2970G-24TS-E	Catalyst 2970 24 10/100/1000T + 4 SFP, Enhanced Image
RPS for the Catalyst 2970	
PWR675-AC-RPS-N1=	675W Redundant Power Supply with 1 connector cable
CAB-RPS-1614=	1 RPS 675 connector cable 16/14
SFPs for the Catalyst 2970	
GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBU switches
GLC-LH-SM=	GE SFP,LC connector LX/LH transceiver
GLC-SX-MM=	GE SFP, LC connector SX transceiver
GLC-T=	1000BASE-T SFP
GLC-ZX-SM=	1000BASE-ZX SFP
CWDM-SFP-1470=	CWDM 1470 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1490=	CWDM 1490 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1510=	CWDM 1510 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1530=	CWDM 1530 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1550=	CWDM 1550 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1570=	CWDM 1570 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1590=	CWDM 1590 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1610=	CWDM 1610 NM SFP Gigabit Ethernet and 1G/2G FC
LC to SC Cables for the Catalyst 2970	
CSS5-CABLX-LCSC=	CSS11500 10-Meter Fiber Single Mode LX LC-to-SC Connectors
CSS5-CABSX-LC=	CSS11500 10-Meter Fiber Multimode SX LC Connectors
CSS5-CABSX-LCSC=	CSS11500 10-Meter Fiber Multimode SX LC-to-SC Connectors
Spare Rack Mount Kits for the Catalyst 2970	
RCKMNT-1RU=	Rack Mount Kit for 1RU for 3750,3560,3550,2900-LRE-XL
RCKMNT-REC-1RU=	RECESSED 1RU RACK MOUNT FOR 3550, 3560, and 3750

RCKMNT-3550-1.5RU=	Rack Mount Kit for 1.5RU Catalyst 3550s
RCKMNT-REC-1.5RU=	RECESSED 1.5RU RACK MOUNT FOR 3550,3750
Catalyst 2970 Series OADM Modules	
CWDM-OADM1-1470=	Dual single channel OADM Module (1470nm)
CWDM-OADM1-1490=	Dual single channel OADM Module (1490nm)
CWDM-OADM1-1510=	Dual single channel OADM Module (1510nm)
CWDM-OADM1-1530=	Dual single channel OADM Module (1530nm)
CWDM-OADM1-1550=	Dual single channel OADM Module (1550nm)
CWDM-OADM1-1570=	Dual single channel OADM Module (1570nm)
CWDM-OADM1-1590=	Dual single channel OADM Module (1590nm)
CWDM-OADM1-1610=	Dual single channel OADM Module (1610nm)
CWDM-OADM4-1=	4-channels CWDM OADM Module (1470, 1490, 1510, 1530)
CWDM-OADM4-2=	4-channels CWDM OADM Module (1550, 1570, 1590, 16100)
WDM-1300-1550-S=	1300nm/1550nm WDM splitter cable
Catalyst 2950 Workgroup Switches	
WS-C2950-12	12 port, 10/100 Catalyst Switch, Standard Image only
WS-C2950-24	24 port, 10/100 Catalyst Switch, Standard Image only
WS-C2950C-24	24 10/100 ports with 2 100BASE-FX uplinks, Enhanced Image
WS-C2950G-12-EI	Catalyst 2950, 12 10/100 with 2 GBIC slots, Enhanced Image
WS-C2950G-24-EI	Catalyst 2950, 24 10/100 with 2GBIC slots, Enhanced Image
WS-C2950G-24-EI-DC	24 10/100 + 2 GBIC slots, Enhanced Image, DC version
WS-C2950G-48-EI	Catalyst 2950, 48 10/100 with 2 GBIC slots, Enhanced Image
WS-C2950SX-24	24 10/100 ports w/2 1000BASE-SX ports, Standard Image only
WS-C2950SX-48-SI	48 10/100 and 2 1000BASE-SX uplink ports, Standard Image
WS-C2950T-24	24 10/100 ports w/ 2 10/100/1000BASE-T ports, Enhanced Image
WS-C2950T-48-SI	48 10/100 and 2 10/100/1000BASE-T uplinks, Standard Image
WS-C2955C-12	2955 12 TX w/MM Uplinks
WS-C2955S-12	2955 12 TX w/Single Mode Uplinks
WS-C2955T-12	2955 12 TX ports w/ copper uplinks
GBICs for the Catalyst 2950	
WS-X3500-XL	GigaStack Stacking GBIC and 50cm cable
WS-G5487=	1000Base-ZX extended reach GBIC(singlemode)
WS-G5486=	1000BASE-LX/LH long haul GBIC (singlemode or multimode)
WS-G5484=	1000BASE-SX Short Wavelength GBIC (Multimode only)
WS-G5483=	1000BASE-T GBIC
CWDM GBIC Solution for Catalyst 2950	
CWDM-GBIC-1470=	1000BASE-CWDM 1470 nm GBIC (single mode only)

CWDM-GBIC-1490=	1000BASE-CWDM 1490 nm GBIC (single mode only)
CWDM-GBIC-1510=	1000BASE-CWDM 1510 nm GBIC (single mode only)
CWDM-GBIC-1530=	1000BASE-CWDM 1530 nm GBIC (single mode only)
CWDM-GBIC-1550=	1000BASE-CWDM 1550 nm GBIC (single mode only)
CWDM-GBIC-1570=	1000BASE-CWDM 1570 nm GBIC (single mode only)
CWDM-GBIC-1590=	1000BASE-CWDM 1590 nm GBIC (single mode only)
CWDM-GBIC-1610=	1000BASE-CWDM 1610 nm GBIC (single mode only)
CWDM-MUX8A=	8-channels CWDM MUX/DEMUX Module
CWDM-OADM1-1470=	Dual single channel OADM Module (1470nm)
CWDM-OADM1-1490=	Dual single channel OADM Module (1490nm)
CWDM-OADM1-1510=	Dual single channel OADM Module (1510nm)
CWDM-OADM1-1530=	Dual single channel OADM Module (1530nm)
CWDM-OADM1-1550=	Dual single channel OADM Module (1550nm)
CWDM-OADM1-1570=	Dual single channel OADM Module (1570nm)
CWDM-OADM1-1590=	Dual single channel OADM Module (1590nm)
CWDM-OADM1-1610=	Dual single channel OADM Module (1610nm)
CWDM-OADM4-1=	4-channels CWDM OADM Module (1470, 1490, 1510, 1530)
CWDM-OADM4-2=	4-channels CWDM OADM Module (1550, 1570, 1590, 16100)
WDM-1300-1550-S=	1300nm/1550nm WDM splitter cable
CWDM-CHASSIS-2=	2 Slot Chassis for CWDM Mux Plug in Modules
CWDM-MUX-4-SF1=	Single Fiber 4-Channel Mux/Demux
CWDM-MUX-4-SF2=	Single Fiber 4-Channel Mux/Demux
Cables for the Catalyst 2950	
CAB-GS-1M	1 meter cable for GigaStack GBIC
CAB-GS-50CM	50 centimeter cable for GigaStack GBIC
RPS for the Catalyst 2950	
PWR675-AC-RPS-N1=	675W Redundant Power Supply with 1 connector cable
CAB-RPS-1614=	1 RPS 675 connector cable 16/14
Power Options for the Catalyst 2950	
PWR-2955-AC=	AC to 24 V DC Din Rail Power Brick
Software Relicenses for Used 2950 Equipment	
LLC2950	Catalyst 2950 Series Family Standard Image Software License
LLC2950C	Catalyst 2950C Series Family Enhanced Image Software License
LLC2950G	Catalyst 2950G Series Family Enhanced Image Software License
LLC2950T	Catalyst 2950T Series Family Enhanced Image Software License
Accessories for the Catalyst 2950	
STK-RACKMNT-2955=	19 in Rack mount kit for Catalyst 2955

Catalyst 2950 Network Management	
EMS-CCSM-KIT-3.2	CEMF Element Manager for Catalyst Switches - Media Kit
EMS-CCSM-3.2U	CEMF Element Manager for Catalyst Switches-Upg from V3.1
EMS-CCSM-3.2D	CEMF Element Manager for Catalyst Switches - Demo Lic
EMS-CCSM-3.2	CEMF Element Manager for Catalyst Switches - RTU
Catalyst 2940 Series Workgroup Switches	
WS-C2940-8TF-S	8 10/100 Ethernet ports and 1 100BASE-FX Ethernet port
WS-C2940-8TT-S	8 10/100 Ethernet ports and 1 10/100/1000 Ethernet port
Catalyst 2940 Series Accessories	
CABLEGUARD-C2940=	Cable guard for the Catalyst 2940 Series
RACKMOUNT-C2940=	Rackmount for Catalyst 2940
SFPs for the Catalyst 2940	
GLC-LH-SM=	GE SFP, LC connector LX/LH transceiver
GLC-SX-MM=	GE SFP, LC connector SX transceiver
MT-RJ to SC or ST Fiber Patch Cables for the Catalyst 2940	
CAB-MTRJ-SC-MM-1M=	MT-RJ MM to SC Duplex MM - 1 meter
CAB-MTRJ-ST-MM-1M=	MT-RJ MM to ST Duplex MM - 1 meter
CAB-MTRJ-SC-MM-3M=	MT-RJ MM to SC Duplex MM - 3 meter
CAB-MTRJ-ST-MM-3M=	MT-RJ MM to ST Duplex MM - 3 meter
CAB-MTRJ-SC-MM-5M=	MT-RJ MM to SC Duplex MM - 5 meter
CAB-MTRJ-ST-MM-5M=	MT-RJ MM to ST Duplex MM - 5 meter
Catalyst 2940 Spare Right Angle Power Cords	
CAB-AC-RA=	Power Cord, Right Angle
CAB-AC-RA	Power Cord, 110V, Right Angle
CAB-ACA-RA=	Power Cord, Australian, Right Angle
CAB-ACC-RA=	Power Cord China, Right Angle
CAB-ACE-RA=	Power Cord Europe, Right Angle
CAB-ACI-RA=	Power Cord-Italian, Right Angle
CAB-ACR-RA=	Power Cord, Argentina, Right Angle
CAB-ACS-RA=	Power Cord for Switzerland, Right Angle
CAB-ACU-RA=	Power Cord UK, Right Angle
CAB-JPN-RA=	Power Cord, Japan, Right Angle
CAB-JPN-RA	Power Cord-Japan, Right Angle
Catalyst 2940 Accessories	
RACKMOUNT-C2940=	Rackmount for Catalyst 2940
Catalyst 2900 Workgroup Switches	
WS-C2948G-GE-TX	Catalyst 2948G-GE-TX, 48 10/100/1000 ports + 4 SFP ports

Modules for the Catalyst 2900	
WS-G5484	1000BASE-SX Short Wavelength GBIC (Multimode only)
WS-G5484=	1000BASE-SX Short Wavelength GBIC (Multimode only)
WS-G5486	1000BASE-LX/LH long haul GBIC (singlemode or multimode)
WS-G5486=	1000BASE-LX/LH long haul GBIC (singlemode or multimode)
Modules for the Catalyst 2900 XL	
WS-X3500-XL	GigaStack Stacking GBIC and 50cm cable
WS-G5484	1000BASE-SX Short Wavelength GBIC (Multimode only)
WS-G5486	1000BASE-LX/LH long haul GBIC (singlemode or multimode)
Software for the Catalyst 2900 XL	
SSLTTCE2-12308T=	Cisco SLT Series IOS SS7 SIGNALING LINK TERMINATION
SSLTTCE2-12307T=	Cisco SLT Series IOS SS7 SIGNALING LINK TERMINATION
SSLTTCE2-12306=	Cisco SLT Series IOS SS7 SIGNALING LINK TERMINATION
SSLTTCE2-12305=	Cisco SLT Series IOS SS7 SIGNALING LINK TERMINATION
SSLTTCE2-12303=	Cisco SLT Series IOS SS7 SIGNALING LINK TERMINATION
SSLTTCE2-12215T=	Cisco SLT Series IOS SS7 SIGNALING LINK TERMINATION
SSLTTCE2-12211T=	Cisco SLT Series IOS SS7 SIGNALING LINK TERMINATION
Software Relicenses for Used 2900 Equipment	
LLSA29M4M4=	Cisco Catalyst 2900XL Ser IOS OC-3 ATM UPLINK MODULE
LLC2900SA6EN	Catalyst 2900-XL Enterprise Edition Software
LLC29Z	Cisco IOS Basic SW for L3 Catalyst
LL29GL3-IP	Catalyst 2900 Advanced IP License
Catalyst 2900 Agent Licenses	
WS-C2900-EMS-LIC	CATALYST 2900 RMON AGENT LICENSE
Catalyst 2900 Accessories	
STK-RACKMOUNT-1RU=	Rack Mount Kit for 1RU Catalyst 1900,2900XL,3500XL / FastHub
Catalyst 2960 Workgroup Switches	
WS-C2960-24TC-L	Catalyst 2960 24 10/100 + 2T/SFP LAN Base Image
WS-C2960-24TT-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image
WS-C2960-48TC-L	Catalyst 2960 48 10/100 + 2 T/SFP LAN Base Image
WS-C2960-48TT-L	Catalyst 2960 48 10/100 Ports + 2 1000BT LAN Base Image
WS-C2960G-24TC-L	Catalyst 2960 24 10/100/1000, 4 T/SFP LAN Base Image
SFP's for Catalyst 2960 Series	
GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBUS switches
GLC-FE-100FX	100BASE-FX SFP for FE port
GLC-LH-SM=	GE SFP, LC connector LX/LH transceiver
GLC-SX-MM=	GE SFP, LC connector SX transceiver

GLC-FE-100LX	100BASE-LX SFP for FE port
GLC-FE-100BX-U	100BASE-BX10-U SFP
GLC-FE-100BX-D	100BASE-BX10-D SFP
GLC-ZX-SM=	1000BASE-ZX SFP
Catalyst Express 500 Series	
WS-CE500-24TT	24 10/100 and 2 10/100/1000BT uplinks, GUI software
WS-CE500-24LC	24 10/100 and 2 10/100/1000BT or SFP uplinks, GUI software
WS-CE500-24PC	24 10/100 (24PoE) and 2 10/100/1000BT or SFP uplinks, GUI sw
WS-CE500G-12TC	8 10/100/1000BT and 4 10/100/1000BT or SFPs, GUI software
RPS for Catalyst Express 500-24PC	
PWR675-AC-RPS-N1=	675W Redundant Power Supply with 1 connector cable
CAB-RPS-1614=	1 RPS 675 connector cable 16/14
SFPs for the Catalyst Express 500	
GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBUS switches
GLC-FE-100FX	100BASE-FX SFP for FE port
GLC-LH-SM=	GE SFP, LC connector LX/LH transceiver
GLC-SX-MM=	GE SFP, LC connector SX transceiver
GLC-FE-100LX	100BASE-LX SFP for FE port
GLC-FE-100BX-U	100BASE-BX10-U SFP
GLC-FE-100BX-D	100BASE-BX10-D SFP
Right Angle Power Cords for the Catalyst Express 500	
CAB-AC-RA=	Power Cord, Right Angle
CAB-AC-RA	Power Cord, 110V, Right Angle
CAB-ACA-RA=	Power Cord, Australian, Right Angle
CAB-ACC-RA=	Power Cord China, Right Angle
CAB-ACE-RA=	Power Cord Europe, Right Angle
CAB-ACI-RA=	Power Cord-Italian, Right Angle
CAB-ACR-RA=	Power Cord, Argentina, Right Angle
CAB-ACS-RA=	Power Cord for Switzerland, Right Angle
CAB-ACU-RA=	Power Cord UK, Right Angle
CAB-JPN-RA=	Power Cord, Japan, Right Angle
CAB-JPN-RA	Power Cord-Japan, Right Angle

and SPF's for above chassis

Routing

Cisco 1700 Series Modular Access Routers

CISCO1760	10/100 Modular Router w/ 4 slots, 19-in Chassis, 32F/64D
CISCO1760-ADSL	1760 bundle, w/ADSL oPOTS WIC, IP/ADSL, 32MB FL/64MB DR

CISCO1760-SHDSL	1760 bundle,w/WIC-1SHDSL,IP/ADSL,32MB FL/64MB DR
CISCO1760-V3PN/K9	V3PN Bndl w/1760-V/128MB DR/32MB FL/VPN Module/4-Ch DSP
CISCO1760-VPN/K9	1760 VPN Bndl w/VPN Mod,96MB DRAM,32MB Flash,IP Plus/FW/3DES
CISCO1760-VPN/K9-A	1760 VPN Bnd w/ADSL WIC,VPN Mod,96MB DR,32MB FL,IP+/FW/3DES
CISCO1760-V	10/100 Modular Router w/Voice,19-in Chassis,32MB FL/96MB DR
CISCO1760-V-CCME	Cisco 1760-V with 24-user CCME Feature License,32F/128D
CISCO1760-V-SRST	Cisco 1760-V with 24-user SRST Feature License,32F/128D
CISCO1751	10/100 Modular Router w/ 3 slots, IOS IP, 32F/64D
CISCO1751-V	10/100 Modular Router w/Voice,32F/96D
CISCO1751-VPN/K9	1751 VPN Bndl w/VPN Mod,96MB DRAM,32MB Flash,IP Plus/FW/3DES
CISCO1751-VPN/K9-A	1751 VPN Bnd w/ADSL WIC,VPN Mod,96MB DR,32MB FL,IP+/FW/3DES
CISCO1721-ADSL	1721 bundle, w/ADSLoPOTS WIC,IP/ADSL,32MB FL/64MB DR
CISCO1721-ADSLI	1721 bundle w/ADSLoISDN WIC, IP/ADSL,32MB FL/64MB DR
CISCO1721-ADSL-DG	1721 bundle w/WIC-1ADSL-DG, IP/ADSL,32MB FL/64MB DR
CISCO1721	10/100BaseT Modular Router w/2 WAN slots, 32M Flash/64M DRAM
CISCO1721-VPN/K9	1721 VPN Bndl w/VPN Mod,96MB DRAM,32MB Flash,IP Plus/FW/3DES
CISCO1721-VPN/K9-A	1721 VPN Bnd w/ADSL WIC,VPN Mod,96MB DR,32MB FL,IP+/FW/3DES
CISCO1721-SHDSL	1721 bundle,w/WIC-1SHDSL,IP/ADSL,32MB FL/64MB DR
CISCO1721-SHDSL-V2	1721 bundle w/WIC-1SHDSL-V2,IP/ADSL,32MB FL/ 64MB DRAM
CISCO1712-VPN/K9	1712 Security Router w/VPN Mod, 32MB Flash, 96MB DRAM
CISCO1711-VPN/K9	1711 Security Router w/VPN Mod, 32MB Flash, 96MB DRAM
CISCO1701-K9	ADSLoPOTS Router w/ISDN-BRI-S/T,K9 Image,32MB FI, 96MB DR
CISCO1700-VPNU/K9=	VPN / Security Upgrade w/VPN Module, 32MB DIMM, Security IOS
ROUTER-SDM-CD-NOCF	SDM software with CD and w/o factory default configuration

Cisco 1700 Series WAN Interface Cards

WIC-1T	1-Port Serial WAN Interface Card
WIC-1T=	1-Port Serial WAN Interface Card
WIC-2T	2-Port Serial WAN Interface Card
WIC-2T=	2-Port Serial WAN Interface Card spare
WIC-2A/S	2-Port Async/Sync Serial WAN Interface Card
WIC-2A/S=	2-Port Async/Sync Serial WAN Interface Card spare
WIC-1B-S/T-V3	1-Port ISDN WAN Interface Card (dial and leased line)
WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
WIC-1B-S/T	1-Port ISDN WAN Interface Card(dial and leased line)
WIC-1B-S/T=	1-Port ISDN WAN Interface Card(dial and leased line)
WIC-1B-U-V2	1-Port ISDN BRI NT-1 WIC
WIC-1B-U-V2=	1-Port ISDN BRI NT-1 WIC

WIC-1DSU-56K4	1-port 4-WIRE 56/64 KBPS WAN INTERFACE CARD
WIC-1DSU-56K4=	1-Port 4-Wire 56Kbps DSU/CSU WAN Interface Card
WIC-1DSU-T1-V2	Updated 1-Port T1/Fractional T1 DSU/CSU WAN Interface Card
WIC-1DSU-T1-V2=	1-Port T1/Fractional T1 DSU/CSU WAN Interface Card: Ver. 2
WIC-1ADSL	1-port ADSL WAN Interface Card
WIC-1ADSL=	1-port ADSL WAN Interface Card
WIC-1ADSL-DG	1-port ADSLoPOTS WIC with Dying Gasp
WIC-1ADSL-DG=	1-port ADSLoPOTS WIC w/Dying Gasp
WIC-1ADSL-I-DG	1-port ADSLoISDN Wan Interface Card
WIC-1ADSL-I-DG=	1-port ADSLoISDN Wan Interface Card
WIC-1AM	One-port Analog Modem WAN Interface Card
WIC-2AM	Two-port Analog Modem WAN Interface Card
WIC-1SHDSL	1-Port G.SHDSL WIC
WIC-1SHDSL=	1-Port G.SHDSL WIC
WIC-1ENET	Single-Port Ethernet WAN Interface Card
WIC-1ENET=	Single-Port Ethernet WAN Interface Card
WIC-4ESW	4-port Ethernet Switch WIC
WIC-4ESW=	4-port Ethernet Switch WIC
Cisco 1751/1760 Voice/Fax Interface Cards	
VIC-2DID	Two-port DID (Direct Inward Dial) voice/fax interface card
VIC-4FXS/DID	4 port FXS or DID VIC
VIC-4FXS/DID=	4 port FXS or DID VIC
VIC2-2FXS	Two-port Voice Interface Card - FXS
VIC2-2FXS=	Two-port Voice Interface Card - FXS
VIC2-2FXO	Two-port Voice Interface Card - FXO (Universal)
VIC2-2FXO=	Two-port Voice Interface Card - FXO (Universal)
VIC2-4FXO	Four-port Voice Interface Card - FXO (Universal)
VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)
VIC2-2E/M	Two-port Voice Interface Card - EandM
VIC2-2E/M=	Two-port Voice Interface Card - EandM
VIC2-2BRI-NT/TE	Two-port Voice Interface Card - BRI (NT and TE)
VIC2-2BRI-NT/TE=	Two-port Voice Interface Card - BRI (NT and TE)
Cisco 1700 Multiflex Voice / WAN interface Cards	
VWIC-1MFT-E1	1-Port RJ-48 Multiflex Trunk - E1
VWIC-1MFT-E1=	1-Port RJ-48 Multiflex Trunk - E1
VWIC-1MFT-G703	1-Port RJ-48 Multiflex Trunk - G.703
VWIC-1MFT-G703=	1-Port RJ-48 Multiflex Trunk - G.703

VWIC-2MFT-E1	2-Port RJ-48 Multiflex Trunk - E1
VWIC-2MFT-E1=	2-Port RJ-48 Multiflex Trunk - E1
VWIC-2MFT-E1-DI	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
VWIC-2MFT-E1-DI=	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
VWIC-2MFT-G703	2-Port RJ-48 Multiflex Trunk - G.703
VWIC-2MFT-G703=	2-Port RJ-48 Multiflex Trunk - G.703
VWIC-1MFT-T1	1-Port RJ-48 Multiflex Trunk - T1
VWIC-1MFT-T1=	1-Port RJ-48 Multiflex Trunk - T1
VWIC-2MFT-T1-DI	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
VWIC-2MFT-T1-DI=	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
VWIC-2MFT-T1	2-Port RJ-48 Multiflex Trunk - T1
VWIC-2MFT-T1=	2-Port RJ-48 Multiflex Trunk - T1
VWIC2-1MFT-T1/E1	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-2MFT-T1/E1	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-1MFT-G703	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VWIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VWIC2-2MFT-G703	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VWIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
Cisco 1700 ECAN Module for VWIC2-MFT Cards	
EC-MFT-32	32-Channel Multiflex Trunk Dedicated ECAN Module
EC-MFT-32=	32-Channel Multiflex Trunk Dedicated ECAN Module
EC-MFT-64	64-Channel Multiflex Trunk Dedicated ECAN Module
EC-MFT-64=	64-Channel Multiflex Trunk Dedicated ECAN Module
Cisco 1700 Series Memory Options	
MEM1700-8MFC	Cisco 1700 8MB Mini-Flash Card
MEM1700-8MFC=	Cisco 1700 8MB Mini-Flash Card
MEM1700-8U16MFC	Cisco 1700 8MB to 16 MB Mini-Flash Card Factory Upgrade
MEM1700-16MFC=	Cisco 1700 16MB Mini-Flash Card
MEM1700-16U32D	Cisco 1700 16MB to 32MB DRAM Factory Upgrade
MEM1700-32U48D	Cisco 1720 32MB to 48MB DRAM Factory Upgrade
MEM1700-64U96D	Cisco 1700 64MB to 96MB DRAM Factory Upgrade
MEM1700-64U128D	Cisco 1700 64MB to 128MB DRAM Factory Upgrade
MEM1700-96U128D	Cisco 1700 96MB to 128MB DRAM Factory Upgrade
MEM1700-96U128D=	Cisco 1700 96MB to 128MB DRAM Factory Upgrade
MEM1700-8D=	Cisco 1700 8MB DRAM DIMM

MEM1700-16D=	Cisco 1700 16MB DRAM DIMM
MEM1700-32D=	Cisco 1700 32MB DRAM DIMM
MEM1700-64D=	Cisco 1700 64MB DRAM DIMM
MEM17XX-32U48D	Cisco 1710/1721/1751/1760 32MB to 48MB DRAM Factory Upgrade
MEM1700-32U64D	Cisco 1700 32MB to 64MB DRAM Factory Upgrade
MEM1700-16U32MFS	^Cisco 1700 16MB to 32MB Flash SIMM Factory Upgrade
MEM1700-32U64MFS	Cisco 1700 32MB to 64MB Flash SIMM Factory Upgrade
MEM1700-8MFS=	Cisco 1760 Only: 8MB Flash SIMM
MEM1700-16MFS=	Cisco 1760 Only: 16MB Flash SIMM
MEM1700-32MFS=	Cisco 1760 Only: 32MB Flash SIMM
MEM1700-64MFS=	Cisco 1760 Only: 64MB Flash SIMM
MEM1760-128U160D	Cisco 1700 128MB to 160MB DRAM Factory Upgrade
MEM1760-64U160D	Cisco 1760 64MB to 160MB DRAM Factory Upgrade
MEM1760-64U160D=	Cisco 1760 96MB DRAM DIMM
MEM1760-96U160D	Cisco 1760 96MB to 160MB DRAM Factory Upgrade
Cables for WIC-2T and WIC-2A/S *	
CAB-SS-V35MT	V.35 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-V35FC	V.35 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-232MT	RS-232 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-232MT=	RS-232 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-232FC	RS-232 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-232FC=	RS-232 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-232FC-EXT=	RS232 with extended control leads
CAB-SS-449MT	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-449MT=	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-449FC	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-449FC=	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-X21MT	X.21 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-X21MT=	X.21 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-X21FC	X.21 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-X21FC=	X.21 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-530MT	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530MT=	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530AMT	RS-530A Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530AMT=	RS-530A Cable, DTE Male to Smart Serial, 10 Feet

Cables for WIC-1T	
CAB-V35MT	V.35 Cable, DTE, Male, 10 Feet
CAB-V35MT=	V.35 Cable, DTE, Male, 10 Feet
CAB-V35FC	V.35 Cable, DCE, Female, 10 Feet
CAB-V35FC=	V.35 Cable, DCE, Female, 10 Feet
CAB-232MT	RS-232 Cable, DTE, Male, 10 Feet
CAB-232MT=	RS-232 Cable, DTE, Male, 10 Feet
CAB-232FC	RS-232 Cable, DCE, Female, 10 Feet
CAB-232FC=	RS-232 Cable, DCE, Female, 10 Feet
CAB-449MT	RS-449 Cable, DTE, Male, 10 Feet
CAB-449MT=	RS-449 Cable, DTE, Male, 10 Feet
CAB-449FC	RS-449 Cable, DCE, Female, 10 Feet
CAB-449FC=	RS-449 Cable, DCE, Female, 10 Feet
CAB-X21MT	X.21 Cable, DTE, Male, 10 Feet
CAB-X21MT=	X.21 Cable, DTE, Male, 10 Feet
CAB-X21FC	X.21 Cable, DCE, Female, 10 Feet
CAB-X21FC=	X.21 Cable, DCE, Female, 10 Feet
CAB-530MT	RS-530 Cable, DTE, Male, 10 Feet
CAB-530MT=	Male DTE RS-530 Cable, 10 foot
Cables Color Coded for LAN and WAN Connections	
CAB-DSU-RJ45=	Blue Color Cable for DSU/CSU, RJ-45, 6 feet
CAB-S/T-RJ45=	Orange Color Cable for ISDN BRI S/T, RJ-45, 6 feet
CAB-U-RJ45=	Red Color Cable for ISDN BRI U, RJ-45, 6 feet
CAB-ETH-S-RJ45=	Yellow Cable for Ethernet, Straight-through, RJ-45, 6 feet
CAB-ETH-S-RJ45-15	Yellow Cable for Ethernet, Straight through, RJ-45, 15 feet
CAB-ETH-S-RJ45-15=	Yellow Cable for Ethernet, Straight through, RJ-45, 15 feet
Cisco 1700 Series Spares and Accessories	
ACS-1700=	Accessory Kit for Cisco 1700 Series (not 1760)
ACS-1760=	Accessory Kit for Cisco 1760
PWR-1700-WW1=	Cisco 1700 AC Power Supply - WORLD-WIDE
CAB1700-CON=	Cisco 1700 Console Cable
PVDM-4=	4-Channel Packet Voice/Fax DSP Module
PVDM-8=	8-Channel Packet Voice/Fax DSP Module
CAB-ADSL-RJ11	Lavender Cable for xDSL, Straight-through, RJ-11, 6 feet
CAB-ADSL-RJ11=	ADSL cable straight RJ11
CAB-ADSL-RJ11X=	ADSL Cable RJ11 to RJ11, Cross-over
CAB-ADSL-800-RJ11	ADSL RJ11-to-RJ11 Straight Cable

CAB-ADSL-800-RJ11X	ADSL RJ11-to-RJ11 Crossover Cable
PVDM-256K-4	4-Channel Packet Voice/Fax DSP Module
PVDM-256K-4=	4-Channel Packet Voice/Fax DSP Module
PVDM-256K-8	8-Channel Packet Voice/Fax DSP Module
PVDM-256K-8=	8-Channel Packet Voice/Fax DSP Module
PVDM-256K-12	12-Channel packet Voice/Fax DSP Module
PVDM-256K-12=	12-Channel Packet Voice/Fax DSP Module
PVDM-256K-16HD	16-Channel Packet Voice/Fax DSP Module for 1700
PVDM-256K-16HD=	16-Channel Packet Voice/Fax DSP Module for 1700
PVDM-256K-20HD	20-Channel Packet Voice/Fax DSP Module for 1700
PVDM-256K-20HD=	20-Channel Packet Voice/Fax DSP Module for 1700
PVDM-256K-4U8	Cisco 1760-V 4-Channel to 8-Channel PVDM Factory Upgrade
PVDM-256K-4U12	Cisco 1760-V 4-Channel to 12-Channel PVDM Factory Upgrade
PVDM-256K-4U16	Cisco 1760-V 4-Channel to 16-Channel PVDM Factory Upgrade
PVDM-256K-4U20	Cisco 1760-V 4-Channel to 20-Channel PVDM Factory Upgrade
CISCO1700FIPS/KIT=	Kit(Instructions, labels) to configure 1700 for FIPS
CX-CUSTOM-BUILD	Please complete this P.O. via CX Tool
Cisco 1700 Series Feature Licenses	
FL17-B-Q=	Cisco 1700 IOS IP/IPX to IP/IPX/AT/IBM
FL17-C-B=	Cisco 1700 IOS IP to IP/IPX
FL17-H=	Cisco 1700 IOS Firewall
FL17-K2=	Cisco 1700 IOS IPSEC 3DES
FL17-L=	Cisco IOS 1700 Series IPSEC 56
FL17-P-K2=	Cisco 1700 IOS PLUS IPSEC 3DES
FL17-P-L=	Cisco 1700 IOS PLUS IPSEC 56
FL17-P-Y=	Cisco 1700 IOS PLUS 56
FL17-P=	Cisco IOS 1700 Series PLUS SW feature license
FL17-AISK9-AESK9=	Cisco 1700 Series Adv IP Services to Adv Ent. Serv upgrade
FL17-ASK9-AISK9=	Cisco 1700 Series Adv Security to Adv IP Services upgrade
FL17-EB-ESK9=	Cisco 1700 Series Enterprise Base to Ent. Services upgrade
FL17-ESK9-AESK9=	Cisco 1700 Series Enterprise Serv to Adv Ent Serv upgrade
FL17-IPV-SPSK9=	Cisco 1700 Series IP Voice to SP Services upgrade
FL17-SPSK9-AISK9=	Cisco 1700 Series SP Services to Adv IP Services upgrade
FL17-SPSK9-ESK9=	Cisco 1700 Series SP Services to Enterprise Services upgrade
FL17-CB=	Corvil Bandwidth Feature License for 1700 Series
Cisco 1700 Series Software Options	
S17AESK9-12401	Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES

S17AISK9-12401
S17ASK9-12401
S17C-12401
S17C7-12401
S17C7HK9-12401
S17C7P-12401
S17C7V8K9-12401
S17C7V8P-12401
S17EB-12401
S17ESK9-12401
S17IPB-12401
S17IPV-12401
S17Q7HK9-12401
S17Q7P-12401
S17Q7V8K9-12401
S17SPSK9-12401
S17AISK9-12402T
S17AISK9-12402T
S17ASK9-12402T
S17AISK9-12404T
S17AISK9-12404T
S17ASK9-12404T
S17C7-12404T
S17C7HK9-12404T
S17C7P-12404T
S17C7V8P-12404T
S17EB-12404T
S17ESK9-12404T
S17IPB-12404T
S17IPV-12404T
S17Q7HK9-12404T
S17SPSK9-12404T
S17AISK9-12315
S17AISK9-12315
S17ASK9-12315
S17C-12315
S17C7-12315

Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS ENTERPRISE BASE W/O CRYPTO
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE W/O CRYPTO
Cisco 1700 IOS IP VOICE W/O CRYPTO
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL

S17C7-12402T
S17C7HK9-12315
S17C7HK9-12402T
S17C7P-12315
S17C7P-12402T
S17C7V8K9-12315
S17C7V8P-12315
S17C7V8P-12402T
S17CVP-12315
S17EB-12315
S17EB-12402T
S17ESK9-12315
S17IPB-12315
S17IPB-12402T
S17IPV-12315
S17IPV-12402T
S17Q7HK9-12315
S17Q7HK9-12402T
S17Q7P-12315
S17Q7V8K9-12315
S17SPSK9-12315
S17SPSK9-12402T
S17ASK9-12314T
S17C-12314T
S17C7-12314T
S17C7HK9-12314T
S17C7P-12314T
S17EB-12314T
S17IPB-12314T
S17Q7HK9-12314T
S17Q7P-12314T
S17AASK9-12313
S17AISK9-12313
S17ASK9-12313
S17C-12313
S17C7-12313
S17C7HK9-12313

Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/VOICE PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE BASE W/O CRYPTO
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE W/O CRYPTO
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP VOICE W/O CRYPTO
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1700 IOS SP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES

S17C7P-12313
S17C7V8K9-12313
S17C7V8P-12313
S17CVP-12313
S17EB-12313
S17ESK9-12313
S17IPB-12313
S17IPV-12313
S17Q7HK9-12313
S17Q7P-12313
S17Q7V8K9-12313
S17SPSK9-12313
S17AASK9-12312
S17AISK9-12312
S17ASK9-12312
S17C-12312
S17C7-12312
S17C7HK9-12312
S17C7P-12312
S17C7V8K9-12312
S17C7V8P-12312
S17CVP-12312
S17EB-12312
S17ESK9-12312
S17IPB-12312
S17IPV-12312
S17Q7HK9-12312
S17Q7P-12312
S17Q7V8K9-12312
S171CHK9-12311T=
S171QHK9-12311T=
S17AASK9-12311T
S17AISK9-12311T
S17ASK9-12311T
S17C-12311T
S17C-12311T=
S17C7-12311T

Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/VOICE PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/VOICE PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL

S17C7-12311T=
S17C7HK9-12311T
S17C7P-12311T
S17C7V8K9-12311T
S17C7V8P-12311T
S17C7V8P-12311T=
S17EB-12311T
S17ESK9-12311T
S17IPB-12311T
S17IPB-12311T=
S17IPV-12311T
S17Q7HK9-12311T
S17Q7P-12311T
S17Q7V8K9-12311T
S17SPSK9-12311T
S17AASK9-12310
S17AISK9-12310
S17ASK9-12310
S17C-12310
S17C7-12310
S17C7HK9-12310
S17C7P-12310
S17C7V8K9-12310
S17C7V8P-12310
S17CVP-12310
S17EB-12310
S17ESK9-12310
S17IPB-12310
S17IPV-12310
S17Q7HK9-12310
S17Q7P-12310
S17Q7V8K9-12310
S17SPK9-12310
S171CHK9-12309=
S171QHK9-12309=
S17AASK9-12309
S17AISK9-12309

Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/VOICE PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES

S17ASK9-12309
S17C-12309
S17C-12309=
S17C7-12309
S17C7-12309=
S17C7HK9-12309
S17C7P-12309
S17C7V8K9-12309
S17C7V8P-12309
S17C7V8P-12309=
S17CVP-12309
S17EB-12309
S17ESK9-12309
S17IPB-12309
S17IPB-12309=
S17Q7HK9-12309
S17Q7P-12309
S17Q7V8K9-12309
S17SPK9-12309
S17AESC9-12308YG
S17AISK9-12308YG
S17ASK9-12308YG
S17C7-12308YG
S17C7-12308YG=
S17C7HK9-12308YG
S17C7P-12308YG
S17C7V8P-12308YG
S17C7V8P-12308YG=
S17ESK9-12308YG
S17IPB-12308YG
S17IPB-12308YG=
S17Q7HK9-12308YG
S17SPSK9-12308YG
S171CHK9-12308T=
S171QHK9-12308T=
S17AESC9-12308T
S17AISK9-12308T

Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/VOICE PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES

S17ASK9-12308T
S17C-12308T
S17C-12308T=
S17C7-12308T
S17C7-12308T=
S17C7HK9-12308T
S17C7P-12308T
S17C7V8K9-12308T
S17C7V8P-12308T
S17C7V8P-12308T=
S17EB-12308T
S17ESK9-12308T
S17IPB-12308T
S17IPB-12308T=
S17IPV-12308T
S17Q7HK9-12308T
S17Q7P-12308T
S17Q7V8K9-12308T
S17SPSK9-12308T
S171CHK9-12307XR=
S171QHK9-12307XR=
S17AESC9-12307XR
S17AISK9-12307XR
S17ASK9-12307XR
S17C-12307XR
S17C-12307XR=
S17C7-12307XR
S17C7-12307XR=
S17C7HK9-12307XR
S17C7P-12307XR
S17C7V8K9-12307XR
S17C7V8P-12307XR
S17C7V8P-12307XR=
S17EB-12307XR
S17ESK9-12307XR
S17IPB-12307XR
S17IPB-12307XR=

Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE

S17IPV-12307XR
S17Q7HK9-12307XR
S17Q7P-12307XR
S17Q7V8K9-12307XR
S17SPSK9-12307XR
S171CHK9-12307T=
S171QHK9-12307T=
S17AASK9-12307T
S17AISK9-12307T
S17ASK9-12307T
S17C-12307T
S17C-12307T=
S17C7-12307T
S17C7-12307T=
S17C7HK9-12307T
S17C7HK9A-12307T
S17C7P-12307T
S17C7V8K9-12307T
S17C7V8P-12307T
S17C7V8P-12307T=
S17EB-12307T
S17ESK9-12307T
S17IPB-12307T
S17IPB-12307T=
S17IPV-12307T
S17Q7HK9-12307T
S17Q7P-12307T
S17Q7V8K9-12307T
S17SPSK9-12307T
S171CHK9-12306=
S171QHK9-12306=
S17AASK9-12306
S17AISK9-12306
S17ASK9-12306
S17C-12306
S17C-12306=
S17C7-12306

Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES 12.3(7)T1
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL

S17C7-12306=
S17C7HK9-12306
S17C7P-12306
S17C7V8K9-12306
S17C7V8P-12306
S17C7V8P-12306=
S17CVP-12306
S17EB-12306
S17ESK9-12306
S17IPB-12306
S17IPB-12306=
S17Q7HK9-12306
S17Q7P-12306
S17Q7V8K9-12306
S171CHK9-12305=
S171QHK9-12305=
S17AESC9-12305
S17AISK9-12305
S17ASK9-12305
S17C-12305
S17C-12305=
S17C7-12305
S17C7-12305=
S17C7HK9-12305
S17C7P-12305
S17C7V8K9-12305
S17C7V8P-12305
S17C7V8P-12305=
S17CVP-12305
S17EB-12305
S17ESK9-12305
S17IPB-12305
S17IPB-12305=
S17Q7HK9-12305
S17Q7P-12305
S17Q7V8K9-12305
S171CHK9-12304XK=

Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/VOICE PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/VOICE PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES

S171QHK9-12304XK=
S17AESC9-12304XK
S17AISK9-12304XK
S17ASK9-12304XK
S17C-12304XK
S17C-12304XK=
S17C7-12304XK
S17C7-12304XK=
S17C7HK9-12304XK
S17C7P-12304XK
S17C7V8K9-12304XK
S17C7V8P-12304XK
S17C7V8P-12304XK=
S17EB-12304XK
S17ESK9-12304XK
S17IPB-12304XK
S17IPB-12304XK=
S17IPV-12304XK
S17Q7HK9-12304XK
S17Q7P-12304XK
S17Q7V8K9-12304XK
S17SPSK9-12304XK
S171CHK9-12304XG=
S171QHK9-12304XG=
S17AESC9-12304XG
S17AISK9-12304XG
S17ASK9-12304XG
S17C-12304XG
S17C-12304XG=
S17C7-12304XG
S17C7-12304XG=
S17C7HK9-12304XG
S17C7P-12304XG
S17C7V8K9-12304XG
S17C7V8P-12304XG
S17C7V8P-12304XG=
S17EB-12304XG

Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS ENTERPRISE BASE

S17ESK9-12304XG
S17IPB-12304XG
S17IPB-12304XG=
S17IPV-12304XG
S17Q7HK9-12304XG
S17Q7P-12304XG
S17Q7V8K9-12304XG
S17SPSK9-12304XG
S171CHK9-12303=
S171QHK9-12303=
S17AESK9-12303
S17AISK9-12303
S17ASK9-12303
S17C-12303
S17C-12303=
S17C7-12303
S17C7-12303=
S17C7HK9-12303
S17C7P-12303
S17C7V8K9-12303
S17C7V8P-12303
S17C7V8P-12303=
S17CVP-12303
S17EB-12303
S17ESK9-12303
S17IPB-12303
S17IPB-12303=
S17Q7HK9-12303
S17Q7P-12303
S17Q7V8K9-12303
S17SPK9-12303
S17C-12227=
S17QP-12227
S17C-12226=
S17C7K9-12215ZL
1700-SW-SPARECD

Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP VOICE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1710 IOS IP/FW/IDS PLUS IPSEC 3DES
Cisco 1710 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1700 IOS ADVANCED IP SERVICES
Cisco 1700 IOS ADVANCED SECURITY
Cisco 1700 IOS IP
Cisco 1700 IOS IP
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL
Cisco 1700 IOS IP/ADSL/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL PLUS
Cisco 1700 IOS IP/ADSL/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/ADSL/VOX PLUS
Cisco 1700 IOS IP/VOICE PLUS
Cisco 1700 IOS ENTERPRISE BASE
Cisco 1700 IOS ENTERPRISE SERVICES
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP BASE
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM PLUS
Cisco 1700 IOS IP/ADSL/IPX/AT/IBM/VOX/FW/IDS PLUS IPSEC 3DES
Cisco 1700 IOS SP SERVICES
Cisco 1700 Ser IOS IP
Cisco 1700 Ser IOS IP/IPX/AT/IBM PLUS
Cisco 1700 Ser IOS IP
Cisco 1700 IOS IP/ADSL PLUS IPSEC 3DES
Cisco 1700 Series Software Spare CD

Cisco 1700 Series Relicensing for Used Equipment--

LL17CP=	Cisco 1700 IOS IP PLUS
LL17CVK2=	Cisco 1700 IOS IP/VOICE PLUS IPSEC 3DES
LL17CVL=	Cisco 1700 IOS IP/VOICE PLUS IPSEC 56
LL17CVP=	Cisco 1700 IOS IP/VOICE PLUS
LL17Q=	Cisco 1700 IOS IP/IPX/AT/IBM
LL17QHK2=	Cisco 1700 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 3DES
LL17QHL=	Cisco 1700 IOS IP/IPX/AT/IBM/FW/IDS PLUS IPSEC 56
LL17QHVK2=	Cisco 1700 IOS IP/IPX/AT/IBM/VOICE/FW/IDS PLUS IPSEC 3DES
LL17QHVL=	Cisco 1700 IOS IP/IPX/AT/IBM/VOICE/FW/IDS PLUS IPSEC 56
LL17QP=	Cisco 1700 IOS IP/IPX/AT/IBM PLUS
LL17B=	Cisco 1700 IOS IP/IPX
LL17BHP=	Cisco 1700 IOS IP/IPX/FW/IDS PLUS
LL17BHPV=	Cisco 1700 IOS IP/IPX/VOICE/FW/IDS PLUS
LL17C=	Cisco 1700 IOS IP
LL17CH=	Cisco 1700 IOS IP/FW/IDS
LL17CHK2=	Cisco 1700 IOS IP/FW/IDS PLUS IPSEC 3DES
LL17CHL=	Cisco 1700 IOS IP/FW/IDS PLUS IPSEC 56
LL17CHV=	Cisco 1700 IOS IP/VOICE/FW/IDS PLUS
LL17CHVL=	Cisco 1700 IOS IP/VOICE/FW/IDS PLUS IPSEC 56
LL17CK2=	Cisco 1700 IOS IP PLUS IPSEC 3DES
LL17CL=	Cisco 1700 IOS IP PLUS IPSEC 56

Cisco 1700 Series Software CD Feature Packs

CD17-C7HK9=	CISCO 1700 IP/FW/ADSL PLUS IPSEC 3DES Feature Pack
CD17-CH=	CISCO 1700 IP/FW Feature Pack
CD17-AESK9=	CISCO 1700 ADVANCED ENTERPRISE SERVICES Feature Pack
CD17-AISK9=	CISCO 1700 ADVANCED IP SERVICES Feature Pack
CD17-ASK9=	CISCO 1700 ADVANCED SECURITY Feature Pack
CD17-B=	CISCO 1700 IP/IPX Feature Pack
CD17-C7V8P=	Cisco 1700 IOS IP/ADSL/VOX PLUS Feature Pack
CD17-C7K9=	CISCO 1700 IP/ADSL PLUS IPSEC 3DES Feature Pack
CD17-C7=	CISCO 1700 IP/ADSL Feature Pack
CD17-C7P=	CISCO 1700 IP/ADSL PLUS Feature Pack
CD17-C7VP=	CISCO 1700 IP/ADSL VOICE PLUS Feature Pack
CD17-C=	CISCO 1700 IP Feature Pack
CD17-CP=	CISCO 1700 IP PLUS Feature Pack
CD17-EB=	CISCO 1700 ENTERPRISE BASE Feature Pack
CD17-ESK9=	CISCO 1700 ENTERPRISE SERVICES Feature Pack

CD17-IPB=	CISCO 1700 IP BASE Feature Pack
CD17-IPV=	CISCO 1700 IP VOICE Feature Pack
CD17-Q=	CISCO 1700 IP/IPX/IBM/AT Feature Pack
CD17-Q7P=	CISCO 1700 IP/IPX/IBM/AT ADSL PLUS Feature Pack
CD17-SPSK9=	CISCO 1700 SP SERVICES Feature Pack
1700-SW-SPARECD	Cisco 1700 Series Software Spare CD
Cisco 1700 Series ITS/SRST Feature Licenses	
FL-SRST-SMALL	Feat Lic Survivable Remote Site Telephony up to 24 phones
FL-SRST-SMALL=	Feat Lic Survivable Remote Site Telephony up to 24 phones
IP Mobility Gateway Feature Licenses	
FL-IPMOBGW-100=	IP Mobility Gateway Feature Set - up to 100 Users
FL-IPMOBGW-500=	IP Mobility Gateway Feature Set - up to 500 Users
FL-IPMOBGW-1000=	IP Mobility Gateway Feature Set - up to 1000 Users
Cisco 1700 Series Module Options	
MOD1700-VPN	Cisco 1700 Series VPN Module
Cisco 1800 Series (Modular) Integrated Services Routers	
CISCO1841	Modular Router w/2xFE, 2 WAN slots, 32 FL/128 DR
CISCO1841-T1	1841 bundle w/WIC-1DSU-T1-V2, IP Base, 32FL/128DR
Cisco 1800 Series (Fixed) Integrated Services Routers	
CISCO1801	ADSL/POTS router w/IOS IP Broadband
CISCO1801/K9	ADSL/POTS Router with Firewall/IDS and IPSEC 3DES
CISCO1802/K9	ADSL/ISDN Router with Firewall/IDS and IPSEC 3DES
CISCO1803/K9	G.SHDSL Router with Firewall/IDS and IPSEC
CISCO1811/K9	Dual Ethernet Security Router with V.92 Modem Backup
CISCO1812/K9	Dual Ethernet Security Router with ISDN S/T Backup
Cisco 1800 Series (Fixed Wireless) Integrated Services Route	
CISCO1801W-AG-E/K9	ADSL/POTS Router with 802.11a+g ETSI Compliant and Security
CISCO1802W-AG-E/K9	ADSL/ISDN Router with 802.11a+g ETSI Compliant and Security
CISCO1803W-AG-A/K9	G.SHDSL Router with 802.11a+g FCC Compliant and Security
CISCO1803W-AG-E/K9	G.SHDSL Router with 802.11a+g ETSI Compliant and Security
CISCO1811W-AG-A/K9	Security Router with 802.11a+g FCC Compliant and Analog B/U
CISCO1812W-AG-E/K9	Security Router with 802.11a+g ETSI Compliant and ISDN S/T
Cisco 1800 Series (modular) Security bundles	
CISCO1841-SEC/K9	1841 Security Bundle,Adv.Security,64FL/256DR
CISCO1841-HSEC/K9	1841 Security bundle w/AIM-VPN,Adv.IP Svcs,64FL/256DR
CISCO1841-T1SEC/K9	1841 Security Bundle w/ WIC-1DSU-T1-V2, Adv.Sec.,64FL,256DR
Cisco 1800 Series (modular) Broadband bundles	

CISCO1841-ADSL	1841 ADSLoPOTS Bdle,IP Broadband,32FL/128DR
CISCO1841-ADSL-DG	1841 ADSLoPOTS w/dying gasp Bdle,IP Broadband,32FL/128DR
CISCO1841-ADSLI	1841 ADSLoISDN Bdle,IP Broadband, 32FL/128DR
CISCO1841-SHDSL	1841 G.shdsl 2-wire Bdle,IP Broadband,32FL/128DR
CISCO1841-SHDSL-V2	1841 G.shdsl 4-wire Bdle,IP Broadband,32FL/128DR
CISCO1841-SHDSL-V3	1841 bundle, WIC-1SHDSL-V3, IPB, 32F/128D

Cisco 1800 Series WAN Interface Cards

WIC-1T	1-Port Serial WAN Interface Card
WIC-1T=	1-Port Serial WAN Interface Card
WIC-2T	2-Port Serial WAN Interface Card
WIC-2T=	2-Port Serial WAN Interface Card spare
WIC-2A/S	2-Port Async/Sync Serial WAN Interface Card
WIC-2A/S=	2-Port Async/Sync Serial WAN Interface Card spare
WIC-1AM	One-port Analog Modem WAN Interface Card
WIC-1AM=	One-port Analog Modem WAN Interface Card
WIC-2AM	Two-port Analog Modem WAN Interface Card
WIC-2AM=	Two-port Analog Modem WAN Interface Card
WIC-1DSU-56K4	1-port 4-WIRE 56/64 KBPS WAN INTERFACE CARD
WIC-1DSU-56K4=	1-Port 4-Wire 56Kbps DSU/CSU WAN Interface Card
WIC-1ADSL	1-port ADSL WAN Interface Card
WIC-1ADSL=	1-port ADSL WAN Interface Card
WIC-1ADSL-DG	1-port ADSLoPOTS WIC with Dying Gasp
WIC-1ADSL-DG=	1-port ADSLoPOTS WIC w/Dying Gasp
WIC-1ADSL-I-DG	1-port ADSLoISDN Wan Interface Card
WIC-1ADSL-I-DG=	1-port ADSLoISDN Wan Interface Card
WIC-1SHDSL	1-Port G.SHDSL WIC
WIC-1SHDSL=	1-Port G.SHDSL WIC
WIC-1SHDSL-V3	One port G.shdsl WIC with 4-wire support
WIC-1SHDSL-V3=	One-port G.shdsl WIC with 4-wire support
WIC-1B-S/T-V3	1-Port ISDN WAN Interface Card (dial and leased line)
WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
WIC-1B-U-V2	1-Port ISDN BRI NT-1 WIC
WIC-1B-U-V2=	1-Port ISDN BRI NT-1 WIC
WIC-BLANK-PANEL=	Blank WAN Interface Card Panel
WIC-1DSU-T1-V2	Updated 1-Port T1/Fractional T1 DSU/CSU WAN Interface Card
WIC-1DSU-T1-V2=	1-Port T1/Fractional T1 DSU/CSU WAN Interface Card: Ver. 2

Cisco 1800 Series High Speed WAN Interface Cards

HWIC-4ESW	Four port 10/100 Ethernet switch interface card
HWIC-4ESW=	Four port 10/100 Ethernet switch interface card
HWIC-4A/S	4-Port Async/Sync Serial HWIC
HWIC-4A/S=	4-Port Async/Sync Serial HWIC
HWIC-8A/S-232	8-Port Async/Sync Serial HWIC, EIA-232
HWIC-8A/S-232=	8-Port Async/Sync Serial HWIC, EIA-232
HWIC-8A	8-Port Async HWIC
HWIC-8A=	8-Port Async HWIC
HWIC-AP-G-A	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Americas
HWIC-AP-G-A=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Americas
HWIC-AP-G-E	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Europe
HWIC-AP-G-E=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Europe
HWIC-AP-G-J	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Japan
HWIC-AP-G-J=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Japan
HWIC-AP-AG-A	AP HWIC, 2 radios(2.4/5Ghz Radios 802.11 a/b/g) Americas
HWIC-AP-AG-A=	AP HWIC, 2 radios(2.4/5Ghz Radios 802.11 a/b/g) Americas
HWIC-AP-AG-E	AP HWIC, 2 radios(2.4/5Ghz Radios for 802.11 a/b/g) Europe
HWIC-AP-AG-E=	AP HWIC, 2 radios(2.4/5Ghz Radios for 802.11 a/b/g) Europe
HWIC-AP-AG-J	AP HWIC, 2 radios(2.4/5Ghz Radios for 802.11 a/b/g) Japan
HWIC-AP-AG-J=	AP HWIC, 2 radios(2.4/5Ghz Radios for 802.11 a/b/g) Japan

Cisco 1800 Series Multiflex Voice/WAN Interface Cards

VWIC-1MFT-E1	1-Port RJ-48 Multiflex Trunk - E1
VWIC-1MFT-E1=	1-Port RJ-48 Multiflex Trunk - E1
VWIC-2MFT-E1	2-Port RJ-48 Multiflex Trunk - E1
VWIC-2MFT-E1=	2-Port RJ-48 Multiflex Trunk - E1
VWIC-2MFT-E1-DI	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
VWIC-2MFT-E1-DI=	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
VWIC-1MFT-T1	1-Port RJ-48 Multiflex Trunk - T1
VWIC-1MFT-T1=	1-Port RJ-48 Multiflex Trunk - T1
VWIC-2MFT-T1	2-Port RJ-48 Multiflex Trunk - T1
VWIC-2MFT-T1=	2-Port RJ-48 Multiflex Trunk - T1
VWIC-2MFT-T1-DI	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
VWIC-2MFT-T1-DI=	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
VWIC-1MFT-G703	1-Port RJ-48 Multiflex Trunk - G.703
VWIC-1MFT-G703=	1-Port RJ-48 Multiflex Trunk - G.703
VWIC-2MFT-G703	2-Port RJ-48 Multiflex Trunk - G.703
VWIC-2MFT-G703=	2-Port RJ-48 Multiflex Trunk - G.703

VWIC2-1MFT-T1/E1	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-2MFT-T1/E1	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-1MFT-G703	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VWIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VWIC2-2MFT-G703	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VWIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
Cisco 1800 Series IOS Software Options	
S181AESK9-12402T	Cisco 1800 Series IOS ADV. ENTERPRISE SERVICES
S181AISK9-12402T	Cisco 1800 Series IOS ADV. IP SERVICES
S184AESK9-12402T	Cisco 1841 IOS ADVANCED ENTERPRISE SERVICES
S184BB-12402T	Cisco 1841 IOS BROADBAND
S184EB-12402T	Cisco 1841 IOS ENTERPRISE BASE W/O CRYPTO
S184ESK9-12402T	Cisco 1841 IOS ENTERPRISE SERVICES
S184IPB-12402T	Cisco 1841 IOS IP BASE W/O CRYPTO
S184SPSK9-12402T	Cisco 1841 IOS SP SERVICES
S184AESK9-12401	Cisco 1841 IOS ADVANCED ENTERPRISE SERVICES
S184AISK9-12401	Cisco 1841 IOS ADVANCED IP SERVICES
S184AISK9-12403	Cisco 1841 IOS ADVANCED IP SERVICES
S184ASK9-12401	Cisco 1841 IOS ADVANCED SECURITY
S184ASK9-12403	Cisco 1841 IOS ADVANCED SECURITY
S184BB-12401	Cisco 1841 IOS BROADBAND
S184EB-12401	Cisco 1841 IOS ENTERPRISE BASE
S184ESK9-12401	Cisco 1841 IOS ENTERPRISE SERVICES
S184IPB-12401	Cisco 1841 IOS IP BASE
S184SPSK9-12401	Cisco 1841 IOS SP SERVICES
S184UAESK9-12403	Cisco 1841 IOS AISK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S184UAISK9-12401	Cisco 1841 IOS BB-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
S184UASK9-12401	Cisco 1841 IOS BB-ASK9 FEAT SET FACTORY UPG FOR BUNDLES
S184UBB-12401	Cisco 1841 IOS BB-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S184USPSK9-12401	Cisco 1841 IOS BB-SPSK9 FEAT SET FACTORY UPG FOR BUNDLES
S184AESK9-12314T	Cisco 1841 IOS ADVANCED ENTERPRISE SERVICES
S184AISK9-12314T	Cisco 1841 IOS ADVANCED IP SERVICES
S184ASK9-12314T	Cisco 1841 IOS ADVANCED SECURITY
S184BB-12314T	Cisco 1841 IOS BROADBAND
S184EB-12314T	Cisco 1841 IOS ENTERPRISE BASE

S184ESK9-12314T
S184IPB-12314T
S184SPSK9-12314T
S184AESK9-12311T
S184ASK9-12311T
S184ASK9-12311T
S184BB-12311T
S184EB-12311T
S184ESK9-12311T
S184IPB-12311T
S184IPB-12311T=
S184SPSK9-12311T
S180AESK9-12308YI
S180AESK9-12308YI=
S180AESK9-12404T
S180AESK9-12404T=
S180ASK9-12308YI
S180ASK9-12308YI=
S180ASK9-12404T
S180ASK9-12404T=
S180BB-12308YI
S180BB-12404T
S180BB-12404T=
S181AESK9-12308YI
S181AESK9-12308YI=
S181AESK9-12404T
S181AESK9-12404T=
S181ASK9-12308YI
S181ASK9-12308YI=
S181ASK9-12404T
S181ASK9-12404T=
S184AESK9-12308YG
S184AESK9-12404T
S184ASK9-12308YG
S184ASK9-12404T
S184ASK9-12404T

Cisco 1841 IOS ENTERPRISE SERVICES
Cisco 1841 IOS IP BASE
Cisco 1841 IOS SP SERVICES
Cisco 1841 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1841 IOS ADVANCED IP SERVICES
Cisco 1841 IOS ADVANCED SECURITY
Cisco 1841 IOS BROADBAND
Cisco 1841 IOS ENTERPRISE BASE
Cisco 1841 IOS ENTERPRISE SERVICES
Cisco 1841 IOS IP BASE
Cisco 1841 IOS IP BASE
Cisco 1841 IOS SP SERVICES
Cisco 1800 Series IOS ADV. ENTERPRISE SERVICES
Cisco 1800 Series IOS ADV. ENTERPRISE SERVICES
Cisco 180x Sseries IOS ADV. ENTERPRISE SERVICES
Cisco 180x Sseries IOS ADV. ENTERPRISE SERVICES
Cisco 1800 Series IOS ADV. IP SERVICES
Cisco 1800 Series IOS ADV. IP SERVICES
Cisco 180x Sseries IOS ADV. IP SERVICES
Cisco 180x Sseries IOS ADV. IP SERVICES
Cisco 1800 Series IOS IP BROADBAND
Cisco 180x Sseries IOS IP BROADBAND
Cisco 180x Sseries IOS IP BROADBAND
Cisco 1800 Series IOS ADV. ENTERPRISE SERVICES
Cisco 1800 Series IOS ADV. ENTERPRISE SERVICES
Cisco 181x Series IOS ADV. ENTERPRISE SERVICES
Cisco 181x Series IOS ADV. ENTERPRISE SERVICES
Cisco 1800 Series IOS ADV. IP SERVICES
Cisco 1800 Series IOS ADV. IP SERVICES
Cisco 181x Series IOS ADV. IP SERVICES
Cisco 181x Series IOS ADV. IP SERVICES
Cisco 1841 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1841 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1841 IOS ADVANCED IP SERVICES
Cisco 1841 IOS ADVANCED IP SERVICES
Cisco 1841 IOS ADVANCED SECURITY
Cisco 1841 IOS ADVANCED SECURITY

S184BB-12308YG	Cisco 1841 IOS BROADBAND
S184BB-12404T	Cisco 1841 IOS BROADBAND
S184ESK9-12308YG	Cisco 1841 IOS ENTERPRISE SERVICES
S184IPB-12308YG	Cisco 1841 IOS IP BASE
S184SPSK9-12308YG	Cisco 1841 IOS SP SERVICES
S184SPSK9-12404T	Cisco 1841 IOS SP SERVICES
S184AASK9-12308T	Cisco 1841 IOS ADVANCED ENTERPRISE SERVICES
S184AISK9-12308T	Cisco 1841 IOS ADVANCED IP SERVICES
S184ASK9-12308T	Cisco 1841 IOS ADVANCED SECURITY
S184EB-12308T	Cisco 1841 IOS ENTERPRISE BASE
S184EB-12404T	Cisco 1841 IOS ENTERPRISE BASE W/O CRYPTO
S184ESK9-12308T	Cisco 1841 IOS ENTERPRISE SERVICES
S184ESK9-12404T	Cisco 1841 IOS ENTERPRISE SERVICES
S184IPB-12308T	Cisco 1841 IOS IP BASE
S184IPB-12404T	Cisco 1841 IOS IP BASE W/O CRYPTO
S184SPSK9-12308T	Cisco 1841 IOS SP SERVICES
S184UAISK9-12404T	Cisco 1841 IOS BB-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
S184UASK9-12404T	Cisco 1841 IOS BB-ASK9 FEAT SET FACTORY UPG FOR BUNDLES
S184UASK9A-12404T	Cisco 1841 IOS ASK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S184UASK9B-12404T	Cisco 1841 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
S184UBB-12404T	Cisco 1841 IOS BB-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S184USPSK9-12404T	Cisco 1841 IOS BB-SPSK9 FEAT SET FACTORY UPG FOR BUNDLES
S184UAESK9-12404T	Cisco 1841 IOS AISK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 1800 Series Advanced Integration Modules	
AIM-VPN/BPII-PLUS	DES/3DES/AES VPN Encryption/Compression
AIM-VPN/BPII-PLUS=	DES/3DES/AES VPN Encryption/Compression
Cisco 1800 Series Flash Memory Options	
MEM1800-32CF	32MB Cisco 1800 Compact Flash
MEM1800-32CF=	32MB Cisco 1800 Compact Flash Memory
MEM1800-64CF	64MB Cisco 1800 Compact Flash Memory
MEM1800-64CF=	64MB Cisco 1800 Compact Flash Memory
MEM1800-128CF=	128MB Cisco 1800 Compact Flash Memory
MEM1800-32U64CF	32 to 64MB Cisco 1800 Compact Flash factory upgrade
MEM1800-64U128CF	64 to 128 MB Cisco 1800 Compact Flash factory upgrade
MEM1800-32U128CF	32 to 128 MB Cisco 1800 Compact Flash factory upgrade
Cisco 1800 Series USB Memory Options	
MEMUSB-64FT=	64MB USB Flash Token for Cisco 1800/2800/3800 series

MEMUSB-128FT=	128MB USB Flash Token for Cisco 1800/2800/3800 series
MEMUSB-256FT=	256MB USB Flash Token for Cisco 1800/2800/3800 series
Cisco 1800 Series DRAM Memory Options	
MEM1841-64D=	64MB SODIMM DRAM for Cisco 1841
MEM1841-128D=	128MB SODIMM DRAM for the Cisco 1841
MEM1841-256D=	256MB SODIMM DRAM for the Cisco 1841
MEM1841-128U192D	128 to 192MB SODIMM DRAM factory upgrade for the Cisco 1841
MEM1841-128U256D	128 to 256MB SODIMM DRAM factory upgrade for the Cisco 1841
MEM1841-128U384D	128 to 384MB SODIMM DRAM factory upgrade for the Cisco 1841
MEM1841-256U384D	256 to 384MB SODIMM DRAM factory upgrade for the Cisco 1841
Cables for WIC-1T	
CAB-V35MT	V.35 Cable, DTE, Male, 10 Feet
CAB-V35MT=	V.35 Cable, DTE, Male, 10 Feet
CAB-V35FC	V.35 Cable, DCE, Female, 10 Feet
CAB-V35FC=	V.35 Cable, DCE, Female, 10 Feet
CAB-232MT	RS-232 Cable, DTE, Male, 10 Feet
CAB-232MT=	RS-232 Cable, DTE, Male, 10 Feet
CAB-232FC	RS-232 Cable, DCE, Female, 10 Feet
CAB-232FC=	RS-232 Cable, DCE, Female, 10 Feet
CAB-449MT	RS-449 Cable, DTE, Male, 10 Feet
CAB-449MT=	RS-449 Cable, DTE, Male, 10 Feet
CAB-449FC	RS-449 Cable, DCE, Female, 10 Feet
CAB-449FC=	RS-449 Cable, DCE, Female, 10 Feet
CAB-X21MT	X.21 Cable, DTE, Male, 10 Feet
CAB-X21MT=	X.21 Cable, DTE, Male, 10 Feet
CAB-X21FC	X.21 Cable, DCE, Female, 10 Feet
CAB-X21FC=	X.21 Cable, DCE, Female, 10 Feet
CAB-530MT	RS-530 Cable, DTE, Male, 10 Feet
CAB-530MT=	Male DTE RS-530 Cable, 10 foot
Cables for WIC-2T and WIC-2A/S	
CAB-SS-V35MT	V.35 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-V35FC	V.35 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-232MT	RS-232 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-232MT=	RS-232 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-232FC	RS-232 Cable, DCE Female to Smart Serial, 10 Feet

CAB-SS-232FC=	RS-232 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-232FC-EXT=	RS232 with extended control leads
CAB-SS-449MT	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-449MT=	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-449FC	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-449FC=	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-X21MT	X.21 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-X21MT=	X.21 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-X21FC	X.21 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-X21FC=	X.21 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-530MT	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530MT=	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530AMT	RS-530A Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530AMT=	RS-530A Cable, DTE Male to Smart Serial, 10 Feet
Cisco 1800 Series - Cables -	
CAB-DSU-RJ45	Blue Color Cable for DSU/CSU, RJ-45, 6 feet
CAB-DSU-RJ45=	Blue Color Cable for DSU/CSU, RJ-45, 6 feet
CAB-S/T-RJ45	Orange Color Cable for ISDN BRI S/T, RJ-45, 6 feet
CAB-S/T-RJ45=	Orange Color Cable for ISDN BRI S/T, RJ-45, 6 feet
CAB-U-RJ45	Red Color Cable for ISDN BRI U, RJ-45, 6 feet
CAB-U-RJ45=	Red Color Cable for ISDN BRI U, RJ-45, 6 feet
CAB-ETH-S-RJ45	Yellow Cable for Ethernet, Straight-through, RJ-45, 6 feet
CAB-ETH-S-RJ45=	Yellow Cable for Ethernet, Straight-through, RJ-45, 6 feet
CAB-ADSL-RJ11	Lavender Cable for xDSL, Straight-through, RJ-11, 6 feet
CAB-ADSL-RJ11=	ADSL cable straight RJ11
CAB-ADSL-RJ11X=	ADSL Cable RJ11 to RJ11, Cross-over
CAB-ADSL-800-RJ11	ADSL RJ11-to-RJ11 Straight Cable
CAB-ADSL-800-RJ11X	ADSL RJ11-to-RJ11 Crossover Cable
CAB-HD4-232FC	High Density 4-port EIA-232 Cable, Female, DCE
CAB-HD4-232FC=	High Density 4-port EIA-232 Cable, Female, DCE
CAB-HD4-232MT	High Density 4-port EIA-232 Cable, Male, DTE
CAB-HD4-232MT=	High Density 4-port EIA-232 Cable, Male, DTE
CAB-HD8-ASYNC	High Density 8-port EIA-232 Async Cable
CAB-HD8-ASYNC=	High Density 8-port EIA-232 Async Cable
CAB-HD8-KIT	High Density 8-port Async Cable w/ 8 DB-25 Modem Connectors
CAB-HD8-KIT=	High Density 8-port Async Cable w/ 8 DB-25 Modem Connectors
CAB-ACSA=	AC Power Cord South Africa (Spare)

Cisco 1800 Series Spares and Accessories	
PWR-184X-AC=	Cisco 184X AC standard power supply
ACS-184X=	Accessory Kit for Cisco 184X
ACS-181X=	Accessory Kit for Cisco 181X
SW-CONFIG-1800-001	Configuration of software via CCO for 1800 series
CX-CUSTOM-BUILD	Please complete this P.O. via CX Tool
Cisco 1800 Series (modular) IOS Software Options	
S184IPB-12308T	Cisco 1841 IOS IP BASE
S184EB-12308T	Cisco 1841 IOS ENTERPRISE BASE
S184ASK9-12308T	Cisco 1841 IOS ADVANCED SECURITY
S184AISK9-12308T	Cisco 1841 IOS ADVANCED IP SERVICES
S184SPSK9-12308T	Cisco 1841 IOS SP SERVICES
S184ESK9-12308T	Cisco 1841 IOS ENTERPRISE SERVICES
S184AESK9-12308T	Cisco 1841 IOS ADVANCED ENTERPRISE SERVICES
Cisco 1800 Series (modular) Software CD Feature Packs	
CD18-AISK9=	CISCO 1841 ADVANCED IP SERVICES Feature Pack
CD18-ASK9=	CISCO 1841 ADVANCED SECURITY Feature Pack
CD18-AESK9=	CISCO 1841 ADVANCED ENTERPRISE SERVICES Feature Pack
CD18-BB=	CISCO 1841 IP Broadband Feature Pack
CD18-EB=	CISCO 1841 ENTERPRISE BASE Feature Pack
CD18-ESK9=	CISCO 1841 ENTERPRISE SERVICES Feature Pack
CD18-IPB=	CISCO 1841 IP BASE Feature Pack
CD18-SPSK9=	CISCO 1841 SP SERVICES Feature Pack
184-SW-SPARECD	Cisco 184X Series Software Spare CD
Cisco 1800 Series IOS Upgrade Licenses	
FL18-AISK9-AESK9=	Cisco 1841 Adv IP Ser to Adv Ent Ser Upgrade SW feature lic
FL18-ASK9-AISK9=	Cisco 1841 Adv Sec to Adv IP Ser Upgrade SW feature lic
FL18-EB-ESK9=	Cisco 1841 Ent Base to Ent Ser Upgrade SW feature lic
FL18-IPB-ASK9=	Cisco 1800 IP BASE to Adv Sec Upgrade SW feature lic
FL18-IPB-EB=	Cisco 1800 IP BASE to Ent Base Upgrade SW feature lic
FL18-CB=	Corvil Bandwidth Feature License for 1800 Series
FL1801-BB-AISK9=	Cisco 1801 IP Broadband to Advanced IP Services Upgrade
IP Mobility Gateway Feature Licenses	
FL-IPMOBGW-100=	IP Mobility Gateway Feature Set - up to 100 Users
FL-IPMOBGW-500=	IP Mobility Gateway Feature Set - up to 500 Users
FL-IPMOBGW-1000=	IP Mobility Gateway Feature Set - up to 1000 Users
Cisco 1800 (Fixed) Series DRAM Memory Options	

MEM180X-128U256D	128 to 256MB SODIMM DRAM factory upgrade for the Cisco 180X
MEM181X-128U256D	128 to 256MB SODIMM DRAM factory upgrade for the Cisco 181X
MEM180X-128D=	128MB SODIMM DRAM for the Cisco 180X
MEM181X-128D=	128MB SODIMM DRAM for the Cisco 181X
Cisco 1800 (Fixed) Series PoE Options	
POE-180X	802.3af PoE Module, 80W Power Supply and Cable
POE-181X	802.3af PoE Module, 80W Power Supply and Cable
POE-180X=	802.3af PoE Module, 80W Power Supply and Cable
POE-181X=	802.3af PoE Module, 80W Power Supply and Cable
Cisco 1800 (Fixed) Series Rack Mount Kit	
ACS-1800-RM-19=	19 inch Rack Mount Kit for Cisco 180X / 181X
Cisco 1800 (Fixed) Series Accessory Kits	
ACS-181X=	Accessory Kit for Cisco 181X
Cisco 1800 (fixed & mod)-802.11 a/g Antennae Options-Spares	
AIR-ANTM2050D-R=	2.2dBi/2.4Ghz,5.0dBi/5GHz DualBand Dipole Antenna
AIR-ANTM4050V-R=	4.0dBi/2.4Ghz,5.0 dBi/5GHz Dual Band Ceiling Mount Antenna
AIR-ANTM5560P-R=	5.5 dBi/2.4Ghz,6.0 dBi/5GHz Dual Band Wall Mount Antenna
Cisco 2800 Series Integrated Services Router	
CISCO2801	2801 w/AC PWR,2FE,4slots(2HWIC),2PVDM,2AIM,IP BASE,64F/128D
CISCO2801-AC-IP	2801 Router with inline power,2FE,4slots,IP BASE,64F/128D
CISCO2811	2811 w/ AC PWR,2FE,4HWICs,2PVDMs,1NME,2AIMS,IP BASE,64F/256D
CISCO2811-AC-IP	2811 w/ AC+POE,2FE,4HWICs,2PVDMs,1NME,2AIMS,IP BASE,64F/256D
CISCO2811-DC	2811 w/ DC PWR,2FE,4HWICs,2PVDMs,1NME,2AIMS,IP BASE,64F/256D
CISCO2821	2821 w/ AC PWR,2GE,4HWICs,3PVDM,1NME-X,2AIM,IP BASE,64F/256D
CISCO2821-AC-IP	2821 w/ AC+POE,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D
CISCO2821-AA/K9	Cisco 2821 Basic Wan Optimization Bundle
CISCO2821-SAA/K9	Cisco 2821 Secure Wan Optimization Bundle
CISCO2821-DC	2821 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D
CISCO2851	2851 w/ AC PWR,2GE,4HWIC,3PVDM,1NME-XD,2AIM,IP BASE,64F/256D
CISCO2851-AC-IP	2851 w/ AC+POE,2GE,4HWIC,3PVDM,1NME-XD,2AIM,IP BASE,64F/256D
CISCO2851-AA/K9	Cisco 2851 Basic Wan Optimization Bundle
CISCO2851-SAA/K9	Cisco 2851 Secure Wan Optimization Bundle
CISCO2851-DC	2851 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-XD,2AIM,IP BASE,64F/256D
Cisco 2800 Series Security Bundles	
CISCO2801-SEC/K9	2801 Security Bundle,Adv Security,64F/256D
CISCO2801-HSEC/K9	2801 Security Bundle,AIM-VPN/EPH-PLUS,Adv. IP Serv,64F/256D
CISCO2811-SEC/K9	2811 Security Bundle,Adv Security,64F/256D

CISCO2811-HSEC/K9	2811 Security Bundle,AIM-VPN-EPII-PLUS,Adv. IP Serv,64F/256D
CISCO2821-SEC/K9	2821 Security Bundle,Adv Security,64F/256D
CISCO2821-HSEC/K9	2821 Security Bundle,AIM-VPN-EPII-PLUS,Adv. IP Serv,64F/256D
CISCO2851-SEC/K9	2851 Security Bundle,Adv Security,64F/256D
CISCO2851-HSEC/K9	2851 Security Bundle,AIM-VPN-EPII-PLUS,Adv. IP Serv,64F/256D
Cisco 2800 Series Voice Bundles	
CISCO2801-V/K9	2801 Voice Bundle,PVDM2-8,SP Serv,64F/256D
CISCO2801-CCME/K9	2801 Voice Bundle w/ PVDM2-8,FL-CCME-24, SP Serv,64F/256D
CISCO2801-SRST/K9	2801 Voice Bundle w/ PVDM2-8,FL-SRST-24,SP Serv,64F/256D
CISCO2811-V/K9	2811 Voice Bundle,PVDM2-16,SP Serv,64F/256D
CISCO2811-CCME/K9	2811 Voice Bundle w/ PVDM2-16,FL-CCME-36,SP Serv,64F/256D
CISCO2811-SRST/K9	2811 Voice Bundle w/ PVDM2-16,FL-SRST-36,SP Serv,64F/256D
CISCO2821-V/K9	2821 Voice Bundle,PVDM2-32,SP Serv,64F/256D
CISCO2821-CCME/K9	2821 Voice Bundle w/ PVDM2-32,FL-CCME-48,SP Serv,64F/256D
CISCO2821-SRST/K9	2821 Voice Bundle w/ PVDM2-32,FL-SRST-48,SP Serv,64F/256D
CISCO2851-V/K9	2851 Voice Bundle,PVDM2-48,SP Serv,64F/256D
CISCO2851-CCME/K9	2851 Voice Bundle w/ PVDM2-48,FL-CCME-96,SP Serv,64F/256D
CISCO2851-SRST/K9	2851 Voice Bundle w/ PVDM2-48,FL-SRST-96,SP Serv,64F/256D
Cisco 2800 Series Secure Voice Bundles	
CISCO2801-V3PN/K9	2801 V3PN bdl,AIM-VPN,PVDM2-8,FL-CCME-24,Adv IPServ,64F/256D
CISCO2811-V3PN/K9	2811 V3PN bdl w/ AIM-VPN,PVDM2-16,CCME-36,AdvIPServ,64F/256D
CISCO2821-V3PN/K9	2821 V3PN bdl w/ AIM-VPN,PVDM2-32,CCME-48,AdvIPServ,64F/256D
CISCO2851-V3PN/K9	2851 V3PN bdl w/ AIM-VPN,PVDM2-48,CCME-72,AdvIPServ,64F/256D
Cisco 2800 Series Broadband Bundles	
CISCO2801-ADSL/K9	2801 DSL Bundle,WIC-1ADSL(ADSLoPOTS),SP Serv,64F/192D
CISCO2801-SHDSL/K9	2801 DSL Bdle,WIC-1SHDSL (2-Wire only),SP Serv,64F/192D
CISCO2811-ADSL/K9	2811 with WIC-1ADSL (ADSLoPOTs), SP Ser IOS, 64F/256D
CISCO2811-SHDSL/K9	2811 DSL Bundle,WIC-1SHDSL-V2 (2 or 4 Wire),SP Serv,64F/256D
C2801-SHDSL-V2/K9	2801 DSL Bdle,WIC-1SHDSL-V2 (2 or 4 Wire),IP BASE,64FL/192DR
C2801-SHDSL-V3/K9	2801 bundle, WIC-1SHDSL-V3,SP Svcs, 64F/192D
C2811-SHDSL-V3/K9	2811 DSL bundle, WIC-1SHDSL-V3 (4-wire), SP Svcs, 64F/256D
Cisco 2800 Series Advanced Integration Modules	
AIM-VPN/EPII-PLUS	DES/3DES/AES VPN Encryption/Compression
AIM-VPN/EPII-PLUS=	DES/3DES/AES VPN Encryption/Compression
Cisco 28xx LMR Feature Licenses	
FL-LMR	LMR Feature License (2600XM,2691,2811,2821,2851,3700,3800)
FL-LMR=	LMR Feature License (2600XM,2691,2811,2821,2851,3700,3800)

Cisco 2811, 2821, 2851 Series Advanced Integration Modules	
AIM-ATM	High Performance ATM Advanced Integration Module
AIM-ATM=	High Performance ATM Advanced Integration Module
AIM-ATM-4E1	4 port ATM IMA bundle
AIM-ATM-4E1=	4 port ATM IMA bundle
AIM-ATM-4T1	4 port ATM IMA bundle
AIM-ATM-4T1=	4 port ATM IMA bundle
Cisco 2811, 2821, 2851 Series Network Modules	
NM-16ESW	1 16 port 10/100 EtherSwitch NM
NM-16ESW=	1 16 port 10/100 EtherSwitch NM
GE-DCARD-ESW=	1 1000BaseT daughtercard for Etherswitch NM
NM-16ESW-PWR	1 16 port 10/100 EtherSwitch NM with In-Line Power support
NM-16ESW-PWR=	1 16 port 10/100 EtherSwitch NM with In-Line Power support
NM-16ESW-1GIG	1 16 port 10/100 EtherSwitch NM with 1 GE (1000BaseT) port
NM-16ESW-1GIG=	1 16 port 10/100 EtherSwitch NM + 1 Gig Port
NM-16ESW-PWR-1GIG	1 16 port 10/100 EtherSwitch NM with In-Line Power and GE
NM-16ESW-PWR-1GIG=	1 16 port 10/100 EtherSwitch NM+PWR+1 Gig Port
NM-1HSSI	Single port HSSI network module
NM-1HSSI=	Single port HSSI network module
NM-4A/S	4-Port Async/Sync Serial Network Module
NM-4A/S=	4-Port Async/Sync Serial Network Module
NM-4B-S/T	4-Port ISDN-BRI Network Module
NM-4B-S/T=	4-Port ISDN-BRI Network Module
NM-4B-U	4-Port ISDN-BRI with NT-1 Network Module
NM-4B-U=	4-Port ISDN-BRI with NT-1 Network Module
NM-8A/S	8-Port Async/Sync Serial Network Module
NM-8A/S=	8-Port Async/Sync Serial Network Module
NM-8B-S/T	8-Port ISDN-BRI Network Module
NM-8B-S/T=	8-Port ISDN-BRI Network Module
NM-8B-U	8-Port ISDN-BRI with NT-1 Network Module
NM-8B-U=	8-Port ISDN-BRI with NT-1 Network Module
NM-1CE1T1-PRI	1-Port Channelized E1/T1/ISDN-PRI Network Module
NM-1CE1T1-PRI=	1-Port Channelized E1/T1/ISDN-PRI Network Module
NM-2CE1T1-PRI	2-Port Channelized E1/T1/ISDN-PRI Network Module
NM-2CE1T1-PRI=	2-Port Channelized E1/T1/ISDN-PRI Network Module
NM-1A-T3	1-Port DS3 ATM Network Module
NM-1A-T3=	1-Port DS3 ATM Network Module

NM-1A-E3	1-Port E3 ATM Network Module
NM-1A-E3=	1-Port E3 ATM Network Module
NM-BLANK-PANEL=	Blank Network Module Panel
NM-CEM-4TE1	4 Port T1/E1 Circuit Emulation over IP NM
NM-CEM-4TE1=	4 Port T1/E1 CEMoIP NM
NM-CEM-4SER	4 Port Serial Circuit Emulation over IP NM
NM-CEM-4SER=	4 Port Serial CEMoIP NM
NM-16A	16 port Asynchronous Module
NM-16A/S	16-Port Async/Sync Serial Network Module
NM-16A/S=	16 port Async / Sync Serial Module
NM-16A=	16 port Asynchronous Module
NM-16AM-V2	16 port Analog Modem Network Module with V.92
NM-16AM-V2=	16 port Analog Modem Network Module with V.92
NM-1T3/E3	One port T3/E3 network module
NM-1T3/E3=	One port T3/E3 network module
NM-32A	32 port Asynchronous Module
NM-32A=	32 port Asynchronous Module
NM-8AM-V2	8 Port Analog Modem Network Module with v.92
NM-8AM-V2=	8 Port Analog Modem Network Module with v.92
NM-CE-BP-40G-K9	Content Engine NM-Basic Perf-40GB
NM-CE-BP-40G-K9=	Content Engine NM-Basic Perf-40GB
NM-CE-BP-80G-K9	Content Engine NM-80GB
NM-CE-BP-80G-K9=	Content Engine NM-80GB
NM-CIDS-K9	Intrusion Detection System Network Module
NM-CIDS-K9=	Intrusion Detection System Network Module
NM-NAM	Cisco Network Analysis Module
NM-NAM=	Cisco Network Analysis Module (NAM) for Branch Routers
PPWR-DCARD-16ESW=	1 In-line power daughtercard for 16 port EtherSwitch NM
NME-16ES-1G	EtherSwitch Service Mod 16 10/100T+ 1 GE,IP Base
NME-16ES-1G=	EtherSwitch Service Mod 16 10/100T+ 1 GE,IP Base
NME-16ES-1G-P	EtherSwitch Service Mod 16 10/100T POE + 1 GE,IP Base
NME-16ES-1G-P=	EtherSwitch Service Mod 16 10/100T POE + 1 GE,IP Base
NME-X-23ES-1G	EtherSwitch Service Mod 23 10/100T + 1 GE, IP Base
NME-X-23ES-1G=	EtherSwitch Service Mod 23 10/100T + 1 GE, IP Base
NME-X-23ES-1G-P	EtherSwitch Service Mod 23 10/100T POE + 1 GE POE, IP Base
NME-X-23ES-1G-P=	EtherSwitch Service Mod 23 10/100T POE + 1 GE POE, IP Base

NMD-36-ESW	1 36 port 10/100 EtherSwitch High Density Service Module
NMD-36-ESW=	1 36 port 10/100 EtherSwitch D-wide NM -opt GE +Line Power
NMD-36-ESW-PWR	1 36 port 10/100 EtherSwitch NM+PWR Card -opt GE
NMD-36-ESW-PWR=	1 36 port 10/100 EtherSwitch NM+PWR Card -opt GE
NMD-36-ESW-2GIG	1 36 port 10/100 EtherSwitch NM + 2 Gig Port
NMD-36-ESW-2GIG=	1 36 port 10/100 EtherSwitch NM + 2 Gig Port
NMD-36-ESW-PWR-2G	1 36 port 10/100 EtherSwitch NM+PWR+2 Gig Port
NMD-36-ESW-PWR-2G=	1 36 port 10/100 EtherSwitch NM+PWR+2 Gig Port
NME-XD-24ES-1S-P	EtherSwitch Service Mod 24 10/100T POE + 1SFP+StackWise,SMI
NME-XD-24ES-1S-P=	EtherSwitch Service Mod 24 10/100T POE + 1SFP+StackWise,SMI
NME-XD-48ES-2S-P	EtherSwitch Service Mod 48 10/100T POE + 2SFP,Std Image(SMI)
NME-XD-48ES-2S-P=	EtherSwitch Service Mod 48 10/100T POE + 2SFP,Std Image(SMI)
Cisco 2811, 2821, 2851 Series Voice/Fax Network Modules	
NM-HDA-4FXS	High density analog voice/fax network module with 4 FXS
NM-HDA-4FXS=	High density analog voice/fax network module with 4 FXS
NM-HDV=	High Density Voice/Fax Network Module (Single VIC Slot)
NM-HDV-1E1-12	Single-Port 12 Channel E1 Voice/Fax Network Module
NM-HDV-1E1-12=	Single-Port 12 Channel E1 Voice/Fax Network Module
NM-HDV-1E1-30	Single-Port 30 Channel E1 Voice/Fax Network Module
NM-HDV-1E1-30=	Single-Port 30 Channel E1 Voice/Fax Network Module
NM-HDV-1E1-30E	Single-Port 30 Enhanced Channel E1 Voice/Fax Network Module
NM-HDV-1E1-30E=	Single-Port 30 Enhanced Channel E1 Voice/Fax Network Module
NM-HDV-2E1-60	Dual-Port 60 Channel E1 Voice/Fax Network Module
NM-HDV-2E1-60=	Dual-Port 60 Channel E1 Voice/Fax Network Module
NM-HDV-1T1-12	Single-Port 12 Channel T1 Voice/Fax Network Module
NM-HDV-1T1-12=	Single-Port 12 Channel T1 Voice/Fax Network Module
NM-HDV-1T1-24	Single-Port 24 Channel T1 Voice/Fax Network Module
NM-HDV-1T1-24=	Single-Port 24 Channel T1 Voice/Fax Network Module
NM-HDV-1T1-24E	Single-Port 24 Enhanced Channel T1 Voice/Fax Network Module
NM-HDV-1T1-24E=	Single-Port 24 Enhanced Channel T1 Voice/Fax Network Module
NM-HDV-2T1-48	Dual-Port 48 Channel T1 Voice/Fax Network Module
NM-HDV-2T1-48=	Dual-Port 48 Channel T1 Voice/Fax Network Module
NM-HDV2	IP Communications High-Density Digital Voice Network Module
NM-HDV2=	IP Communications High-Density Digital Voice Network Module
NM-HDV2-1T1/E1	IP Communications High-Density Digital Voice NM with 1 T1/E1
NM-HDV2-1T1/E1=	IP Communications High-Density Digital Voice NM with 1 T1/E1
NM-HDV2-2T1/E1	IP Communications High-Density Digital Voice NM with 2 T1/E1

NM-HDV2-2T1/E1=	IP Communications High-Density Digital Voice NM with 2 T1/E1
NM-HD-1V	One-slot IP Communications Voice/Fax Network Module
NM-HD-1V=	One-slot IP Communications Voice/Fax Network Module
NM-HD-2V	Two-slot IP Communications Voice/Fax Network Module
NM-HD-2V=	Two-slot IP Communications Voice/Fax Network Module
NM-HD-2VE	Two-slot IP Communications Enhanced Voice/Fax Network Module
NM-HD-2VE=	Two-slot IP Communications Enhanced Voice/Fax Network Module

Cisco 2821 and 2851 Series Extension Voice Modules

EVM-HD-8FXS/DID	High density voice/fax extension module - 8 FXS/DID
EVM-HD-8FXS/DID=	High density voice/fax extension module - 8 FXS/DID

Cisco 2811/2821/2851 Expansion Modules for Voice/Fax Modules

EM-HDA-8FXS	8-port voice/fax expansion module - FXS
EM-HDA-8FXS=	8-port voice/fax expansion module - FXS
DSP-HDA-16	16-channel DSP module for NM-HDA
DSP-HDA-16=	16-channel DSP module for NM-HDA
EM-HDA-4FXO	4-port voice/fax expansion module - FXO
EM-HDA-4FXO=	4-port voice/fax expansion module - FXO
EM2-HDA-4FXO	4-port voice/fax expansion module - FXO
EM-4BRI-NT/TE	4-port voice/fax expansion module - BRI (NT and TE)
EM-4BRI-NT/TE=	4-port voice/fax expansion module - BRI
EM-HDA-6FXO	6-port voice/fax expansion module - FXO
EM-HDA-6FXO=	6-port voice/fax expansion module - FXO
EM-HDA-3FXS/4FXO	7-port voice/fax expansion module - 3FXS/4FXO
EM-HDA-3FXS/4FXO=	7-port voice/fax expansion module - 3FXS/4FXO

Cisco 2800 Series Expansion Modules

EM2-HDA-4FXO	4-port voice/fax expansion module - FXO
--------------	---

Cisco 2800 Series Voice/Fax Interface Cards

VIC-2DID	Two-port DID (Direct Inward Dial) voice/fax interface card
VIC-2DID=	Two-port DID (Direct Inward Dial) voice/fax interface card
VIC-4FXS/DID	4 port FXS or DID VIC
VIC-4FXS/DID=	4 port FXS or DID VIC
VIC2-2FXS	Two-port Voice Interface Card - FXS
VIC2-2FXS=	Two-port Voice Interface Card - FXS
VIC2-2FXO	Two-port Voice Interface Card - FXO (Universal)
VIC2-2FXO=	Two-port Voice Interface Card - FXO (Universal)
VIC2-4FXO	Four-port Voice Interface Card - FXO (Universal)
VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)

VIC2-2E/M	Two-port Voice Interface Card - EandM
VIC2-2E/M=	Two-port Voice Interface Card - EandM
VIC2-2BRI-NT/TE	Two-port Voice Interface Card - BRI (NT and TE)
VIC2-2BRI-NT/TE=	Two-port Voice Interface Card - BRI (NT and TE)

Cisco 2800 Series Multiflex Voice/Fax Interface Cards

VWIC-1MFT-E1	1-Port RJ-48 Multiflex Trunk - E1
VWIC-1MFT-E1=	1-Port RJ-48 Multiflex Trunk - E1
VWIC-2MFT-E1	2-Port RJ-48 Multiflex Trunk - E1
VWIC-2MFT-E1=	2-Port RJ-48 Multiflex Trunk - E1
VWIC-2MFT-E1-DI	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
VWIC-2MFT-E1-DI=	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
VWIC-1MFT-T1	1-Port RJ-48 Multiflex Trunk - T1
VWIC-1MFT-T1=	1-Port RJ-48 Multiflex Trunk - T1
VWIC-2MFT-T1-DI	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
VWIC-2MFT-T1-DI=	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
VWIC-2MFT-T1	2-Port RJ-48 Multiflex Trunk - T1
VWIC-2MFT-T1=	2-Port RJ-48 Multiflex Trunk - T1
VWIC-1MFT-G703	1-Port RJ-48 Multiflex Trunk - G.703
VWIC-1MFT-G703=	1-Port RJ-48 Multiflex Trunk - G.703
VWIC-2MFT-G703	2-Port RJ-48 Multiflex Trunk - G.703
VWIC-2MFT-G703=	2-Port RJ-48 Multiflex Trunk - G.703
VWIC2-1MFT-T1/E1	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-2MFT-T1/E1	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VWIC2-1MFT-G703	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VWIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VWIC2-2MFT-G703	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VWIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703

Cisco 2800 ECAN Module for VWIC2-MFT Cards

EC-MFT-32	32-Channel Multiflex Trunk Dedicated ECAN Module
EC-MFT-32=	32-Channel Multiflex Trunk Dedicated ECAN Module
EC-MFT-64	64-Channel Multiflex Trunk Dedicated ECAN Module
EC-MFT-64=	64-Channel Multiflex Trunk Dedicated ECAN Module

Cisco 2800 Series High Speed WAN Interface Cards

HWIC-4ESW	Four port 10/100 Ethernet switch interface card
HWIC-4ESW=	Four port 10/100 Ethernet switch interface card

HWIC-4ESW-POE	4-Port Ethernet Switch HWIC with Power Over Ethernet
HWIC-4ESW-POE=	4-Port Ethernet Switch HWIC with Power Over Ethernet
HWIC-D-9ESW	Nine port 10/100 Ethernet switch interface card
HWIC-D-9ESW=	Nine port 10/100 Ethernet switch interface card
HWIC-D-9ESW-POE	9-Port Ethernet Switch HWIC with Power Over Ethernet
HWIC-D-9ESW-POE=	9-Port Ethernet Switch HWIC with Power Over Ethernet
HWIC-1GE-SFP	GigE High Speed WIC With One SFP Slot
HWIC-1GE-SFP=	GigE high speed WIC with one SFP slot
HWIC-4T	4-Port Serial HWIC
HWIC-4T=	4-Port Serial HWIC
HWIC-4A/S	4-Port Async/Sync Serial HWIC
HWIC-4A/S=	4-Port Async/Sync Serial HWIC
HWIC-8A/S-232	8-Port Async/Sync Serial HWIC, EIA-232
HWIC-8A/S-232=	8-Port Async/Sync Serial HWIC, EIA-232
HWIC-8A	8-Port Async HWIC
HWIC-8A=	8-Port Async HWIC
HWIC-16A	16-Port Async HWIC
HWIC-16A=	16-Port Async HWIC
HWIC-AP-AG-A	AP HWIC, 2 radios(2.4/5Ghz Radios 802.11 a/b/g) Americas
HWIC-AP-AG-A=	AP HWIC, 2 radios(2.4/5Ghz Radios 802.11 a/b/g) Americas
HWIC-AP-AG-E	AP HWIC, 2 radios(2.4/5Ghz Radios for 802.11 a/b/g) Europe
HWIC-AP-AG-E=	AP HWIC, 2 radios(2.4/5Ghz Radios for 802.11 a/b/g) Europe
HWIC-AP-AG-J	AP HWIC, 2 radios(2.4/5Ghz Radios for 802.11 a/b/g) Japan
HWIC-AP-AG-J=	AP HWIC, 2 radios(2.4/5Ghz Radios for 802.11 a/b/g) Japan
HWIC-AP-G-A	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Americas
HWIC-AP-G-A=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Americas
HWIC-AP-G-E	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Europe
HWIC-AP-G-J=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Japan
Cisco 2800 Series WAN Interface Cards	
WIC-1T	1-Port Serial WAN Interface Card
WIC-1T=	1-Port Serial WAN Interface Card
WIC-2T	2-Port Serial WAN Interface Card
WIC-2T=	2-Port Serial WAN Interface Card spare
WIC-2A/S	2-Port Async/Sync Serial WAN Interface Card
WIC-2A/S=	2-Port Async/Sync Serial WAN Interface Card spare
WIC-1AM	One-port Analog Modem WAN Interface Card
WIC-1AM=	One-port Analog Modem WAN Interface Card

WIC-2AM	Two-port Analog Modem WAN Interface Card
WIC-2AM=	Two-port Analog Modem WAN Interface Card
WIC-1DSU-56K4	1-port 4-WIRE 56/64 KBPS WAN INTERFACE CARD
WIC-1DSU-56K4=	1-Port 4-Wire 56Kbps DSU/CSU WAN Interface Card
WIC-1ADSL	1-port ADSL WAN Interface Card
WIC-1ADSL=	1-port ADSL WAN Interface Card
WIC-1ADSL-DG	1-port ADSLoPOTS WIC with Dying Gasp
WIC-1ADSL-DG=	1-port ADSLoPOTS WIC w/Dying Gasp
WIC-1ADSL-I-DG	1-port ADSLoISDN Wan Interface Card
WIC-1ADSL-I-DG=	1-port ADSLoISDN Wan Interface Card
WIC-1SHDSL	1-Port G.SHDSL WIC
WIC-1SHDSL=	1-Port G.SHDSL WIC
WIC-1SHDSL-V2	1-Port G.SHDSL WIC with Four Wire Support
WIC-1SHDSL-V2=	1-Port G.SHDSL WIC with Four Wire Support
WIC-1SHDSL-V3	One port G.shdsl WIC with 4-wire support
WIC-1SHDSL-V3=	One-port G.shdsl WIC with 4-wire support
WIC-1B-S/T-V3	1-Port ISDN WAN Interface Card (dial and leased line)
WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
WIC-1B-U-V2	1-Port ISDN BRI NT-1 WIC
WIC-1B-U-V2=	1-Port ISDN BRI NT-1 WIC
WIC-BLANK-PANEL=	Blank WAN Interface Card Panel
WIC-1DSU-T1-V2	Updated 1-Port T1/Fractional T1 DSU/CSU WAN Interface Card
WIC-1DSU-T1-V2=	1-Port T1/Fractional T1 DSU/CSU WAN Interface Card: Ver. 2
Cisco 2800 Series Packet Voice/Fax DSP Modules	
PVDM2-8	8-Channel Packet Voice/Fax DSP Module
PVDM2-8=	8-Channel Packet Voice/Fax DSP Module
PVDM2-16	16-Channel Packet Voice/Fax DSP Module
PVDM2-16=	16-Channel Packet Voice/Fax DSP Module
PVDM2-32	32-Channel Packet Voice/Fax DSP Module
PVDM2-32=	32-Channel Packet Voice/Fax DSP Module
PVDM2-48	48-Channel Packet Voice/Fax DSP Module
PVDM2-48=	48-Channel Packet Voice/Fax DSP Module
PVDM2-64	64-Channel Packet Voice/Fax DSP Module
PVDM2-64=	64-Channel Packet Voice/Fax DSP Module
PVDM2-8U16	PVDM2 8-channel to 16-channel factory upgrade
PVDM2-8U32	PVDM2 8-channel to 32-channel factory upgrade
PVDM2-8U48	PVDM2 8-channel to 48-channel factory upgrade

PVDM2-8U64	PVDM2 8-channel to 64-channel factory upgrade
PVDM2-16U32	PVDM2 16-channel to 32-channel factory upgrade
PVDM2-16U48	PVDM2 16-channel to 48-channel factory upgrade
PVDM2-16U64	PVDM2 16-channel to 64-channel factory upgrade
PVDM2-32U48	PVDM2 32-channel to 48-channel factory upgrade
PVDM2-32U64	PVDM2 32-channel to 64-channel factory upgrade
PVDM2-48U64	PVDM2 48-Channel to 64-Channel Factory Upgrade

Cisco 2800 Series Flash Memory Options

MEM2800-64CF=	64MB CF for the Cisco 2800 Series
MEM2800-64CF-INC	64MB CF default for Cisco 2800 Series
MEM2800-128CF=	128MB CF for the Cisco 2800 Series
MEM2800-256CF=	256MB CF for the Cisco 2800 Series
MEM2800-64U128CF	64 to 128 MB CF Factory Upgrade for Cisco 2800 Series
MEM2800-64U256CF	64 to 256 MB CF Factory Upgrade for Cisco 2800 Series

2800 Series USB Memory Options

MEMUSB-64FT=	64MB USB Flash Token for Cisco 1800/2800/3800 series
MEMUSB-128FT=	128MB USB Flash Token for Cisco 1800/2800/3800 series
MEMUSB-256FT=	256MB USB Flash Token for Cisco 1800/2800/3800 series

Cisco 2801 Series DRAM Memory Options

MEM2801-64D=	64MB SODIMM DRAM for the Cisco 2801
MEM2801-128D=	128MB SODIMM DRAM for the Cisco 2801
MEM2801-256D=	256MB SODIMM DRAM for the Cisco 2801
MEM2801-128U192D	128 to 192MB SODIMM DRAM factory upgrade for the Cisco 2801
MEM2801-128U256D	128 to 256MB SODIMM DRAM factory upgrade for the Cisco 2801
MEM2801-128U384D	128 to 384MB SODIMM DRAM factory upgrade for the Cisco 2801
MEM2801-192U256D	192 to 256MB SODIMM DRAM factory upgrade for the Cisco 2801
MEM2801-192U384D	192 to 384MB SODIMM DRAM factory upgrade for the Cisco 2801
MEM2801-256U384D	256 to 384MB SODIMM DRAM factory upgrade for the Cisco 2801

Cisco 2811 Series DRAM Memory Options

MEM2811-256D=	256MB DIMM DDR DRAM for the Cisco 2811
MEM2811-512D=	512MB DIMM DDR DRAM for the Cisco 2811
MEM2811-256U512D	256 to 512MB DDR DRAM factory upgrade for the Cisco 2811
MEM2811-256U768D	256 to 768MB DDR DRAM factory upgrade for the Cisco 2811

Cisco 2821 Series DRAM Memory Options

MEM2821-256D=	256MB DIMM DDR DRAM for the Cisco 2821
MEM2821-512D=	512MB DIMM DDR DRAM for the Cisco 2821
MEM2821-256U512D	256 to 512MB DDR DRAM factory upgrade for the Cisco 2821

MEM2821-256U768D	256 to 768MB DDR DRAM factory upgrade for the Cisco 2821
MEM2821-256U1024D	256 to 1024MB DDR DRAM factory upgrade for Cisco 2821
Cisco 2851 Series DRAM Memory Options	
MEM2851-256D=	256MB DIMM DDR DRAM for the Cisco 2851
MEM2851-512D=	512MB DIMM DDR DRAM for the Cisco 2851
MEM2851-256U512D	256 to 512MB DDR DRAM factory upgrade for the Cisco 2851
MEM2851-256U768D	256 to 768MB DDR DRAM factory upgrade for the Cisco 2851
MEM2851-256U1024D	256 to 1024MB DDR DRAM factory upgrade for Cisco 2851
Cisco Call Manager Express (CME) Feature Licenses	
FL-CCME-SMALL	Cisco Call Manager Express Feat License For Up To 24 Users
FL-CCME-SMALL=	Cisco Call Manager Express Feat License For Up To 24 Users
FL-CCME-36	Cisco CallManager Express Feature License For Up To 36 Users
FL-CCME-36=	Cisco Call Manager Express Feat License For Up To 36 Users
FL-CCME-MEDIUM	Cisco Call Manager Express Feat License For Up To 48 Users
FL-CCME-MEDIUM=	Cisco Call Manager Express Feat License For Up To 48 Users
FL-CCME-72	Cisco Call Manager Express Feat License For Up To 72 Users
FL-CCME-72=	Cisco Call Manager Express Feat License For Up To 72 Users
FL-CCME-96	Cisco Call Manager Express Feat License For Up To 96 Users
FL-CCME-96=	Cisco Call Manager Express Feat License For Up To 96 Users
Cisco Survivable Remote Site Telephony (SRST) Feature Lic.	
FL-SRST-SMALL	Feat Lic Survivable Remote Site Telephony up to 24 phones
FL-SRST-SMALL=	Feat Lic Survivable Remote Site Telephony up to 24 phones
FL-SRST-36	Feature Lic Survivable Remote Site Telephony up to 36 phones
FL-SRST-36=	Feature Lic Survivable Remote Site Telephony up to 36 phones
FL-SRST-96	Feat Lic Survivable Remote Site Telephony up to 96 phones
FL-SRST-96=	Feat Lic Survivable Remote Site Telephony up to 96 phones
FL-SRST-MEDIUM	Feat Lic Survivable Remote Site Telephony up to 48 phones
FL-SRST-MEDIUM=	Feat Lic Survivable Remote Site Telephony up to 48 phones
Cisco 2800 Series Options & Spares	
PWR675-AC-RPS-N1=	675W Redundant Power Supply with 1 connector cable
PWR-2801-AC=	Cisco 2801 AC power supply
PWR-2801-AC-IP	Cisco 2801 AC/IP power supply
PWR-2801-AC-IP=	Cisco 2801 AC/IP power supply
PWR-2811-AC=	Cisco 2811 AC power supply
PWR-2811-AC-IP	Cisco 2811 AC/IP power supply
PWR-2811-AC-IP=	Cisco 2811 AC/IP power supply
PWR-2811-DC	Cisco 2811 DC power supply

PWR-2811-DC=	Cisco 2811 DC power supply
PWR-2821-51-AC=	Cisco 2821/51 AC power supply
PWR-2821-51-AC-IP	Cisco 2821/51 AC/IP power supply
PWR-2821-51-AC-IP=	Cisco 2821/51 AC/IP power supply
PWR-2821-51-DC	Cisco 2821/51 DC power supply
PWR-2821-51-DC=	Cisco 2821/51 DC power supply
ACS-2801=	Accessory Kit for Cisco 2801
ACS-2801-RM-19=	19 inch Rack Mount Kit for Cisco 2801
ACS-2811RM-23=	23 inch Rack Mount Kit for Cisco 2811
ACS-2811RM-19=	19 inch Rack Mount Kit for Cisco 2811
ACS-2821-51RM-23=	23 inch Rack Mount Kit for Cisco 2821/51
ACS-2821-51RM-19=	19 inch Rack Mount Kit for Cisco 2821/51
CX-CUSTOM-BUILD	Please complete this P.O. via CX Tool
ILPM-4=	4 port 802.3af capable Inline power module for HWIC-4ESW
ILPM-8=	8 port 802.3af capable inline power module for HWIC-D-9ESW
H/WIC-BLANK-KIT=	Blank H/WIC faceplate Kit with spacer
H/WIC-KIT-2801=	Blank H/WIC faceplate Kit with spacer for Cisco 2801
ROUTER-SDM	Device manager for routers
ROUTER-SDM-NOCF	SDM software on flash and w/o startup-config
Cisco 2800 Series Cables	
CAB-ATM-DS3/E3	ATM Cable, DS-3 and E3, 10
CAB-ATM-DS3/E3=	ATM Cable,DS3+e3;10ft.
CAB-V35MT	V.35 Cable, DTE, Male, 10 Feet
CAB-V35MT=	V.35 Cable, DTE, Male, 10 Feet
CAB-V35FC	V.35 Cable, DCE, Female, 10 Feet
CAB-V35FC=	V.35 Cable, DCE, Female, 10 Feet
CAB-232MT	RS-232 Cable, DTE, Male, 10 Feet
CAB-232MT=	RS-232 Cable, DTE, Male, 10 Feet
CAB-232FC	RS-232 Cable, DCE, Female, 10 Feet
CAB-232FC=	RS-232 Cable, DCE, Female, 10 Feet
CAB-449MT	RS-449 Cable, DTE, Male, 10 Feet
CAB-449MT=	RS-449 Cable, DTE, Male, 10 Feet
CAB-449FC	RS-449 Cable, DCE, Female, 10 Feet
CAB-449FC=	RS-449 Cable, DCE, Female, 10 Feet
CAB-X21MT	X.21 Cable, DTE, Male, 10 Feet
CAB-X21MT=	X.21 Cable, DTE, Male, 10 Feet
CAB-X21FC	X.21 Cable, DCE, Female, 10 Feet

CAB-X21FC=	X.21 Cable, DCE, Female, 10 Feet
CAB-530MT	RS-530 Cable, DTE, Male, 10 Feet
CAB-530MT=	Male DTE RS-530 Cable, 10 foot
CAB-7KCT1DB15	MIP-CT1: DSX1 to CSU DB-15 Thru Cable
CAB-7KCT1DB15=	MIP-CT1: DSX1 to CSU DB-15 Thru Cable
CAB-7KCT1NULL	MIP-CT1: DSX1 to CSU DB-15 Null Cable
CAB-E1-PRI	E1- ISDN PRI Cable, 10 Feet
CAB-E1-PRI=	E1 ISDN PRI CABLE, 10 FOOT
CAB-E1-RJ45TWIN	E1 Cable RJ45 to Twinax (Balanced)
CAB-E1-RJ45TWIN=	E1 Cable RJ45 to Twinax (balanced), Spare
CAB-E1-RJ45BNC	E1 Cable RJ45 to Dual BNC (Unbalanced)
CAB-E1-RJ45BNC=	E1 Cable RJ45 to dual BNC (unbalanced), Spare
CAB-E1-TWINAX	E1 Cable Twinax 120ohm/Balanced, 3 Meters
CAB-E1-TWINAX=	FSIP and MIP-CE1: TWINAX 120ohm/Bal 5m
CAB-E1-DB15	E1 Cable DB15 120 ohm/Balanced, 5 Meters
CAB-E1-DB15=	E1 Cable DB15 120 ohm/Bal 5m
CAB-E1-BNC	E1 Cable BNC 75ohm/Unbal 5m
CAB-E1-BNC=	FSIP and MIP-CE1: BNC 75ohm/Unbal 5 meters
CAB-ETHXOVER=	Ethernet Cross-over Cable
CAB-RPS-2218	RPS 22/18 Load Cable
CAB-RPS-2218=	RPS 22/18 Load Cable
CAB-RPSY-2218	RPS 22/18 Two-to-one DC Power Cable
CAB-RPSY-2218=	RPS 22/18 Two-to-one DC Power Cable
CAB-HSI1	HSSI Cble, Male to Male Conn
CAB-HSI1=	HSSI Cable, Male-to-Male Connectors, 10 Feet
CAB-HNUL	Cabasy,Null Modem, DTE, HSSI
CAB-HNUL=	HSSI Cable, Male-to-Male Null Modem Cable, 10 Feet
CAB-U-RJ45	Red Color Cable for ISDN BRI U, RJ-45, 6 feet
CAB-U-RJ45=	Red Color Cable for ISDN BRI U, RJ-45, 6 feet
CAB-S/T-RJ45	Orange Color Cable for ISDN BRI S/T, RJ-45, 6 feet
CAB-S/T-RJ45=	Orange Color Cable for ISDN BRI S/T, RJ-45, 6 feet
CAB-HD4-232FC	High Density 4-port EIA-232 Cable, Female, DCE
CAB-HD4-232FC=	High Density 4-port EIA-232 Cable, Female, DCE
CAB-HD4-232MT	High Density 4-port EIA-232 Cable, Male, DTE
CAB-HD4-232MT=	High Density 4-port EIA-232 Cable, Male, DTE
CAB-HD8-ASYNC	High Density 8-port EIA-232 Async Cable
CAB-HD8-ASYNC=	High Density 8-port EIA-232 Async Cable

CAB-HD8-KIT	High Density 8-port Async Cable w/ 8 DB-25 Modem Connectors
CAB-HD8-KIT=	High Density 8-port Async Cable w/ 8 DB-25 Modem Connectors
CAB-ACSA=	AC Power Cord South Africa (Spare)
Smart Serial Cables	
CAB-SS-V35MT	V.35 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-V35FC	V.35 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-232MT	RS-232 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-232MT=	RS-232 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-232FC	RS-232 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-232FC=	RS-232 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-449MT	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-449MT=	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-449FC	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-449FC=	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-X21MT	X.21 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-X21MT=	X.21 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-X21FC	X.21 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-X21FC=	X.21 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-530MT	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530MT=	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530AMT	RS-530A Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530AMT=	RS-530A Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-SURGE=	Surge protection cable adapter for Smart Serial Cables
CAB-SS-232FC-EXT=	RS232 with extended control leads
CAB-SS-232MT-EXT=	RS232 Male DTE cable with extended control leads
CAB-SS-449FC-EXT=	RS449 Female DCE cable with extended control leads
CAB-SS-449MT-EXT=	RS449 Male DTE cable with extended control leads
CAB-SS-530AFC-EXT=	RS530A Female DCE cable with extended control leads
CAB-SS-530AMT-EXT=	RS530A Male DTE cable with extended control leads
CAB-SS-530FC-EXT=	RS530 Female DCE cable with extended control leads
CAB-SS-530MT-EXT=	RS530 Male DTE cable with extended control leads
CAB-SS-V35FC-EXT=	V35 Female DCE cable with extended control leads
CAB-SS-V35FT-EXT=	V35 Female DTE cable with extended control leads
CAB-SS-V35MC-EXT=	V35 Male DCE cable with extended control leads
CAB-SS-V35MT-EXT=	V35 Male DTE cable with with extended control leads

Cisco 2801 Series Software Options

280-SW-SPARECD	Cisco 280X Series Software Spare CD
S280AESK9-12404T	Cisco 2801 IOS ADVANCED ENTERPRISE SERVICES
S280AISK9-12404T	Cisco 2801 IOS ADVANCED IP SERVICES
S280ASK9-12404T	Cisco 2801 IOS ADVANCED SECURITY
S280EB-12404T	Cisco 2801 IOS ENTERPRISE BASE W/O CRYPTO
S280EBK9-12404T	Cisco 2801 IOS ENTERPRISE BASE
S280ES-12404T	Cisco 2801 IOS ENTERPRISE SERVICES W/O CRYPTO
S280ESK9-12404T	Cisco 2801 IOS ENTERPRISE SERVICES
S280IPB-12404T	Cisco 2801 IOS IP BASE W/O CRYPTO
S280IPBK9-12404T	Cisco 2801 IOS IP BASE
S280IPV-12404T	Cisco 2801 IOS IP VOICE W/O CRYPTO
S280IPVK9-12404T	Cisco 2801 IOS IP VOICE
S280SPSK9-12404T	Cisco 2801 IOS SP SERVICES
S280UAESK9-12404T	Cisco 2801 IOS AISK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S280UAISK9-12404T	Cisco 2801 IOS SPSK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
S280UASK9A-12404T	Cisco 2801 IOS ASK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S280UASK9B-12404T	Cisco 2801 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
S280UESK9-12404T	Cisco 2801 IOS SPSK9-ESK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NAESK9-12404T	Cisco 2800 ADVANCED ENTERPRISE SERVICES
S28NAISK9-12404T	Cisco 2800 ADVANCED IP SERVICES
S28NASK9-12404T	Cisco 2800 ADVANCED SECURITY
S28NAVSK9-12404T	Cisco 2800 INT VOICE/VIDEO, IPIPGW, TDMIP GW AES
S28NEB-12404T	Cisco 2800 ENTERPRISE BASE W/O CRYPTO
S28NEBK9-12404T	Cisco 2800 ENTERPRISE BASE
S28NES-12404T	Cisco 2800 ENTERPRISE SERVICES W/O CRYPTO
S28NESK9-12404T	Cisco 2800 ENTERPRISE SERVICES
S28NIPB-12404T	Cisco 2800 IP BASE W/O CRYPTO
S28NIPBK9-12404T	Cisco 2800 IP BASE
S28NIPBK9-12404T=	Cisco 2800 IP BASE
S28NIPV-12404T	Cisco 2800 IP VOICE W/O CRYPTO
S28NIPVK9-12404T	Cisco 2800 IP VOICE
S28NIVS-12404T	Cisco 2800 INT VOICE/VIDEO, IPIPGW, TDMIP GW
S28NSNAK9-12404T	Cisco 2800 ADVANCED ENTERPRISE SERVICES WITH SNA SWITCHING
S28NSPSK9-12404T	Cisco 2800 SP SERVICES
S280AESK9-12401	Cisco 2801 IOS ADVANCED ENTERPRISE SERVICES
S280AESK9-12402T	Cisco 2801 IOS ADVANCED ENTERPRISE SERVICES

S280ASK9-12401
S280ASK9-12402T
S280ASK9-12401
S280ASK9-12402T
S280EB-12401
S280EB-12402T
S280EBK9-12402T
S280ES-12402T
S280ESK9-12401
S280ESK9-12402T
S280IPB-12401
S280IPB-12402T
S280IPBK9-12402T
S280IPV-12401
S280IPV-12402T
S280IPVK9-12402T
S280SPSK9-12401
S280SPSK9-12402T
S280UAESK9-12401
S280UAISK9-12401
S280UESK9-12401
S280USPSK9-12401
S280AESK9-12311YK
S280AESK9-12314T
S280ASK9-12311YK
S280ASK9-12314T
S280ASK9-12311YK
S280ASK9-12314T
S280EB-12311YK
S280EB-12314T
S280ESK9-12311YK
S280ESK9-12314T
S280IPB-12311YK
S280IPB-12314T
S280IPV-12311YK
S280IPV-12314T
S280SPSK9-12311YK

Cisco 2801 IOS ADVANCED IP SERVICES
Cisco 2801 IOS ADVANCED IP SERVICES
Cisco 2801 IOS ADVANCED SECURITY
Cisco 2801 IOS ADVANCED SECURITY
Cisco 2801 IOS ENTERPRISE BASE
Cisco 2801 IOS ENTERPRISE BASE W/O CRYPTO
Cisco 2801 IOS ENTERPRISE BASE
Cisco 2801 IOS ENTERPRISE SERVICES W/O CRYPTO
Cisco 2801 IOS ENTERPRISE SERVICES
Cisco 2801 IOS ENTERPRISE SERVICES
Cisco 2801 IOS IP BASE
Cisco 2801 IOS IP BASE W/O CRYPTO
Cisco 2801 IOS IP BASE
Cisco 2801 IOS IP VOICE
Cisco 2801 IOS IP VOICE W/O CRYPTO
Cisco 2801 IOS IP VOICE
Cisco 2801 IOS SP SERVICES
Cisco 2801 IOS SP SERVICES
Cisco 2801 IOS AISK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2801 IOS SPSK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2801 IOS SPSK9-ESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2801 IOS SPSK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2801 IOS ADVANCED ENTERPRISE SERVICES
Cisco 2801 IOS ADVANCED ENTERPRISE SERVICES
Cisco 2801 IOS ADVANCED IP SERVICES
Cisco 2801 IOS ADVANCED IP SERVICES
Cisco 2801 IOS ADVANCED SECURITY
Cisco 2801 IOS ADVANCED SECURITY
Cisco 2801 IOS ENTERPRISE BASE W/O CRYPTO
Cisco 2801 IOS ENTERPRISE BASE
Cisco 2801 IOS ENTERPRISE SERVICES
Cisco 2801 IOS ENTERPRISE SERVICES
Cisco 2801 IOS IP BASE
Cisco 2801 IOS IP BASE
Cisco 2801 IOS IP VOICE W/O CRYPTO
Cisco 2801 IOS IP VOICE
Cisco 2801 IOS SP SERVICES

S280SPSK9-12314T
 S280AESK9-12311T
 S280AESK9-12314YT
 S280AISK9-12311T
 S280AISK9-12314YT
 S280ASK9-12311T
 S280ASK9-12314YT
 S280EB-12311T
 S280EB-12314YT
 S280ESK9-12311T
 S280ESK9-12314YT
 S280IPB-12311T
 S280IPB-12314YT
 S280IPV-12311T
 S280SPSK9-12311T
 S280AESK9-12308T
 S280AISK9-12308T
 S280ASK9-12308T
 S280EB-12308T
 S280ESK9-12308T
 S280IPB-12308T
 S280IPV-12308T
 S280IPV-12314YT
 S280SPSK9-12308T
 S280SPSK9-12314YT

Cisco 2811, 2821, 2851 Series Software Options

28N-SW-SPARECD
 S28NAESK9-12401
 S28NAISK9-12401
 S28NASK9-12401
 S28NAVSK9-12401
 S28NEB-12401
 S28NEBK9-12401
 S28NES-12401
 S28NESK9-12401
 S28NIPB-12401
 S28NIPB-12401=

Cisco 2801 IOS SP SERVICES
 Cisco 2801 IOS ADVANCED ENTERPRISE SERVICES
 Cisco 2801 IOS ADVANCED ENTERPRISE SERVICES
 Cisco 2801 IOS ADVANCED IP SERVICES
 Cisco 2801 IOS ADVANCED IP SERVICES
 Cisco 2801 IOS ADVANCED SECURITY
 Cisco 2801 IOS ADVANCED SECURITY
 Cisco 2801 IOS ENTERPRISE BASE
 Cisco 2801 IOS ENTERPRISE BASE W/O CRYPTO
 Cisco 2801 IOS ENTERPRISE SERVICES
 Cisco 2801 IOS ENTERPRISE SERVICES
 Cisco 2801 IOS IP BASE
 Cisco 2801 IOS IP BASE
 Cisco 2801 IOS IP VOICE
 Cisco 2801 IOS SP SERVICES
 Cisco 2801 IOS ADVANCED ENTERPRISE SERVICES
 Cisco 2801 IOS ADVANCED IP SERVICES
 Cisco 2801 IOS ADVANCED SECURITY
 Cisco 2801 IOS ENTERPRISE BASE
 Cisco 2801 IOS ENTERPRISE SERVICES
 Cisco 2801 IOS IP BASE
 Cisco 2801 IOS IP VOICE
 Cisco 2801 IOS IP VOICE W/O CRYPTO
 Cisco 2801 IOS SP SERVICES
 Cisco 2801 IOS SP SERVICES

Cisco 28N Series Software Spare CD
 Cisco 2800 IOS ADVANCED ENTERPRISE SERVICES
 Cisco 2800 IOS ADVANCED IP SERVICES
 Cisco 2800 IOS ADVANCED SECURITY
 Cisco 2800 IOS INT VOICE/VIDEO GK, IPIPGW, TDMIP GW AES
 Cisco 2800 IOS ENTERPRISE BASE W/O CRYPTO
 Cisco 2800 IOS ENTERPRISE BASE
 Cisco 2800 IOS ENTERPRISE SERVICES W/O CRYPTO
 Cisco 2800 IOS ENTERPRISE SERVICES
 Cisco 2800 IOS IP BASE W/O CRYPTO
 Cisco 2800 IOS IP BASE W/O CRYPTO

S28NIPBK9-12401
S28NIPBK9-12401=
S28NIPV-12401
S28NIPVK9-12401
S28NIVS-12401
S28NSNAK9-12401
S28NSPSK9-12401
S28NUAASK9-12401
S28NUAISK9-12403
S28NUASK9A-12401
S28NUASK9B-12401
S28NUESK9-12403
S28NAESK9-12314T
S28NAISK9-12314T
S28NASK9-12314T
S28NAVSK9-12314T
S28NEB-12314T
S28NESK9-12314T
S28NIPB-12314T
S28NIPV-12314T
S28NIVS-12314T
S28NSNAK9-12314T
S28NSPSK9-12314T
S28NAESK9-12311T
S28NAISK9-12311T
S28NASK9-12311T
S28NAVSK9-12311T
S28NEB-12311T
S28NESK9-12311T
S28NIPB-12311T
S28NIPB-12311T=
S28NIPV-12311T
S28NIVS-12311T
S28NSNAK9-12311T
S28NSPSK9-12311T
S28NUAASK9-12311T
S28NUAISK9-12311T

Cisco 2800 IOS IP BASE
Cisco 2800 IOS IP BASE
Cisco 2800 IOS IP VOICE W/O CRYPTO
Cisco 2800 IOS IP VOICE
Cisco 2800 IOS INT VOICE/VIDEO GK, IPIP GW, TDMIP GW
Cisco 2800 ADVANCED ENTERPRISE SERVICES WITH SNA SWITCHING
Cisco 2800 IOS SP SERVICES
Cisco 2800 IOS AISK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2800 SPSK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2800 IOS ASK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2800 SPSK9-ESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2800 IOS ADVANCED ENTERPRISE SERVICES
Cisco 2800 IOS ADVANCED IP SERVICES
Cisco 2800 IOS ADVANCED SECURITY
Cisco 2800 IOS INT VOICE/VIDEO GK, IPIPGW, TDMIP GW AES
Cisco 2800 IOS ENTERPRISE BASE
Cisco 2800 IOS ENTERPRISE SERVICES
Cisco 2800 IOS IP BASE
Cisco 2800 IOS IP VOICE
Cisco 2800 IOS INT VOICE/VIDEO GK, IPIP GW, TDMIP GW
Cisco 2800 IOS ADV ENTERPRISE SERVICES WITH SNA SWITCHING
Cisco 2800 IOS SP SERVICES
Cisco 2800 IOS ADVANCED ENTERPRISE SERVICES
Cisco 2800 IOS ADVANCED IP SERVICES
Cisco 2800 IOS ADVANCED SECURITY
Cisco 2800 IOS INT VOICE/VIDEO: GK, IPIPGW, TDMIP GW AES
Cisco 2800 IOS ENTERPRISE BASE
Cisco 2800 IOS ENTERPRISE SERVICES
Cisco 2800 IOS IP BASE
Cisco 2800 IOS IP BASE
Cisco 2800 IOS IP VOICE
Cisco 2800 IOS INT VOICE/VIDEO: GK, IPIP GW, TDMIP GW
Cisco 2800 IOS ADVANCED ENT SERVICES WITH SNA SWITCHING
Cisco 2800 IOS SP SERVICES
Cisco 2800 IOS AISK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2800 IOS SPSK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES

S28NUESK9-12311T	Cisco 2800 IOS SPSK9-ESK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NUSPSK9-12311T	Cisco 2800 IOS SPSK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NAESK9-12308T	Cisco 2800 IOS ADVANCED ENTERPRISE SERVICES
S28NAISK9-12308T	Cisco 2800 IOS ADVANCED IP SERVICES
S28NASK9-12308T	Cisco 2800 IOS ADVANCED SECURITY
S28NEB-12308T	Cisco 2800 IOS ENTERPRISE BASE
S28NESK9-12308T	Cisco 2800 IOS ENTERPRISE SERVICES
S28NIPB-12308T	Cisco 2800 IOS IP BASE
S28NIPB-12308T=	Cisco 2800 IOS IP BASE
S28NIPV-12308T	Cisco 2800 IOS IP VOICE
S28NSPSK9-12308T	Cisco 2800 IOS SP SERVICES
Cisco 2801 Series IOS Upgrade Options For Bundles	
S280UAESK9-12311T	Cisco 2801 IOS AISK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S280UAISK9-12311T	Cisco 2801 IOS SPSK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
S280UASK9B-12311T	Cisco 2801 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
S280UESK9-12311T	Cisco 2801 IOS SPSK9-ESK9 FEAT SET FACTORY UPG FOR BUNDLES
S280USPSK9-12311T	Cisco 2801 IOS SPSK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2811, 2821, 2851 IOS Upgrade Options For Bundles	
S28NUAISK9-12308T	Cisco 2800 IOS SPSK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NUESK9-12308T	Cisco 2800 IOS SPSK9-ESK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NUSPSK9-12308T	Cisco 2800 IOS SPSK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NUASK9A-12308T	Cisco 2800 IOS ASK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NUASK9B-12308T	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NUAESK9-12308T	Cisco 2800 IOS AISK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NUAESK9-12311T	Cisco 2800 IOS AISK9-AESK9 FEAT SET FACTORY UPG FOR BUNDLES
S28NUESK9-12311T	Cisco 2800 IOS SPSK9-ESK9 FEAT SET FACTORY UPG FOR BUNDLES
Cisco 2800 Series IOS Upgrade Licenses	
FL28-AISK9-AESK9=	Cisco 2800 Ser Adv IP Services to Adv Ent Services Upgrade
FL28-ASK9-AISK9=	Cisco 2800 Ser Adv. Security to Adv. IP Serv. upgrade
FL28-EB-ESK9=	Cisco 2800 Ser Ent Base to Ent Services Upgrade
FL28-ESK9-AESK9=	Cisco 2800 Ser Ent Services to Adv Ent Services Upgrade
FL28-IPV-SPSK9=	Cisco 2800 Ser IP Voice to SP Services Upgrade
FL28-SPSK9-ESK9=	Cisco 2800 Ser SP Services to Ent Services Upgrade
FL28-SPSK9-AISK9=	Cisco 2800 Ser SP Services to Adv IP Services Upgrade
FL28-IPB-ASK9=	Cisco 2800 Series IP Base to Advanced Security upgrade
FL28-IPB-EB=	Cisco 2800 Series IP Base to Enterprise Base upgrade
FL28-IPB-IPV=	Cisco 2800 Series IP Base to IP Voice upgrade

FL28-R1=	Adv Ent Serv to Adv Ent Serv +SNA switching upgrade lic
FL28-CB=	Corvil Bandwidth Feature License for 2800 Series
Cisco 2801 Software CD Feature Packs	
CD28-AESK9=	CISCO 2801 ADVANCED ENTERPRISE SERVICES Feature Pack
CD28-AISK9=	CISCO 2801 ADVANCED IP SERVICES Feature Pack
CD28-ASK9=	CISCO 2801 ADVANCED SECURITY Feature Pack
CD28-EB=	CISCO 2801 ENTERPRISE BASE Feature Pack
CD28-ESK9=	CISCO 2801 ENTERPRISE SERVICES Feature Pack
CD28-IPB=	CISCO 2801 IP BASE Feature Pack
CD28-IPV=	CISCO 2801 IP Voice Feature Pack
CD28-SPSK9=	CISCO 2801 SP SERVICES Feature Pack
Cisco 2811, 2821, 2851 Software CD Feature Packs	
CD28N-AESK9=	CISCO 2800 ADVANCED ENTERPRISE SERVICES Feature Pack
CD28N-AISK9=	CISCO 2800 ADVANCED IP SERVICES Feature Pack
CD28N-ASK9=	CISCO 2800 ADVANCED SECURITY Feature Pack
CD28N-EB=	CISCO 2800 ENTERPRISE BASE Feature Pack
CD28N-ESK9=	CISCO 2800 ENTERPRISE SERVICES Feature Pack
CD28N-IPB=	CISCO 2800 IP BASE Feature Pack
CD28N-IPV=	CISCO 2800 IP Voice Feature Pack
CD28N-SPSK9=	CISCO 2800 SP SERVICES Feature Pack
CD28N-SNAK9=	CISCO 2800 ADV.D ENT. SERVICES w/SNA SWITCH Feature Pack
Unity Express for Cisco 2800 Series	
NM-CUE	Cisco Unity Express Network Module (includes SCUE-12-VM)
NM-CUE=	Cisco Unity Express Network Module
NM-CUE-EC	Cisco Unity Express Network Module Enhanced Capacity
NM-CUE-EC=	Cisco Unity Express Network Module Enhanced Capacity
AIM-CUE	Unity Express AIM -price includes 12 mailbox
AIM-CUE=	Unity Express AIM -price includes 12 mailbox
AIM-CUE-1GBCF=	Cisco Unity Express - 1GB Compact Flash
SCUE-1.1	Cisco Unity Express base release
SCUE-2.0	Cisco Unity Express base release
CUE-CDSET=	Cisco Unity Express - CD includes CUE Editor
SCUE-LIC-12CCM	Unity Express License 12 Voice Mailbox-Auto Attendant -CCM
SCUE-LIC-12CCM=	Unity Express License 12 Voice Mailbox-Auto Attendant -CCM
SCUE-LIC-12CME	Unity Express License 12 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-12CME=	Unity Express License 12 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-25CCM	Unity Express License 25 Voice Mailbox-Auto Attendant -CCM

SCUE-LIC-25CCM=	Unity Express License 25 Voice Mailbox-Auto Attendant -CCM
SCUE-LIC-25CME	Unity Express License 25 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-25CME=	Unity Express License 25 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-50CCM	Unity Express License 50 Voice Mailbox-Auto Attendant -CCM
SCUE-LIC-50CCM=	Unity Express License 50 Voice Mailbox-Auto Attendant -CCM
SCUE-LIC-50CME	Unity Express License 50 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-50CME=	Unity Express License 50 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-100CCM	Unity Express License 100 Voice Mailbox-Auto Attendant -CCM
SCUE-LIC-100CCM=	Unity Express License 100 Voice Mailbox-Auto Attendant -CCM
SCUE-LIC-100CME	Unity Express License 100 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-100CME=	Unity Express License 100 Voice Mailbox-Auto Attendant-CCME
CUE-LANG-ENG	Cisco Unity Express - North American English
CUE-LANG-ESP	Cisco Unity Express - European Spanish Language Option
CUE-LANG-DEU	Cisco Unity Express - German Language Option
CUE-LANG-FRA	Cisco Unity Express - European French Language Option
Cisco 2800 Content Networking Software, Licenses, & Options	
SF-NM-RCPS-8.0	Combined Real System V8 Proxy and Subscriber for NM-CE-BP
SF-NM-RCPS-8.0=	Combined Real System V8 Proxy and Subscriber for NM-CE-BP
SF-NM-WMS-1.1=	Microsoft Windows Media Server V4 for NM-CE-BP
SF-ACNS-5.3-SC-K9	ACNS Software v5.3 (SCSI)
SF-ACNS-5.2-K9	ACNS Software, version 5.2, option
SF-ACNS-5.1-K9	Application and Content Networking System Software v5.1
SF-ACNS-5.1-SC-K9	Application and Content Networking System Software v5.1-SCSI
SF-WMS-56	56 Mbs Windows Media License for CE-507/510, NM-CE
SF-WMS-56=	56 Mbs Windows Media License for CE-507/510, NM-CE
SF-CE-510-TL-5.0	Multicast Client for ACNS 5 on CE-510-K9 CE-507-K9 NM-CE-BP
SF-CE-510-TL-5.0=	Multicast Client for ACNS 5 on CE-510-K9 CE-507-K9 NM-CE-BP
EM-CE-40G=	Expansion Module for NM-CE-BP - 40GB Drive
EM-CE-80G=	Expansion Module for NM-CE
MEM-CE-256D=	256MB DRAM Field Upgrade for NM-CE-BP
Cisco 2800 Gateway Feature Licenses	
FL-INTVVSrv-2811	Cisco 2811 Integrated VoiceVideo License: Gatekeeper IPIP GW
FL-INTVVSrv-2811=	Cisco 2811 Integrated VoiceVideo License: Gatekeeper IPIP GW
FL-INTVVSrv-2821	Cisco 2821 Integrated VoiceVideo License: Gatekeeper IPIP GW
FL-INTVVSrv-2821=	Cisco 2821 Integrated VoiceVideo License: Gatekeeper IPIP GW
FL-INTVVSrv-2851	Cisco 2851 Integrated VoiceVideo License: Gatekeeper IPIP GW
FL-INTVVSrv-2851=	Cisco 2851 Integrated VoiceVideo License: Gatekeeper IPIP GW

IP Mobility Gateway Feature Licenses	
FL-IPMOBGW-100=	IP Mobility Gateway Feature Set - up to 100 Users
FL-IPMOBGW-500=	IP Mobility Gateway Feature Set - up to 500 Users
FL-IPMOBGW-1000=	IP Mobility Gateway Feature Set - up to 1000 Users
Cisco 2800 Series - 802.11 b/g Antennae Options-Spares	
AIR-ANT4941	2.4 GHz,2.2 dBi Dipole Antenna w/ RP-TNC Connect. Qty. 1
AIR-ANT5959	2.4 GHz ,2 dBi Divers. Omni Ceiling Ant. w/ RP-TNC Connect.
Cisco 2800 Series - 802.11 a/g Antennae Options-Spares	
AIR-ANTM2050D-R=	2.2dBi/2.4Ghz,5.0dBi/5GHz DualBand Dipole Antenna
AIR-ANTM4050V-R=	4.0dBi/2.4Ghz,5.0 dBi/5GHz Dual Band Ceiling Mount Antenna
AIR-ANTM5560P-R=	5.5 dBi/2.4Ghz,6.0 dBi/5GHz Dual Band Wall Mount Antenna
Cisco 800 Series Chassis	
CISCO801	ISDN/Ethernet Router
CISCO801-1CAPI	ISDN/Ethernet Router with one-user CAPI
CISCO801-20PK	ISDN/Ethernet Router
CISCO803	ISDN BRI/ETHERNET ROUTER, 4PORT HUB, 2 POTS
CISCO803-1CAPI	ISDN Ethernet Router with 1 user CAPI
CISCO803-20PK	ISDN/Ethernet Router,4 port hub 2 POTS
CISCO805	Cisco 805 Ethernet/Serial Router
CISCO805-20PK-232	CISCO805 with RS232 Network Cable
CISCO828	Cisco 828 G.SHDSL Router 1E, 1G.SHDSL
CISCO831-K9-64	Cisco 831 Ethernet Router-64MB
CISCO831-SDM-K9-64	Cisco 831 Ethernet Router with SDM-64MB
CISCO836-K9-64	Cisco 836 ADSL over ISDN Router-64MB
CISCO836-SDM-K9-64	Cisco 836 ADSL-over-ISDN Router with SDM-64MB
CISCO836-SI-K9-64	Cisco 836 Security Bundle w/ PLUS ISDN bkup-64MB
CISCO836-S-K9-64	Cisco 836 Security Bundle with PLUS feature set-64MB
CISCO837-K9-64	Cisco 837 ADSL Router-64MB
CISCO837-SDM-K9-64	Cisco 837 ADSL Router with SDM-64MB
CISCO837-S-K9-64	Cisco 837 Security Bundle with PLUS feature set-64MB
Cisco 800 Series Software	
S831CHPK9-12308T=	Cisco 831 Series IOS IP/FW/PLUS 3DES
S837CHPK9-12308T=	Cisco 837 Series IOS IP/FW/PLUS 3DES
S8C-12306=	Cisco 800 Series IOS IP
S8CHK9-12306=	Cisco 800 Series IOS IP/FW PLUS IPSEC 3DES
S8CP-12303=	Cisco 800 Series IOS IP PLUS
Cisco 800 Series Memory	

MEM800-4D=	CISCO 800 series 4MB DRAM DIMM
MEM800-8D=	CISCO 800 series 8MB DRAM DIMM
MEM800-8F=	CISCO series 8MB FLASH MINI-CARD
Cisco 800 Series Accessories	
PWR-800-WW1=	Cisco 800 Universal, External AC Power Supply Spare
PWR-806-WW1=	Cisco 806 External AC Power Supply
PWR-830-WW1=	Cisco 830 series external AC power supply spare
Cisco 830 Series Options & Spares-	
MEM830-16D=	Cisco 830 Series 16MB SDRAM Spare
MEM830-16F=	Cisco 830 Series 16MB Flash spare
Cisco 850 Series Products-	
CISCO851-K9	Ethernet SOHO Security Router
CISCO851W-G-E-K9	Dual E Security Router with 802.11g ETSI Compliant
CISCO857-K9	ADSL SOHO Security Router
CISCO857W-G-E-K9	ADSL SOHO Security Router with 802.11g
Cisco 870 Series Products-	
CISCO871-K9	Dual Ethernet Security Router
CISCO871-SEC-K9	Cisco 871 Security Bundle with Advanced IP Services
CISCO871W-G-E-K9	Dual E Security Router with 802.11g ETSI Compliant
CISCO876-K9	ADSLoISDN Security Router
CISCO876W-G-E-K9	ADSLoISDN Security Router w/wireless 802.11g ETSI compliant
CISCO876-SEC-K9	Cisco 876 Security Bundle with Advanced IP Services
CISCO876-SEC-I-K9	Cisco 876 Security Bundle with Advanced Enterprise features
CISCO877-K9	ADSL Security Router
CISCO877-SEC-K9	Cisco 877 Security Bundle with Advanced IP Services
CISCO877W-G-E-K9	ADSL Security Router with wireless 802.11g ETSI compliant
CISCO878-K9	G.SHDSL Security Router
CISCO878-SEC-K9	Cisco 878 Security Bundle with Plus Feature Set
CISCO878W-G-E-K9	G.SHDSL Security Router with wireless 802.11g ETSI compliant
MEM870-64D=	Cisco 870 Series 64MB SDRAM Spare
MEM870-128D=	Cisco 870 Series 128MB DRAM Spare
MEM870-8F=	Cisco 870 Series 8MB Flash spare
MEM870-16F=	Cisco 830 Series 16MB Flash spare
MEM870-32F=	Cisco 830 Series 32MB Flash spare
Plus Applicable Modules 1800/2800 router	

Security

Cisco PIX Security Appliance Bundles

PIX-501-50-BUN-K9	PIX 501-50 3DES/AES Bundle (Chassis, SW, 50 Users, 3DES/AES)
PIX-501-BUN-K9	PIX 501-10 3DES/AES Bundle (Chassis, SW, 10 Users, 3DES/AES)
PIX-501-UL-BUN-K9	PIX 501-UL Bundle (Chassis, SW, Unlimited Users, 3DES/AES)
Cisco PIX Security Appliance Chassis	
PIX-501	PIX 501 Chassis (Chassis, Software, 1 FE+4 FE Port Switch)
Cisco PIX Security Appliance Software	
SF-PIX-501-6.3	PIX v6.3 Software for the PIX 501 Chassis
SF-PIX-501-6.2	PIX v6.2 Software for the PIX 501 Chassis
SF-PIX501-6.2-EAL4	PIX v6.2(2) Software, EAL4 evaluated, for PIX 501 Chassis
Cisco PIX Security Appliance Platform Licenses	
PIX-501-SW-10	PIX 501 10 User software license
PIX-501-SW-50	PIX 501 50 User software license
PIX-501-SW-UL	PIX 501 Unlimited User (UL) software license
PIX-501-SW-10-50=	PIX 501 10-to-50 user upgrade software license
PIX-501-SW-10-UL=	PIX 501 10-to-unlimited user upgrade software license
PIX-501-SW-50-UL=	PIX 501 50-to-unlimited user upgrade software license
Cisco PIX Security Appliance Encryption Licenses	
PIX-501-VPN-3DES	PIX 501 3DES/AES VPN/SSH/SSL encryption license
Cisco PIX Security Appliance Spares and Accessories	
PIX-501-PWR-AC=	PIX 501 spare AC power supply
Cisco PIX Security Appliance Relicensing for Used Equipment	
LL-PIX-501-3DES	PIX 501 168-bit 3DES IPSec Software License
LL-PIX-501-SW-10	PIX 501 10 User Platform License
LL-PIX-501-SW-50	PIX 501 50 User Platform License
Cisco ASA 5510 Series Adaptive Security Appliances	
ASA5510-K8	ASA 5510 Appliance w/ SW, 50 VPN Peers, 3 FE, DES
ASA5510-DC-K8	ASA 5510 Appliance w/ DC Pwr, SW, 50 VPN Peers, 3 FE, DES
ASA5510-BUN-K9	ASA 5510 Appliance w/ SW, 50 VPN Peers, 3 FE, 3DES/AES
ASA5510-AIP10-K9	ASA 5510 Appl. w/ AIP-SSM-10, SW, 50 VPN Prs, 3 FE, 3DES/AES
ASA5510-SEC-BUN-K9	ASA 5510 Sec Plus Appl w/ SW, 150 VPN Peers, 5 FE, 3DES/AES
Cisco ASA 5520 Series Adaptive Security Appliances	
ASA5520-K8	ASA 5520 Appliance w/ SW, 300 VPN Peers, 4 GE + 1 FE, DES
ASA5520-DC-K8	ASA 5520 Appliance w/ DC Pwr, SW, 300 VPN Prs, 4GE + 1FE,DES
ASA5520-BUN-K9	ASA 5520 Appliance w/ SW, 300 VPN Peers, 4GE + 1FE, 3DES/AES
ASA5520-AIP10-K9	ASA 5520 Appl w/ AIP-SSM-10, SW,300 VPN Prs,4GE+1FE,3DES/AES
ASA5520-AIP20-K9	ASA 5520 Appl w/ AIP-SSM-20, SW,300 VPN Prs,4GE+1FE,3DES/AES
Cisco ASA 5540 Series Adaptive Security Appliances	

ASA5540-K8	ASA 5540 Appliance w/ SW, 500 VPN Peers, 4 GE + 1 FE, DES
ASA5540-DC-K8	ASA 5540 Appliance w/ DC Pwr, SW, 500 VPN Prs, 4GE + 1FE,DES
ASA5540-BUN-K9	ASA 5540 Appliance w/ SW, 500 VPN Peers, 4GE + 1FE, 3DES/AES
ASA5540-AIP20-K9	ASA 5540 Appl w/ AIP-SSM-20,SW, 500 VPN Prs,4GE+1FE,3DES/AES
Cisco ASA 5510 Series Platform License	
ASA5510-SEC-PL	ASA 5510 Security Plus License with 150 VPN peers, HA, VLAN
ASA5510-SEC-PL=	ASA 5510 Security Plus License with 150 VPN peers, HA, VLAN
Cisco ASA 5500 Series Security Services Modules	
ASA-SSM-AIP-10-K9	ASA AIP Security Service Module-10
ASA-SSM-AIP-10-K9=	ASA AIP Security Service Module-10
ASA-SSM-AIP-20-K9	ASA AIP Security Service Module-20
ASA-SSM-AIP-20-K9=	ASA AIP Security Service Module-20
Cisco ASA 5500 Series Security Context Feature Licenses	
ASA5500-SC-5	ASA 5500 5 Security Contexts License
ASA5500-SC-5=	ASA 5500 5 Security Contexts License
ASA5500-SC-10	ASA 5500 10 Security Contexts License
ASA5500-SC-10=	ASA 5500 10 Security Contexts License
ASA5500-SC-20	ASA 5500 20 Security Contexts License
ASA5500-SC-20=	ASA 5500 20 Security Contexts License
ASA5500-SC-50	ASA 5500 50 Security Contexts License
ASA5500-SC-50=	ASA 5500 50 Security Contexts License
ASA5500-SC-5-10=	ASA 5500 5 to 10 Security Context License Upgrade
ASA5500-SC-10-20=	ASA 5500 10 to 20 Security Context License Upgrade
ASA5500-SC-20-50=	ASA 5500 20 to 50 Security Context License Upgrade
Cisco ASA 5500 Series VPN Feature Licenses	
ASA5500-VPN-BASE	ASA 5500 VPN Base License
ASA5520-VPN-PL	ASA 5520 VPN Plus 750 Peer License
ASA5520-VPN-PL=	ASA 5520 VPN Plus 750 Peer License
ASA5540-VPN-PL	ASA 5540 VPN Plus 2000 Peer License
ASA5540-VPN-PL=	ASA 5540 VPN Plus 2000 Peer License
ASA5540-VPN-PR	ASA 5540 VPN Premium 5000 Peer License
ASA5540-VPN-PR=	ASA 5540 VPN Premium 5000 Peer License
ASA5540-VPN-PL-PR=	ASA 5540 VPN Plus-to-Premium 5000 Peer License Upgrade
Cisco ASA 5500 Series GTP Feature License	
ASA5500-GTP	ASA 5500 GTP/GPRS Inspection License
ASA5500-GTP=	ASA 5500 GTP/GPRS Inspection License
Cisco ASA 5500 Series Software	

SF-ASA-7.0-K8	ASA 5500 Series Software v7.0
SF-ASA-AIP-5.0-K9	ASA 5500 Series AIP Software 5.0 for Security Service Module
ASA-SW-UPGRADE=	ASA 5500 Series one-time software upgrade for non-SMARTnet
Cisco ASA 5500 Series Encryption Licenses	
ASA5500-ENCR-K8	ASA 5500 Base Encryption Level (DES)
ASA5500-ENCR-K9	ASA 5500 Strong Encryption License (3DES/AES)
Cisco ASA 5500 Series Accessories	
ASA5500-CF-512MB=	ASA 5500 Series Compact Flash, 512MB
ASA5500-HW=	ASA 5500 Hardware Accessory Kit (Rack Mounts, Cables)
ASA-180W-PWR-AC=	ASA 180W AC Power Supply
ASA5500-CF-256MB=	ASA 5500 Series Compact Flash, 256MB
Cisco PIX Security Appliance Bundles	
PIX-506E-BUN-K9	PIX 506E 3DES/AES Bundle (Chassis, SW, 2 FE Ports, 3DES/AES)
Cisco PIX Security Appliance Chassis	
PIX-506E	PIX 506E Chassis (Chassis, Software, 2 FE Ports)
Cisco PIX Security Appliance Software	
SF-PIX-506-6.3	PIX v6.3 Software for the PIX 506E Chassis
SF-PIX-506-6.2	PIX v6.2 Software for the PIX 506E Chassis
SF-PIX506-6.2-EAL4	PIX v6.2(2) Software, EAL4 evaluated, for PIX 506E Chassis
Cisco PIX Security Appliance Encryption Licenses	
PIX-506-SW-3DES	PIX 506E 3DES/AES VPN/SSH/SSL encryption license
Cisco PIX Security Appliance Spares and Accessories	
PIX-506-PWR-AC=	PIX 506 spare AC power supply
PIX-506E-PWR-AC=	PIX 506E spare AC power supply
Cisco PIX Security Appliance Bundles	
PIX-515E-AA-FE-BUN	PIX 515E FO-AA Bundle (SW, Act/Act FO License, VAC+, 6 FE)
PIX-515E-DC-FO-BUN	PIX 515E-FO DC Bundle (Chas, Failover SW, 128MB, 2 FE, VAC+)
PIX-515E-DC-R-BUN	PIX 515E-R DC Bundle (Chas, Restricted SW, 64MB, 2 FE Ports)
PIX-515E-DC-UR-BUN	PIX 515E-UR DC Bundle (Chas,Unrestricted SW,128MB,2 FE,VAC+)
PIX-515E-FO-BUN	PIX 515E-FO Bundle (Chas, Failover SW, 128MB, 2 FE, VAC+)
PIX-515E-FO-FE-BUN	PIX 515E-FO-FE Bundle (Chas, Failover SW, 128MB, 6 FE,VAC+)
PIX-515E-R-BUN	PIX 515E-R Bundle (Chas, Restricted SW, 64MB, 2 FE Ports)
PIX-515E-R-DMZ-BUN	PIX 515E-DMZ Bundle (Chas, Restricted SW, 64MB, 3 FE Ports)
PIX515E-DMZ-CSA-K9	Cisco Security Starter Bundle PIX 515E-R-DMZ, CSA, VMS Basic
PIX-515E-UR-BUN	PIX 515E-UR Bundle (Chas, Unrestricted SW, 128MB, 2 FE,VAC+)
PIX-515E-UR-FE-BUN	PIX 515E-UR-FE Bundle (Chas,Unrestricted SW,128MB,6 FE,VAC+)
Cisco PIX Security Appliance Chassis	

PIX-515E	PIX 515E Chassis (Chassis, Software, 2 FE Ports)
PIX-515E-DC	PIX 515E DC Chassis (Chassis, Software, 2 FE Ports)
Cisco PIX Security Appliance Software	
SF-PIX-515-6.3	PIX v6.3 Software for the PIX 515E Chassis
SF-PIX-515-7.0	PIX OS 7.0 for the PIX 515E Chassis
Cisco PIX Security Appliance Platform Licenses	
PIX-515-SW-FO	PIX 515E Failover (FO) feature license
PIX-515-SW-FO-AA	PIX 515/515E Failover to FO-Active/Active License
PIX-515-SW-FO-AA=	PIX 515/515E Failover to FO-Active/Active License
PIX-515R-SW	PIX 515E Restricted (R) feature license
PIX-515UR-SW	PIX 515E Unrestricted (UR) feature license
PIX-515-SW-FO-R=	PIX 515/515E Failover-to-Restricted (FO-to-R) license upg.
PIX-515-SW-FO-UR=	PIX 515/515E Failover-to-Unrestricted (FO-to-UR) license upg
PIX-515-SW-R-UR=	515/515E R to UR License Upgrade (includes VAC PLUS, 128MB R
Cisco PIX Security Appliance Encryption Licenses	
PIX-515-VPN-3DES	PIX 515E 3DES/AES VPN/SSH/SSL encryption license
Cisco PIX Security Appliance Memory Upgrades	
PIX-515-MEM-64	PIX 515/515E 64 MB Memory Upgrade
PIX-515-MEM-32	PIX 515/515E 32MB RAM memory upgrade (UR only)
PIX-515-MEM-32=	PIX 515/515E with R License; 32 to 64 MB Memory Upgrade
PIX-515-MEM-128=	PIX 515/515E with UR/FO License; 64 to 128 MB Memory Upgrade
Cisco PIX Security Appliance Spares and Accessories	
PIX-515-HW=	PIX 515/515E rack mounts, console cable, failover cable
PIX-515-PWR-AC=	PIX 515/515E spare AC power supply
Cisco PIX Security Appliance Relicensing for Used Equipment	
LL-PIX-515-SW-FO	PIX 515/515E Failover Platform License
LL-PIX-515-SW-R	PIX 515/515E Restricted Platform License
LL-PIX-515-SW-UR	PIX 515/515E Unrestricted Platform License
Wireless	
Cisco Aironet Antenna	
AIR-ANT1728	2.4 GHz, 5.2 dBi Ceiling Omni Ant. w/RP-TNC Connector
AIR-ANT1729	2.4 GHz, 6 dBi Patch Ant w/RP-TNC Connector
AIR-ANT1949	2.4 GHz, 13.5 dBi Yagi Mast Mount Ant. w/ RP-TNC Connector
AIR-ANT2012	2.4 GHz, 6.5 dBi Diversity Patch Ant w/RP-TNC Connector
AIR-ANT2506	2.4 GHz, 5.2 dBi Mast Mount Omni Ant w/RP-TNC Connector
AIR-ANT3213	2.4 GHz, 5.2 dBi Divers. Pillar Omni Ant. w/RP-TNC Con.
AIR-ANT3338	2.4 GHz, 21 dBi Solid Dish Antenna w/RP-TNC Connector

AIR-ANT3351	2.4 GHz, 2.2 dBi Divers. Dipole Ant. base w/MMCX Connectors
AIR-ANT3549	2.4 GHz, 9 dBi Patch Antenna w/ RP-TNC Connector
AIR-ANT4941	2.4 GHz,2.2 dBi Dipole Antenna w/ RP-TNC Connect. Qty. 1
AIR-ANT5959	2.4 GHz ,2 dBi Divers. Omni Ceiling Ant. w/ RP-TNC Connect.
AIR-ANT2410Y-R	2.4 GHz,10 dBi Yagi with RP-TNC Connector
AIR-ANT24120	2.4 GHz,12 dBi Omni Mast Mt. Antenna w/RP-TNC Connector
AIR-ANT2414S-R	2.4 GHz, 14 dBi Sector Antenna w/RP-TNC Connector
AIR-ANT5135D-R	5GHz 3.5dBi Dipole Antenna w/RP-TNC connector
AIR-ANT5145V-R	5 GHz 4.5dBi Diversity Omni w/RP-TNC connector
AIR-ANT5160V-R	5GHz 6dBi Omni Antenna w/RP-TNC connector
1200 Series Access Point-	
AIR-AP1231G-A-K9	802.11g IOS AP w/Avail CBus Slot, FCC Cnfg
AIR-AP1231G-E-K9	802.11g IOS AP w/Avail CBus Slot, ETSI Cnfg
AIR-AP1232AG-E-K9	802.11a/g dual radio IOS AP, ETSI cfg
AIR-LAP1232AG-E-K9	802.11ag Modular LWAPP AP Dual 2.4, 5GHz RP-TNC ETSI Cnfg
AIR-LAP1242AG-E-K9	802.11ag LWAPP AP Dual 2.4,5GHz RP-TNC ETSI Cnfg
1100 Series Access Points-	
AIR-AP1121G-A-K9	802.11g AP, Single MPC1 Radio, Int Ant, FCC Cnfg
AIR-AP1121G-E-K9	802.11g AP, Single MPC1 Radio, Int Ant, ETSI Cnfg
AIR-AP1131AG-E-K9	802.11a, .11g AP, Int Radios, Ants, ETSI Cnfg
Cisco Aironet Accessories	
AIR-ACC2537-060	60 in (1.5m) RP-TNC Ant. Cable w/Mounting Bracket
AIR-ACC2538	RP-TNC Connector with Mounting Bracket
AIR-ACC2662	Antenna Mount for use with ANT1949
AIR-CAB005LL-R	5 ft Low Loss RF cable w/RP-TNC connectors
AIR-CAB020DRG6-F=	20 ft Dual RG-6 Cable Assembly w/F-Type Connectors Spare
Cisco Aironet Power	
AIR-PWR1783=	350 WorkGroup Bridge 110V Only Power Supply- Spare
AIR-PWR1793=	350 WorkGroup Bridge110-220 V Power Supply- Spare
AIR-PWRINJ3=	Power Injector for 1100, 1130AG, 1200 1230AG Series
AIR-PWRINJ-FIB=	Power Injector Media Converter for 1100, 1130AG, 1200,1230AG
IP Tel	
All Phone Sku's	
Cisco IP Phone & Power	
CP-7985-NTSC	Cisco IP Video Phone 7985 NTSC
CP-7985-NTSC=	Cisco IP Video Phone 7985 NTSC
CP-7985-PAL	Cisco IP Video Phone 7985 PAL

CP-7971G-GE	Cisco IP Phone 7971G-GE, Global, Gig Ethernet
CP-7971G-GE=	Cisco IP Phone 7971G-GE, Global, Gig Ethernet
CP-7970G	Cisco IP Phone 7970G, Global
CP-7970G=	Spare Cisco IP Phone 7970G, Global
CP-PWR-CUBE-3	IP Phone power transformer for the 7900 phone series
CP-PWR-CUBE-3=	IP Phone power transformer for the 7900 phone series
CP-7961G	Cisco IP Phone 7961
CP-7961G=	Cisco IP Phone 7961, spare
CP-7961G-GE	Cisco IP Phone 7961G-GE, Global, Gig Ethernet
CP-7961G-GE=	Cisco IP Phone 7961G-GE, Global, Gig Ethernet, spare
CP-7960G	Cisco IP Phone 7960G, Global
CP-7960G=	Cisco IP Phone 7960G, Global, Spare
CP-7941G	Cisco IP Phone 7941
CP-7941G=	Cisco IP Phone 7941, spare
CP-7941G-GE	Cisco IP Phone 7941G-GE, Global, Gig Ethernet
CP-7941G-GE=	Cisco IP Phone 7941G-GE, Global, Gig Ethernet, spare
CP-7940G	Cisco IP Phone 7940G, Global
CP-7940G=	Cisco IP Phone 7940G, Global, Spare
CP-7936	IP Conf. Station w external mic ports
CP-7936=	IP Conferece Station, Spare
CP-7936-MIC-KIT=	Microphone Kit, for 7936
CP-7936-PWR-KIT=	Replacement Power Kit for 7936/7935
CP-BATT-7920-EXT=	Cisco 7920 Battery, Extended
CP-BATT-7920-STD=	Cisco 7920 Battery, Standard
CP-CASE-7920-FLC=	Cisco 7920 Leather Carry Case, Full Cover
CP-CASE-7920-HOL=	Cisco 7920 Leather Carry Case, Holster
CP-CFGPR-BUN-7920	Cisco 7920 Configuration Program ASSY, Standard Package
CP-DSKCH-BUN-7920	Cisco 7920 Desk Top Charger ASSY, Standard Package
CP-EARBUD-7920-ST=	Cisco 7920 Series Wired Ear-Bud, Standard
CP-PWR-7920-AU=	Cisco 7920 Series Power Supply for Australia (AU)
CP-PWR-7920-CE=	Cisco 7920 Series Power Supply for Central Europe (CE)
CP-PWR-7920-CN=	Cisco 7920 Series Power Supply for China (CN)
CP-PWR-7920-JP=	Cisco 7920 Series Power Supply for Japan (JP)
CP-PWR-7920-NA=	Cisco 7920 Series Power Supply for North America (NA)
CP-PWR-7920-UK=	Cisco 7920 Series Power Supply for United Kingdom (UK)
CP-7912G-SP	Cisco IP Phone 7912G SP Bundle
CP-7910G+SW	Cisco IP Phone 7910G+SW, Global

CP-7910G+SW=	Cisco IP Phone 7910G+SW, Global, Spare
CP-7905G	Cisco IP Phone 7905G, Global
CP-7905G=	Cisco IP Phone 7905G, Global, Spare
CP-7905G-SP	Cisco IP Phone 7905G SP Bundle
CP-7902G	Cisco IP Phone 7902G, Global
CP-7902G=	Cisco IP Phone 7902G, Global, Spare
CP-7920-AP-K9	Cisco 7920 Phone/APAC Configurable w/CCM or CCME Station UL
CP-7920-AP-K9=	Cisco Wireless IP Phone 7920/APAC Spare
CP-7920-ET-K9	Cisco 7920 Phone/ETSI Configurable w/CCM or CCME Station UL
CP-7920-ET-K9=	Cisco Wireless IP Phone 7920/ETSI Spare
CP-7920-FC-K9	Cisco 7920 Phone/FCC Configurable w/CCM or CCME Station UL
CP-7920-FC-K9=	Cisco Wireless IP Phone 7920/FCC Spare
CP-7920-JA-K9	Cisco 7920 Phone/Japan Configurable w/CCM or CCME Station UL
CP-7920-JA-K9=	Cisco Wireless IP Phone 7920/Japan Spare
CP-PWR-CORD-AR	Power cord, Argentina
CP-7914=	7914 IP Phone Expansion Module for 7960
CP-PWR-CORD-NA=	7900 Series Transformer Power Cord, North America
CP-PWR-CORD-CE=	7900 Series Transformer Power Cord, Central Europe
CP-PWR-CORD-UK=	7900 Series Transformer Power Cord, United Kingdom
CP-PWR-CORD-AU=	7900 Series Transformer Power Cord, Australia
CP-PWR-CORD-JP=	7900 Series Transformer Power Cord, Japan
CP-PWR-CORD-AP=	7900 Series Asia Pacific Power Cord
CP-LCKNGWALLMNT2=	Universal Locking Wallmount Kit for 7900 Series IP Phones
CP-LCKNGWALLMOUNT=	Locking Wallmount Kit for the 7910, 7940, 7960 IP Phones
CP-WALLMOUNTKIT=	Non-Locking Wall Mount Kit for 7910, 7940, 7960 IP Phones
CP-LAN-CORD=	Spare LAN cord for 7900 Series IP phones
CP-HANDSET=	Handset for 7900 series phones
CP-HANDSET-CORD=	Handset cord for 7900 series phones
CP-SINGLFOOTSTAND=	Footstand kit for single 7914
CP-DOUBLFOOTSTAND=	Footstand kit for 2 7914s
PWR-7835-H1=	Spare Hot Swap Pwr Supply For MCS-7835-H1
PWR-7835-I1=	Spare Hot Swap Pwr Supply For MCS-7835-I1
PWR-7845-H1=	Spare Hot Swap Pwr Supply For MCS-7845-H1
PWR-7845-I1=	Spare Hot Swap Pwr Supply For MCS-7845-I1
WS-PWR-PANEL	Catalyst 48 port Inline Power Patch Panel
CVT-ADV-E1=	Cisco VT Advantage: Software/Camera, Requires CCM 4.0/+
SW-CCM-UL-7985	Station User License, Cisco IP Phone 7980 series

SW-IPCOMM-250BUN=	Promotion: 250 unit bundle for IP Communicator
SW-IPCOMM-1000BUN=	Promotion: 1000 unit bundle for IP Communicator
SW-IPCOMM-E1	Cisco IP Communicator - Communications Client
SW-IPCOMM-E1=	Spare Cisco IP Communicator - Communications Client
SW-IPCOMM-E1-CH1	Cisco IP Communicator with One Station User License
CP-7912G-A	Cisco IP Phone 7912G
CP-7912G-A=	Cisco IP Phone 7912G
CP-PWR-CORD-CN	7900 Series Transformer Power Cord, China
Cisco IP Telephony Phone User Licenses	
SW-SMH-UL-7912	SIP license for single 7912 IP phone
SW-SMH-UL-7912=	Spare SIP license for single 7912 IP phone
SW-SMH-UL-7905	SIP or H.323 license for single 7905 IP phone
SW-SMH-UL-7905=	Spare SIP or H.323 license for single 7905 IP phone
SW-IVR-KEY=	One IP IVR Port
SW-CCME-UL-3PTYM=	User License 3rd party Multi Line Phone
SW-CCME-UL-7971G	Cisco CallManager Express License For Single 7971G IP Phone
SW-CCME-UL-7970	Cisco CallManager Express License For Single 7970 IP Phone
SW-CCME-UL-7970=	Cisco CallManager Express License For Single 7970 IP Phone
SW-CCME-UL-7960	Cisco CallManager Express License For Single 7960 IP Phone
SW-CCME-UL-7960=	Cisco CallManager Express License For Single 7960 IP Phone
SW-CCME-UL-7940	Cisco CallManager Express License For Single 7940 IP Phone
SW-CCME-UL-7940=	Cisco CallManager Express License For Single 7940 IP Phone
SW-CCME-UL-7936	Cisco CallManager Express License For Single 7936 IP Phone
SW-CCME-UL-7936=	Cisco CallManager Express License For Single 7936 IP Phone
SW-CCME-UL-7935=	Cisco CallManager Express License For Single 7935 IP Phone
SW-CCME-UL-7920	Cisco CallManager Express License For Single 7920 IP Phone
SW-CCME-UL-7920=	Cisco CallManager Express License For Single 7920 IP Phone
SW-CCME-UL-7912	Cisco CallManager Express License For Single 7912 IP Phone
SW-CCME-UL-7912=	Cisco CallManager Express License For Single 7912 IP Phone
SW-CCME-UL-7910SW	Cisco CallManager Express Lic For Single 7910+SW IP Phone
SW-CCME-UL-7905	Cisco CallManager Express License For Single 7905 IP Phone
SW-CCME-UL-7905=	Cisco CallManager Express License For Single 7905 IP Phone
SW-CCME-UL-7902	Cisco CallManager Express License For Single 7910 IP Phone
SW-CCME-UL-7902=	Cisco CallManager Express License For Single 7910 IP Phone
SW-CCME-UL-ANA	Cisco CallManager Express Lic For Single SCCP analog port
SW-CCME-UL-ANA=	Cisco CallManager Express Lic For Single SCCP analog port
SW-CCM-UL-7971G	Station User License, Cisco IP Phone 7971

SW-CCM-UL-7970
SW-CCM-UL-7970=
SW-CCM-UL-7961
SW-CCM-UL-7961=
SW-CCM-UL-7960
SW-CCM-UL-7960=
SW-CCM-UL-7941
SW-CCM-UL-7941=
SW-CCM-UL-7940
SW-CCM-UL-7940=
SW-CCM-UL-7936
SW-CCM-UL-7936=
SW-CCM-UL-7920
SW-CCM-UL-7920=
SW-CCM-UL-7912
SW-CCM-UL-7912=
SW-CCM-UL-7910+SW
SW-CCM-UL-7905
SW-CCM-UL-7905=
SW-CCM-UL-7902=
SW-CCM-UL-3PTY
SW-CCM-UL-3PTYM
SW-CCM-UL-ANA
SW-CCM-UL-ANA=
SW-CCM-UL-IPCOMM-E
SW-SM-UL-7960
SW-SM-UL-7960=
SW-SM-UL-7940
SW-SM-UL-7940=

Call Manager License for single 7970 phone
Spare CallManager User License for 7970 Phone
license, Cisco IP Phone 7961
License, Cisco IP Phone 7961
CallManager Unit license for single 7960 IP phone
Spare license 7960 phone
License, CallManager, Cisco IP Phone 7941
License, CallManager, Cisco IP Phone 7941, spare
CallManager Unit license for single 7940 IP phone
Spare license 7940 phone
User License for 7936
User License for 7936
CallManager Unit License for Single Wireless IP Phone 7920
CallManager Unit License for Single Wireless IP Phone 7920
CallManager Unit license for single 7912 IP phone
Spare CallManager Unit license for single 7912 IP phone
CallManager Unit license for single 7910+SW IP phone
CallManager Unit license for single 7905 IP phone
Spare CallManager Unit license for single 7905 IP phone
Spare CallManager Unit license for single 7902 IP phone
User license 3rd party single line phone
User license 3rd party multi line phone
CallManager Unit license for single SCCP analog port
Spare CallManager Unit license for single SCCP analog port
Single CallManager Unit License for IP Communicator
SIP and MGCP license for single 7960 IP phone
SIP/MGCP spare license, IP Phone 7960
SIP and MGCP license for single 7940 IP phone
SIP/MGCP spare license, IP Phone 7940

