



ReadMe for Cisco Unified Communications Manager Release 11.0(1a)SU4

Revision 1

Updated February 8, 2018

This ReadMe file discusses the following topics:

- [Introduction, page 2](#)
- [System Requirements, page 2](#)
- [Version and Description, page 2](#)
- [Important Notes, page 3](#)
- [Firmware Upgrade Issues, page 3](#)
- [Related Documentation, page 3](#)
- [Before You Begin, page 3](#)
- [Installation Instructions, page 4](#)
- [Reverting to a Previous Version, page 5](#)
- [Caveats, page 5](#)
- [Obtaining Documentation and Submitting a Service Request, page 24](#)



Note

To view the release notes for previous versions of Cisco Unified Communications Manager, choose the Cisco Unified Communications Manager version from the following URL:

http://www.cisco.com/en/US/products/sw/voicesw/ps556/prod_release_notes_list.html



Note

Please review all sections in this document pertaining to installation before you install this Service Update (SU). Failure to install this SU as described may result in inconsistent Cisco Unified Communications Manager behavior.

Before you install Cisco Unified Communications Manager, Cisco recommends that you review the [“Important Notes” section on page 3](#) for information about issues that may affect your system.



Americas Headquarters:

Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

Introduction

This 11.0(1a)SU4 ReadMe file contains important information about installation procedures and resolved caveats for Cisco Unified Communications Manager release 11.0(1a)SU4. This SU can be applied to Cisco Unified Communications Manager, Business Edition 6000, Session Management Edition, and Cisco Unity Connection.

System Requirements

The following sections comprise the system requirements for this release.

Server Support

In this release, you cannot install or run Cisco Unified Communications Manager on server hardware; you must run these applications on virtual machines. Please refer to the “Platform requirements” section of the *Upgrade Guide for Cisco Unified Communications Manager, Release 11.0(1)*, for additional details:

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/upgrade/11_0_1/CUCM_BK_U97537E5_00_upgrade-guide-cucm_1101/Upgrade_planning.html

Uninterruptible Power Supply

Ensure that you connect each node to an uninterruptible power supply (UPS) to provide backup power and protect your system.

**Caution**

Failure to connect the Cisco Unified Communication Manager nodes to a UPS may result in damage to physical media and require a new installation of Cisco Unified CM.

Version and Description

This SU is a cumulative update that incorporates all of the fixes and changes from Cisco Unified Communications Manager 11.0(1) through 11.0(1a)SU3a along with additional changes that are specific to this SU.

**Note**

You can only install this SU on Cisco Unified Communications Manager Release 8.6x, 9.x, 10.x, 11.0(1), 11.0(1a), 11.0(1a)SU1, 11.0(1a)SU2, 11.0(1a)SU3x, or any 11.0(1)ES from 11.0.1.11001-1 to 11.0.1.24089-1. Upgrades from any earlier supported versions require a PCD migration. Upgrades from 6x through 10x need to be requested via PUT (www.cisco.com/upgrade) to obtain the necessary license. This SU should not be installed on a Business Edition 3000 server.

See the Compatibility Matrix for further details:

<http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-call-manager/products-device-support-tables-list.html>

New to this Release

The following enhancements were introduced in 11.0(1a)SU2:

- You now need an enhanced license to use Cisco Spark remote device, if you do not have an IP phone requiring an Enhanced license, a Jabber client, or a TelePresence device.

Important Notes

SUs do not impact system compatibility unless specifically stated.

Cisco provides the following guidance to help you successfully upgrade Cisco Unified Communications Manager software:

- To minimize call-processing interruptions during the upgrade process, register all devices to servers that are running the same version of Cisco Unified Communications Manager software. Make sure that you register all devices to the backup Cisco Unified Communications Manager server or to the primary Cisco Unified Communications Manager server, but not to both the backup and primary servers.

Firmware Upgrade Issues

For all SCCP and SIP firmware upgrades from firmware release versions earlier than 8.3(3) to version 8.5(2)SR1 or greater, you must first upgrade your firmware to version 8.5(2). Once you have upgraded to version 8.5(2), you can upgrade your IP Phone to version 8.5(2)SR1 or later. Refer to the *Firmware Versions in this Release* section of this document to determine the firmware load provided in this SU.

For additional details, Firmware Upgrade Instructions, and Firmware Download locations please see:

SCCP

http://www.cisco.com/en/US/docs/voice_ip_comm/cuipph/firmware/8_5_2/english/release/notes/7900_852SR1.html#wp57602

SIP

http://www.cisco.com/en/US/docs/voice_ip_comm/cuipph/firmware/8_5_2/english/release/notes/7900_852SR1.html#wp147343

Related Documentation

To view documentation that supports Cisco Unified CM Release 11.0(x), go to:

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/docguide/11_0_1/CUCM_BK_C345DB0C_00_cucm-documentation-guide-1101.html

Before You Begin

Before you upgrade the software version of Cisco Unified Communications Manager, verify your current software version.

To do that, open Cisco Unified Communications Manager Administration. The following information displays:

- Cisco Unified Communications Manager Administration System version

Installation Instructions



Note

Apply this SU to all of your Cisco Unified Communications Manager servers, beginning with the publisher server and TFTP server.

Refer to the *Upgrade Guide for Cisco Unified Communications Manager, Release 11.0(1)* for detailed information about doing this upgrade:

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/upgrade/11_0_1/CUCM_BK_U97537E5_0_0_upgrade-guide-cucm_1101.html



Note

Because the 11.0.1.24900-2 build is a non-bootable ISO, it proves useful only for upgrades. You cannot use it for new installations. You may however install with the base version 11.0.1.10000-10 or 11.0.1.20000-2 and apply 11.0.1.24900-2 as a patch during the installation.

Release 11.(x) is available in both restricted (which is the release type that has always been available from Cisco) and unrestricted versions of software to comply with import / export restrictions to various countries. The unrestricted version is available in limited markets. Please refer to the “Export Unrestricted” section in the **Upgrade Planning** chapter, of the *Upgrade Guide for Cisco Unified Communications Manager, Release 11.0(1)* referenced above for a more detailed description.

The file names and hash values you will use for this upgrade are:

- UCSInstall_UCOS_11.0.1.24900-2.sgn.iso

The **MD5** for the Restricted combined download is: 78785fe3160e7b015e79dcaa33eec44f

The **SHA-512** for the Restricted combined download is:

d32c07c9e0394bf0fd6c632f411571e2bff76267d1cb7c20269e19ccee6a48ed6e2c3a03df603a37
119570ac689e5b61a7e7b6bcd0523bef19b7aabe3d1205c2



Note

Once installed, UNRST releases can never be converted or upgraded to releases which support full encryption capabilities

For the Unrestricted version:

- UCSInstall_UCOS_UNRST_11.0.1.24900-2.sgn.iso

The **MD5** for the Unrestricted combined download is: a4f31f905b1b4e19fc958f3b842995e5

The **SHA-512** for the Unrestricted combined download is:

aa248cbb30977e065700d60753e55de33b8867af1ce2677127266890c492191214e4ff74f9503f1
12749b684783166fb96d31b65aaa22aa37e9308a3e8ebf021

Reverting to a Previous Version



Note

Revert the SU on all servers in the cluster in the same order in which you performed the installation.

Refer to the “Switch to previous version” section in the **Upgrade Tasks** chapter at *Upgrade Guide for Cisco Unified Communications Manager, Release 11.0(1)* for detailed instructions on “Reverting to a Previous Version.”

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/upgrade/11_0_1/CUCM_BK_U97537E5_00_upgrade-guide-cucm_1101/Upgrade_tasks.html

Caveats

Caveats describe unexpected behavior on a Cisco Unified Communications server. The following sections contain lists and descriptions of resolved and open caveats in this release.

Resolved Caveats

Resolved Caveats for Cisco Unified Communications Manager Release 11.0(1a)SU4 describes possible unexpected behaviors in Cisco Unified Communications Manager Release 11.0(1) through 11.0(1a)SU3a.

Resolved Caveats for Cisco Unified Communications Manager Release 11.0(1a)SU4

The following information comprises unexpected behavior that is addressed by this SU of Cisco Unified Communications Manager.

Resolved CUCM Caveats in 11.0(1a)SU4. Based on ES 11.0.1.24089-1

- [CSCvf95828](#) : Struts upgrade to 2.3.34
- [CSCvc94740](#) : Evaluation of ciscocm for OpenSSL Jan 2017
- [CSCva27918](#) : logout/signout in selfcare page doesnot land to login page
- [CSCvc21306](#) : Syslog Messages are having incorrect time format.
- [CSCvf02916](#) : IX5000 Telepresence endpoint - add enable for proximity from client apps
- [CSCva47682](#) : utils itl reset localkey with error - Error in obtaining ITL file
- [CSCvc66562](#) : SCCP TCP handle in use by multiple devices
- [CSCvh17135](#) : Gateway has been blocked and redirecting to the security.jsp
- [CSCvd54314](#) : CUCM does not properly handle SIP Update w/SDP and 183 W/SDP glare
- [CSCvc12634](#) : SDP Contains m=audio 4000 Instead of MTP Port Response Value during Redirect
- [CSCuz14597](#) : Proxy-offcluster not serving unsigned ringlist.xml
- [CSCvg87841](#) : 12.0(1) QED for Cisco ATA 191 device
- [CSCvg87838](#) : 12.0(1) SIP load for Cisco ATA 191 device
- [CSCvg38675](#) : CCM Cores in mutex_lock Operation
- [CSCvd08950](#) : DTMF not working after Transfer and Multicast MOH is present
- [CSCvb73070](#) : Call transfer across SME is failing for IP phone users
- [CSCvg51264](#) : Cisco Unified Communications Manager Cross Site Scripting Vulnerability
- [CSCvg57582](#) : Unable to enable IGMP protocol for Rebroadcast External Multicast Source feature

[CSCvf79346](#) : Cisco Unified Communications Manager Cross Site Scripting Vulnerability
[CSCvf56538](#) : CTI monitoring DevName must be upper case
[CSCvg45484](#) : Check in firmware release 12-0-1SR1 for phone models 88xx/8845_65
[CSCvg29297](#) : Add device enablers for Cisco Spark Room 70 Dual and Cisco Spark Room 70 Sin
[CSCvg22923](#) : CUCM unauthorized access vulnerability
[CSCve82179](#) : A call on a random extension would get rejected up as user busy.
[CSCvg10268](#) : Normalization Scrip to pass through header "x-att-loop" sent by AT&T
[CSCvf39052](#) : CTI messages carry \ escape character when the hunt pilot member is configured a
[CSCvf36322](#) : CUCM - OS Updates for Sudo, GlibC, Libtiff, Coreutils, GnuTLS, OpenSSH, Bash
[CSCvf36286](#) : CUCM - OS Updates for Bind, NSS, MySQL, Jasper
[CSCve08600](#) : ISR4331 T1CAS - Product Specific Configuration Layout Missing
[CSCvd18917](#) : CUCM sending UPDATE after 180 Ringing
[CSCvc62489](#) : Warning - No backup device is configured on Publisher after PCD Migration
[CSCvc51278](#) : DirSync high CPU after LDAP search base is deleted
[CSCuz58167](#) : + is missed by cucm when dial from personal access book on 78xx/88xx
[CSCvf36682](#) : Cisco Unified Communications Manager SQL Injection Vulnerability
[CSCuv49817](#) : End User CAPF profile can be inserted via BAT on Unrestricted UCM
[CSCvf94485](#) : phone firmware for 7832 12.0.1 release
[CSCvf94416](#) : Phone firmware for 8832/8832NR 12.0.1 release
[CSCvf89436](#) : 11.0(3)SR4 QED files for 8821 WLAN IP phones
[CSCvf88162](#) : 11.0(3)SR4 SIP loads for 8821 WLAN IP Phones
[CSCvf87066](#) : Check in firmware release 12-0-1-11 for phone models 78xx/88xx/8845_65
[CSCvf69143](#) : incoming calls from MGCP gateway do not match the most specific pattern
[CSCvf28386](#) : UCM Configuration files for 7832 12.0.1 release
[CSCvf28360](#) : UCM Configuration files for 8832/8832NR 12.0.1 release
[CSCve67923](#) : Add configuration item "Customer Support Use" for 7800 series phone
[CSCve67807](#) : Add configuration item "Customer Support Use" for 8800 series phone
[CSCve48879](#) : 88xx phone can show Latin font when configure default EN-US locale
[CSCvb61698](#) : CUCM arbitrary file write in Cisco Unified Reporting
[CSCvf51739](#) : Wallpaper files replacement for 88xx phones
[CSCvd77762](#) : QED checkin for CP-8800-A-KEM and CP-8800-V-KEM
[CSCve13796](#) : Cisco Unified Communications Manager Directory Traversal Vulnerability
[CSCvf16362](#) : Out of Virtual Shared Memory during BAT export of line groups.
[CSCvd91688](#) : IM&P Performance BAD_HTTP_REQUEST issue with oauth login & Decrypt Error
[CSCvd12396](#) : Phone disconnects call while call is either put on hold or being redirected, leading t
[CSCvc23572](#) : Evaluation of ciscocm for NTP November 2016
[CSCve27331](#) : Cisco Unified Communications Manager Horizontal Privilege Escalation
[CSCuv05143](#) : Need Change in Export UDP page
[CSCvf17644](#) : Cisco Unified Communications Manager Information Disclosure Vulnerability
[CSCve45417](#) : CCM core due to no response from SIP endpoint to action=restart NOTIFY
[CSCvc83712](#) : Cisco Unified Communications Manager Cross Site Scripting Vulnerability
[CSCve13786](#) : Cisco Unified Communications Manager SQL Injection Vulnerability
[CSCuw81520](#) : Conference Now feature requires separate t302 timer
[CSCve16870](#) : Add device enablers for Cisco Spark Room Kit 55
[CSCvd67978](#) : Update logic for urlencoding to comply with CVE-2016-6816 in Tomcat 7.0.73 and I
[CSCvc21620](#) : Data Retrieval Via Search Manipulation
[CSCvb32513](#) : PCD Migration will regenerate certificates when migrating to 10.5.2SU3 or 11.x
[CSCuz18994](#) : CTI Manager restart is needed after CallManager cert regeneration

[CSCve64910](#) : BAT Export of Regions is failing with "cannot open database" error
[CSCve08528](#) : Service param "LRG for redirected calls" is overridden for redirected call when Ss
[CSCuo31473](#) : We get a error msg when we Maximize the CDR CMR DUMP window in Chrome
[CSCve46567](#) : Min TLS Support for RTMT(Backward Compatibility)
[CSCve33543](#) : No TerminalConnections in a Connection after call is forwarded to same DN with di
[CSCve10656](#) : CUCM not appending "sip.cisco.multistream;x-cisco-multiple-screen=2" in 200 OK
[CSCvd61606](#) : CPU Spiking Due To Certificate Change Notification Service
[CSCvd52056](#) : Call Drop when Call Pickup is pressed on 2 phones simultaneously
[CSCvc91499](#) : UnSol notify DTMF failure after hold-resume
[CSCvc46039](#) : Error parsing XML for 88XX phones
[CSCvc01007](#) : Unable to select BRI Protocol in 4431 router
[CSCvb28438](#) : CCM Core - New mobile registration ip:port does not remove prior one
[CSCuv93731](#) : Multiple Codec Negotiation Causes Call to fail
[CSCvd45794](#) : Verint Start Recording/hold/resume/Start Recording causes audio cap 0. Call fails
[CSCvd42948](#) : DST/TZ data upgrade with 2017b
[CSCvd15723](#) : In 200 OK if contact header does not have port CUCM does DNS query and adds p
[CSCvd05171](#) : Change Audit trail report
[CSCvc65519](#) : CUCM - Unable to Transfer Call From UCCX Finesse Application
[CSCvd51937](#) : Recording failure due to wrong NodeID provided to CTI when transfer between no
[CSCvc90657](#) : CTI connection dropped due to junk value in CtiLineGetForwardInfoRes to Genes
[CSCvb03393](#) : CUCM backup looping, completed three time in an hour
[CSCvd78861](#) : Issue with vendorConfigHelp for Fallback feature configuration and EMCC feature
[CSCvd49840](#) : Evaluation of ciscocm for struts2-jakarta rce vulnerability
[CSCvc25859](#) : CURT broken on Fresh Installation and Upgrade
[CSCvb61689](#) : CUCM arbitrary XML file reads in Cisco Unified Reporting
[CSCvd39551](#) : Media send Term Capabilities Set with 0 caps, instead of allocating xcoder and sen
[CSCvd01097](#) : CUCM is not sending the 200 ok to a re-invite, so the call is disconnected with code
[CSCvc86757](#) : No response for SUBSCRIBE and a retry to the next destination in the list on trunk
[CSCvc37554](#) : Secure Calls with Video Enabled Not Showing The Lock Icon with unsecure audio
[CSCva40238](#) : CTI Manager core when the CIPC EM looking process takes long time
[CSCvd42284](#) : ServerDown alert does not work for different network segment nodes
[CSCvc99698](#) : BAT update doesn't work for "secureserviceurl" for device profiles
[CSCvc83768](#) : Missing ipsec trust store on node-2 during 11.5 fresh install
[CSCva59065](#) : After upgrade to 12.0.1.98000-99 and 11.5.1.11900-13, switch back fails
[CSCvd63310](#) : Error while installing the DST file on the CUCM that already has previous DST CO
[CSCvd56923](#) : One file is corrupted in the cmterm-69xx-SCCP.9-4-1-3SR3.k3.cop
[CSCvd56512](#) : 8821 - Include 8821 IP-Phone loads version 11.0(3)SR1 into the CUCM DevPacks
[CSCvd54375](#) : Commit 11.7(1) IP Phone FW in CUCM DB
[CSCvd53768](#) : Access to the requested resource has been denied seen in a scenario
[CSCvd34176](#) : Webdialer setting for 'Do not display call confirmation dialog' does not apply until re
[CSCvd22846](#) : Fixup consistency of model number in rules file
[CSCvd22836](#) : Add support for provisioning auto wake up detection setting on DX/SX/MX and Cis
[CSCvd22818](#) : Add device enablers for Cisco Spark Room Kit and Cisco Spark Room Kit Plus
[CSCvb85328](#) : CUCM IPVMS MTP incorrectly detects tone when marker bit is not set
[CSCvd35756](#) : Update the image 9.4(2)SR3 for 7900 series
[CSCvc83631](#) : High CPU utilization because of LBM Service
[CSCvc80950](#) : SIP stack does not respond to 200 OK without SDP
[CSCvc10862](#) : CUCM fails to pass DTMF digits via SIP notify after call connects

[CSCvc07334](#) : Calls are hung after 503 service unavailable is seen as normal call clearing
[CSCvb89326](#) : Deleted Certificate entries still exist in the CUCM DB
[CSCuw84283](#) : Un-necessary ipaddress change detection in inter-cluster call
[CSCvc22501](#) : Unable to access Enterprise Parameter and Service Parameter pages
[CSCvb86555](#) : Blind Conferences with recording, JTAPI handling CallConferenceChangedEvent
[CSCvb64641](#) : CUCM - Reflected XSS attack is possible on ccmadmin page

Resolved Cisco Unity Connection Caveats in 11.0(1a)SU4. Based on ES 11.0(1a) ES61

[CSCvh02121](#) : Task "Clean Orphaned Message Stream Files" deletes the Message Stream files d
[CSCvf80297](#) : UnityConnection Update Database Statistics task needs additional error handling
[CSCvf71357](#) : Strings not Localized on Web Inbox, Mini Inbox and Mobile Inbox
[CSCvf68452](#) : UC - Cross-Server Login/Xfer fails using SCCP w/E.164 & RFC2833 DTMF negotia
[CSCvf68427](#) : UC - "Validate Connection Location Passwords" Task Breaks Update Database Sta
[CSCvc12126](#) : Forwarded Message is lost after mailbox movement
[CSCvc33982](#) : Not able to create a local user with a dot character '.'
[CSCvb49975](#) : SQL NullPointerException while syncing CUC's user information via PCP
[CSCvc65616](#) : Temp table (valiasstack) already exists in session using CUC csp_CredentialModi
[CSCvd05508](#) : HTTPs networking does not sync modified SMTP address to remote node
[CSCvc78781](#) : Increase the Tomcat throttling parameter value from 5 to 10 when an "upgrade" is d
[CSCve56869](#) : Entries from tbl_eventservicesubscription getting deleted if tomcat restarts from any
[CSCvf14390](#) : Secure Jetty Not Working due to Invalid javax.net.ssl.trustStore set in the SSLCon
[CSCve74071](#) : CiscoSSOValve causing the accumulation of session data resulting in Tomcat Cr
[CSCve64501](#) : DRS does not check the health of dbchunks before taking backup
[CSCve49875](#) : CUC User Template gets default partition instead of partition passed in Request bo
[CSCve29158](#) : Directory URI getting sync issue to remote node over HTTPS Networking
[CSCve16444](#) : Conversation Manager Core dump while adding ports
[CSCve06372](#) : Popup "Error while Uploading message to server " while sending/replying message
[CSCvd63984](#) : Voicenames marked as deleted in tbl_streamfile when User Attribute Changes
[CSCuu07123](#) : Core of CUSysAgent on HIT
[CSCvd90118](#) : Cisco Unity Connection ImageID Parameter Unauthorized Access Vulnerability
[CSCve23865](#) : Update Certificate Expired For MediaMaster old versions from May 2017
[CSCvd91247](#) : Enterprise Parameter not displaying the content properly and CuTrap missing jar fr
[CSCvd49841](#) : Evaluation of connection for struts2-jakarta rce vulnerability
[CSCva95647](#) : Upgrade JDK to 1.7.0_111
[CSCvc96618](#) : 2016g DST Updater Cop Failing on Connection

Resolved CUCM Caveats in 11.0(1a)SU3a

[CSCvc80169](#) : Upgrade JDK for January 2017 Critical Patch Updates
[CSCvc79350](#) : UCM - VIM Privilege Escalation Vulnerability
[CSCvc74573](#) : CUCM OVAs do not install with ESXi 6.5
[CSCvb78438](#) : Active and standby CTI RD due to SdLinkOOS
[CSCuz72547](#) : Outbound calls not working for hybrid call service connect user in some cases
[CSCuv09004](#) : TSPIInstOnStart project fails to compile if windows API is included
[CSCuu62048](#) : Launch TSPIInstOnStart with admin privileges
[CSCvc74291](#) : Cisco Unified Communications Manager SQL Injection Vulnerability
[CSCuq13927](#) : Addition/Removal of CiscoTSP providers fail intermittently

[CSCvd16496](#) : Mobility softkey should work for line2 on the phone as well. (Part 2)
[CSCvc92264](#) : Spark endpoints don't ring when spark user has RemoteDestinationProfile config
[CSCvc70110](#) : MTP Resource leak during SDLLinkOOS state
[CSCvc15253](#) : Increase in hash limit for Multicast Source Port Number
[CSCvc12386](#) : Password stored in plain text
[CSCvb97237](#) : CUCM - Do Not Echo Malicious Characters in Banner Acknowledgement Form
[CSCvb95951](#) : Insufficient fix for cucreports XSS defect
[CSCvb59936](#) : MTP leak caused by inactive 200 OK for a INVITE to connect sip-323 after redirect
[CSCva03814](#) : SELinux blocks switch back to old partition after RU failure
[CSCvc61500](#) : 9.4(1)SR3 SCCP/SIP firmware files for 6921/41/61/45 IP Phones
[CSCvb99066](#) : IPMA stops routing calls after some time
[CSCvb89860](#) : CUCM - Bind DoS Vulnerabilities
[CSCvb48691](#) : Evaluation of ciscocm for Openssl September 2016
[CSCvb37121](#) : Insufficient XSS protection in ccmivr page
[CSCva13076](#) : Recording Tone is always played for Extend and Connect RD phones
[CSCuy67794](#) : CLI command 'utils update dst' does not update database
[CSCvc10807](#) : InstallWizard uses unsafe temporary file for password encryption
[CSCvb98777](#) : CUCM - Reflected XSS attack is possible on serviceability page
[CSCur53532](#) : Mobility softkey should work for line2 on the phone as well.
[CSCvc40853](#) : CUCM - SNMP Master agent service cored twice at random times
[CSCvc37627](#) : Call recording failures on transferred calls, while updating BIB enabled value
[CSCvc26581](#) : Fix up mistake in description fields on DX80 and DX70 + default value on DX80
[CSCvc21883](#) : Call to user with CTIRD not routing to RD due to "stale" call on CTIRD
[CSCvc11159](#) : Exceptions During LDAP Sync Result in Inactive Users
[CSCuz71983](#) : Server Time Displayed in UTC Format in several pages
[CSCuu88269](#) : Selfcare - Missing icon for 8865 and 8845 phones
[CSCvc47592](#) : Webdialer page is not getting redirected on any browsers
[CSCvb92459](#) : Webdialer setting is not saved sometimes
[CSCvb02508](#) : DST/TZ data upgrade with 2016g & Leap Second update
[CSCuu06649](#) : SIP Message. Subscription-State. Expires contains a negative value.
[CSCuz91655](#) : Exception while performing sync using secure port in LDAP directory page
[CSCvc08992](#) : CUCM IPMA shows error "Unable to update. Please contact System Administrator"
[CSCvc05878](#) : CUCM10.5.2 Personal Directory values are garbled after the login
[CSCvb95805](#) : CUCM LDAP Directory Sync - Improve Error Reporting When Sync Completed
[CSCvc05651](#) : 8821 - Include 8821 IP-Phone loads version 11.0(2)SR2 into the CUCM DevPaks
[CSCvb97805](#) : CUCM 10.5(2)SU4 ILS Authentication configuration options are missing
[CSCvb97582](#) : Product specific config changes for CE8.3 release
[CSCvb93599](#) : Phone firmware for 78xx/88xx 11.5.1SR1 release
[CSCvb82789](#) : CTI reports device to be OutOfService although it is registered for EM controlled de
[CSCvb57716](#) : CUCM 10.5.2 Unable to update primary extension of end user via AXL
[CSCvb45435](#) : Reroute Remote Destination call to Enterprise number feature dont work
[CSCvb39142](#) : SparkRD should support end to end dtmf
[CSCvb23366](#) : One way audio in redirected call over EO with DTMF mismatch
[CSCvb22671](#) : Timer based stale Directed Call Park instance clean up in case any error
[CSCva88701](#) : Evaluation of ciscocm for TCP August 2016
[CSCva69297](#) : call leak happens over shared line MRA jabber clients.
[CSCva58795](#) : Blind Xfer w/Early Media Uses an MTP Unnecessarily
[CSCva04753](#) : dtmf test failing in few EO-EO scenarios of F4125 SIP DTMF Suite in 11.5

[CSCuz97529](#) : Call not cleared/dropped on SparkRD when callingParty drops while call is ringing
[CSCuz79366](#) : SNMP port 161 was not added to iptable rules
[CSCuz68432](#) : SIP MXTimeout due to MediaExchange stuck in waitInterfacesCapabilities
[CSCux74884](#) : Platform CLI file get command ssh client Ciphers needs to be updated
[CSCuz72455](#) : Cisco Unified Communications Manager Denial of Service Vulnerability
[CSCuv07653](#) : F3388 - Call Preservation Duration Management
[CSCvb22603](#) : Record-route header corrupted, ccm cores while deleting memory
[CSCvb13614](#) : dnsdomainname returns null instead of (none) when domainname is not set
[CSCva96332](#) : Phones reboot when domainname is set and domainname command returns null
[CSCva74508](#) : BAT export TURN (ICE) Password in clear text
[CSCva63426](#) : Call forward fails through secure MGCP GW with non-secure phone profile
[CSCva55016](#) : Upgrade JDK for July 2016 Critical Patch Updates
[CSCux05087](#) : OS admin and DRF access restriction CLI
[CSCuz05077](#) : Call Drops after Jabber Stops & Starts Video
[CSCvb60680](#) : User Group Name added with OU details when user id Attribute used as 'mail'
[CSCvb42106](#) : Stale entries in hash map leading to CCM core
[CSCvb38463](#) : CUCM 10.5.2 pick up failing when call is transferred by CUC to phone
[CSCva97139](#) : Race condition causes Directed Call Park leak
[CSCva91711](#) : CUCM Self-Care does not reset after inactivity timeout
[CSCva81560](#) : 11.5(1)SR supported files for 8865NR IP Phones
[CSCva80135](#) : listchange API does not return for Line ForwardAll destination
[CSCva20265](#) : CUCM - LibXML Arbitrary Code Execution and DoS Vulnerabilities
[CSCva18486](#) : CUCM - SETroubleshoot Arbitrary Code Execution Vulnerabilities
[CSCva18469](#) : CUCM - Tomcat Fileupload Info Disclosure Vulnerability (CVE-2016-3092)
[CSCuz65339](#) : CCM Cores when MTP resources doubled
[CSCuz60678](#) : Call disconnect failure with endpoint Forcefull Encryption ON
[CSCuz44377](#) : Evaluation of ciscocm for NTP_April_2016
[CSCuv30782](#) : CAPF certificate validity duration change should be allowed
[CSCul51014](#) : Self care portal does not recognize default Voicemail profile / pilot
[CSCty06667](#) : Remote syslog messages not showing in the Local syslog file CiscoSyslog
[CSCvb78297](#) : the content of phone button template for 8865NR is blank
[CSCvb72477](#) : 11.5(1)SR add Admin Configurable Ringer parameter for 78xx 88xx IP Phones
[CSCvb55996](#) : RecordingSessionTerminatedUnexpectedlyAlarm generated by CUCM incorrec
[CSCva93755](#) : CUCM Queuing Caller doesn't hear ringback tone when call is ring agent
[CSCva86484](#) : RISDC Cores on CUCM
[CSCva74274](#) : CUCM - LibTiff Remote Execution Vulnerabilities
[CSCva38637](#) : ccCallID is leaking in case of "500 Internal Server Error"
[CSCva26711](#) : Incorrect codec selected on calls between SIP trunks
[CSCuw73784](#) : PMR 22707,227,000 cdr define happens twice as cdr err throws 213/ 195
[CSCus21485](#) : Tomcat is not populating phone number field for webdialer interface
[CSCty67386](#) : Tomcat manager returns HTTP 403 instead of 404 error
[CSCvb54922](#) : Null pointer dereference when recording is invoked from a SIP Phone
[CSCvb40013](#) : Getting ring back tone along with audio
[CSCvb24480](#) : ResourcePartyNodeId not updated for multinode Conference Now call
[CSCvb11256](#) : CUCM Does not send CANCEL to the second leg
[CSCva24658](#) : not able to upload 2 intermediate certs without CN in DN
[CSCva22547](#) : Proxy TFTP returns 503 while Cluster Router Map DB is initializing
[CSCuz61577](#) : CUCM - Numerous DoS Vulnerabilities on File Command

[CSCuz61569](#) : CUCM - OpenSSH X11Forwarding, PAM Auth, Use-After-Free Vuls
[CSCux86084](#) : IP conntrack count is not correct when using the Admin CLI
[CSCuv78069](#) : Validation failure in CSR generation page when server hostname has -EC
[CSCvb29852](#) : Phones don't recognize 2016d TZ Updates
[CSCvb26712](#) : 9.4(2)SR3 phone firmware for 894x series phones
[CSCvb14537](#) : Error accessing self care portal
[CSCvb03745](#) : updateUser returns "Syntax Error" if linePrimaryUri tag has apostrophe.
[CSCvb00502](#) : unable to edit old phone contact after the CUCM upgrade
[CSCva65161](#) : The parameter max-red=0 strips while outbound invite from CUCM
[CSCuw87889](#) : CUCM doesn't insert transcoder - codec change & inact media w/ SIP phone
[CSCuv42078](#) : Webdialer page is not getting redirected on FireFox and Chrome browsers.
[CSCuu99768](#) : ITLFile is big - ITL File has non-local CCM Certs marked as SAST
[CSCvb23291](#) : Bad audio quality for Ringtones on 78XX/88XX phones
[CSCvb17284](#) : Bad audio quality for Ringtones on 78XX and 88XX phones
[CSCvb13675](#) : CDR is written even if "CDR Log Calls with Zero Duration Flag" is false.
[CSCva95927](#) : BAT Insert phone fails if "override existing configuration" is unchecked
[CSCuw45471](#) : Unmapped Exception null error in Phone page
[CSCva91800](#) : Conference call fails to revert to 2 party call when 3rd party hangs up
[CSCva94169](#) : Caller doesn't get ringback tone for SME transit call
[CSCva80036](#) : ICT not passing the original called number when QSIG is Enabled.
[CSCva77130](#) : Resume on one sided call doesn't restart Recording
[CSCva46509](#) : DNS A Record Lookup Memory Leak while Handling SdIGetHostBynameRsp
[CSCuz94584](#) : Transfer Fails when Destination Device in Shadow Location
[CSCuz81488](#) : CUCM - Directed CallPark fails when SDLink down in multinode cluster
[CSCuz44247](#) : admin account through GUI/CLI is not working after installing PCD
[CSCva73406](#) : 2016c and 2016d DST COP file install fails
[CSCva71953](#) : CallPickup not working for phones sending hostname in INVITE-From header
[CSCva61081](#) : Update the image 9.4(2)SR2 for 7900 series
[CSCva07481](#) : 8821 - Add default English-US dictionary into CUCM for IP-Phone 8821
[CSCuv43734](#) : UDS does not support PAB dialing
[CSCva32290](#) : SOAP API selectCmDevice function no longer returns results
[CSCva26198](#) : Missing Check For "Unity Connection ELM" causing DST (2016d) cop to fail
[CSCva24593](#) : SIP Refer pass-through cause VMSize usage growing for CCM
[CSCva00034](#) : Unnecessary DNS A Record Lookup While Resolving SRV Request
[CSCuz94249](#) : Corporate Directory Search issue with Cisco 9951/9971 Phones
[CSCuz90005](#) : Personal Address Book should sort the users by nick name
[CSCuz85584](#) : Empty ipccExtension tag blanks primaryExtension & extensionsInfo
[CSCuz52535](#) : Evaluation of ciscocm for OpenSSL May 2016
[CSCuz51426](#) : DST/TZ data upgrade with 2016d
[CSCuz50894](#) : VMware Tools 10.0 update fails on CUCM/CUC 10.5/11.0 part2
[CSCuy23041](#) : Exception handling in DB replication scripts
[CSCuw43220](#) : Expansion Modules Configuration is lost
[CSCuu63399](#) : Server Time Displayed in UTC Format in BAT scheduler page
[CSCuu36501](#) : UCM sends space instead of escaped %20 in certain directory softkeys
[CSCva31266](#) : RPID incorrect for outbound Spark Fusion call anchored on SparkRD
[CSCva31074](#) : 7800/8800 11.5 release Phone FW missed in CUCM 9.1.2 and 11.0.1 dev pack
[CSCva29077](#) : CCM Memory Leak With Dual Mode SIP Phones
[CSCva05265](#) : MGCP will not take Locale form Common Device Configuration

[CSCuz89754](#): BIB Call recording fail when observed "RecordingResourcesNotAvailable"
[CSCuz85694](#): UCMUser login failed credentials messaging allows user ID identification
[CSCuz63133](#): Race condition when redirect is received, before transfer is complete
[CSCuz60554](#): OOB DTMF not pass though for calls via route list
[CSCuz40639](#): IX5000 Telepresence endpoint - add TMS, streams,proximity,multi-mode
[CSCuz15367](#): Core dump when using a IUA script
[CSCuz06490](#): Import shows success but import doesn't happen for SIP Normalization
[CSCuz11051](#): Spark Licensing Adjustment for Spark Remote Device Users
[CSCva00208](#): TSP 32 bit installation error in windows machine
[CSCuz85612](#): dbxlweb AXL connections are crossing the threshold 100
[CSCuz25827](#): JTAPI DeleteTerminal does not actually delete terminals
[CSCuy56429](#): CUCM doesn't send 200 reason headr to CTIRD when call answered elsewhere
[CSCux55575](#): When Directory URI is set to 'none' UCM configured values set to blank
[CSCuw15465](#): UC Fusion - Spark-Only Remote Device - cmui
[CSCuw12006](#): UC Fusion - Spark-Only Remote Device - tapi
[CSCuw11999](#): UC Fusion - Spark-Only Remote Device - jtapi
[CSCuv86726](#): UC Fusion - Spark-Only Remote Device - cmcti
[CSCuz68370](#): CUCM silently drops requests with Unexpected Method
[CSCuz59456](#): Phone FW and support file for 78xx/88xx 11.5.1 release
[CSCuz11510](#): Dependency Error message during RU upgrade from 9.1.2
[CSCuz07076](#): UCM - NSS Remote Execution Vulnerabilities
[CSCuv05193](#): Enable Caller ID checkbox is not present on FXO on 4321 & 4351 MGCP
[CSCut97044](#): Reason is incorrectly reported when the call is made to RDD.
[CSCuu96234](#): Incorrect reason is reported in a NuRD call scenario
[CSCuz80519](#): Add new QED for Cisco TelePresence DX70/80
[CSCuz64683](#): CUCM - Incorporate X-Frame-Options Header for /cmplatform after login
[CSCuz40162](#): CUCM GUI incorrect port numbers in slot 1 of ISR 4451 MGCP gateway
[CSCuz39655](#): CUCM 11.X LDAP Sync will reset deletedtimestamp value in UserGroup Table
[CSCuy82197](#): Add Recents item for 78xx QED to control softkey Recents
[CSCux81705](#): RTMT shows Incorrect value of EM Requests in Progress
[CSCux47307](#): Exception thrown when database connections exceed max. connection limit.
[CSCux21905](#): Cisco Unified Communications Manager Trust Verification Service Denial of Servi
[CSCux17964](#): [QED]78xx Button template has "new call" "end call" item
[CSCuw59646](#): Tomcat Upgrade to 7.0.64
[CSCuw37904](#): Need to enter the password twice exchange 2010,
[CSCuj61544](#): Enhancement for EnvProcessCdr when it generates a pkid
[CSCuz89773](#): Initialize CallParkCount to zero to send SdlLinkOOS
[CSCuz56695](#): Rebroadcast External Multicast Source not forwarding IGMP packets
[CSCuz55210](#): CCM Core due to no response from SIP end point.
[CSCuz43163](#): Call start recording fails when initiated second time on the device
[CSCuy89624](#): CUCM - Kerbos DoS and Info Disclosure Vulnerabilities
[CSCuy86858](#): DST/TZ data upgrade with 2016c
[CSCuy22016](#): Impedance incorrectly using imported default on registration of ATA187
[CSCux82190](#): CUCM 11.0.1 dependency records return HTTP Status 500 Error
[CSCux16397](#): CAPF Cert not included in ITLFile when pub hostname is mixed/upper case
[CSCuw55602](#): Need proper error message, and forced capitalization in migrate phone
[CSCuw11044](#): error while attempting to enable SAML Single Sign-On
[CSCuv89967](#): M1 migration failed in post install with critical error due to ssh keys

[CSCuz59010](#) : CUCM cores while printing sipSPIEventInfo
[CSCuz55844](#) : Remote destination export fails due to fktodaccess is NULL.
[CSCuz53675](#) : Call Pickup Notification Alert Not Working When Queuing Enabled
[CSCuz09036](#) : Additional Req-URI parameters getting duplicated in SIP Invite by CUCM
[CSCuy70032](#) : Duplicate URI alerts seen with same URI having multiple case instances
[CSCux74780](#) : Increase 48 character limit on CTI-RD dial string
[CSCux73307](#) : Native Call Queue call rings back in 0 seconds when parked by 88XX phone
[CSCux46130](#) : UCM - LibXML DoS Vulnerabilities
[CSCuz30891](#) : add the dn to RPID with x-cisco-original-called tag for call back
[CSCuz26354](#) : ccm core due to stale entries in mRemoteLineInfoTable exceed 65535
[CSCuz13020](#) : CCM Memory Leak with TLS X509 subject alternative names
[CSCuy86302](#) : CUCM - OpenSSH Bypass Vulnerabilities
[CSCuy69555](#) : CUCM - Weak Diffie-Hellman Secret Generation in LibSSH2
[CSCuw78377](#) : failure to check signal length causes core in mempty()
[CSCuw14080](#) : Information disclosure in robots.txt
[CSCuv85926](#) : CUCM back up file _UCM_BAT.tar has encryption key in plain text
[CSCuw03445](#) : PCD needs to fix ITL file permissions on migration
[CSCuz44590](#) : ULT with configured 'Call Pickup Group' cannot be configured to null
[CSCuz25125](#) : CUCM stops responding to PCA requests
[CSCuz11737](#) : CUCM "Allow non-super user to grant access to administrative web pages"
[CSCuy89511](#) : CallManager Service crashes due to corrupted UserUserData in H.225 Setup
[CSCuy82773](#) : CUCM console-kit-dae process taking up 2Gb of memory
[CSCuy66601](#) : CUCM - Buffer Overflow For NSS Parsed ASN.1 Structures
[CSCuy28299](#) : CTI - RPID populated incorrect for outbound Spark Fusion enterprise call
[CSCux99227](#) : Cisco Unified Call Manager SQL Injection Vulnerability
[CSCux90777](#) : Upgrade JDK to 1.7.0_95 for Jan 2016 Critical Patch Updates
[CSCux78290](#) : CUCM - TLS1.2 Transcript Collision Attacks Against MD5 Key Exchange
[CSCux76118](#) : IPMA Assistant Console loses speed-dials on tomcat restart
[CSCuw19185](#) : Changing SIP source port of Phone is not reflected to BiB.
[CSCuu46430](#) : LPM unable to purge the DRF Logs
[CSCuz43866](#) : Good TLS connections marked bad and torn down
[CSCuz30670](#) : ATA190 1.2.2 QED/Firmware DevPack check in
[CSCuy54634](#) : Evaluation of ciscocm for OpenSSL March 2016
[CSCuy50259](#) : CUCM cores due to Record-Route record in the SIP trace
[CSCuy04997](#) : Wrong navigation happens in UDP Template
[CSCux95217](#) : Evaluation of ciscocm for NTP_January_2016
[CSCux50482](#) : Proper handling of OpenSSL errors
[CSCux26920](#) : CUCM makes audio port 0 on receiving multiple m lines from CUBE for MMOH
[CSCuw48368](#) : CUCM - OpenLDAP Ber_Get_Next Denial of Service Vulnerability
[CSCuw24319](#) : Evaluation of SSL/TLS CVE-2013-2566 single-byte biases Vulnerability
[CSCuz18234](#) : Phone FW for 792x 1.4.8.4 release
[CSCuy91623](#) : MGCP FXO to Sip Shared lines showing unknown caller id until connected
[CSCuy20456](#) : 11.0.2 QED files for 8821 phones
[CSCux74624](#) : CTI CallerID not updated after consulted transfer
[CSCux34835](#) : Evaluation of ciscocm for Java_December_2015
[CSCuz25758](#) : Personal Address Book should sort according to last name
[CSCuz03763](#) : MWI Routing loop causes leak cause code 102
[CSCuz00266](#) : Audit logs Should contain old Phone MAC address when MAC is updated

[CSCuy96274](#) : CUCM SsManager table leak on multiple call redirection.
[CSCuy83555](#) : Re-invite fails for EO-EO redirected call with early media
[CSCuy42107](#) : Add a single-port RTP option to TSP
[CSCuy31670](#) : UCMUSER 8821 PNG check-in
[CSCuy30769](#) : CM Send out CM FQDN instead of Top Level Domain through SIP Trunk
[CSCux90747](#) : VMware Tools 10.0 update fails on CUCM 10.5/11.0 with selinux denials
[CSCux10607](#) : IPv4 to IPv6 Interworking not able to transfer calls.
[CSCuw60623](#) : One-way audio after SIP phone sends re-invite
[CSCuw55248](#) : Windows 10 support for TAPI
[CSCuu25705](#) : Pre-requisite window pops up during CiscoTSP plugin installation
[CSCuy90533](#) : LPM Tool should have permission to delete trace files under CTFTP
[CSCuy72395](#) : Hub_None excluded from tie breaker calculation on effective path
[CSCuy09616](#) : DVOR call not happening when both FAC and CMC enabled on route pattern
[CSCuy87299](#) : Caching issue while updating phones details for a PAB user
[CSCuy74870](#) : CCM Process Memory Leak when SIP DNS SRV Records in Use
[CSCuy43998](#) : media control saving wrong capabilities
[CSCuy15292](#) : Personal Directory XML Parse Error for entry with 32 Char or above
[CSCux41945](#) : CUCM is omitting DN part for the re-invite for a specific name
[CSCuw98496](#) : SIPcdpc references a ccbID that has already been removed
[CSCuv71724](#) : memory leak when processing incoming SIP NOTIFY messages over UDP-cores
[CSCuy53732](#) : CTI Line Status Unregistered after temporary CTI - CCM SDL Link cut
[CSCuy41202](#) : Citrix server with TAPI driver not taking the default user credentials.
[CSCuy09369](#) : ACK message during re-invite has SDP, call drops
[CSCux19218](#) : UCM - ILS Coredumps on Authentication Settings Change
[CSCuy92593](#) : The userIdentity Field Not Set When Sync With OpenLDAP
[CSCuy60235](#) : Call Park Manager causes Unified CM service core when losing network connect
[CSCuy45449](#) : Directed call park stops working after some time
[CSCuy15704](#) : CUCM cores in voice-sip-stack component when DNS name is used
[CSCuy02795](#) : Call fails when the line initiating pickup tries to answer a ICT call
[CSCux20071](#) : CUCM not sending SDP in 183 to play Initial Announcement for queuing.
[CSCuv88655](#) : Device reported as OOS after linkOOS although device is still registered
[CSCuv37066](#) : UCM connects to wrong destination port after DNS SRV query
[CSCus53391](#) : PAB not sorted alphabetically (by last name) after upgrade to 10.x
[CSCuy81258](#) : Phone Manual/User guide is unavailable for 7811 phone in Self-Care (2)
[CSCuy55946](#) : Update phone via BAT removes Enterprise Alternate Number DN config
[CSCuy32014](#) : CUCM - GLIBC Getaddrinfo Stack-Based Buffer Overflow
[CSCuy07640](#) : Unable to Import UDP when Enterprise/E.164 Alternate Number is true
[CSCuy03375](#) : CUCM - Bind DoS Processing Malformed APL Records
[CSCux14950](#) : Conference Now "MOH Source While Participant is Waiting" is not working
[CSCuu92816](#) : RTMT doesn't list IM&P Services with multiple FQDN exits for same IMP IP
[CSCuy42493](#) : Data on CCMAdmin and BAT export are different
[CSCuy29693](#) : AMC causes device unregistered RTMT alerts after receiving invalid XML
[CSCuy21610](#) : The userIdentity Field Not Set When Sync With OpenLDAP
[CSCuy17895](#) : Phone Manual/User guide is unavailable for 7811 phone in Self-Care
[CSCux83666](#) : LDAP auth config reverts from ipaddr to default FQDN after CUCM upgrade
[CSCux66151](#) : RTMT- Evaluation of ciscocm for Java_December_2015
[CSCuu78454](#) : Misguiding alerts in RTMT about car (Not a cosmetic defect)
[CSCuy32868](#) : Hunt pilot not working intermittently

[CSCuy11523](#): Silence streamed from MOH under heavy load on queued calls
[CSCux97401](#): racing condition leads to hung signalling in SIPInterface
[CSCux78830](#): CUCM media sessions not closing resulting in memory leak
[CSCuw17917](#): CUCM 9.x Smart call home registration issue
[CSCuy19831](#): BAT - Export Phones - Select/All Details Hangs
[CSCuy13881](#): Geolocation pdf+xml not parsed due to corrupted mHost value in memory
[CSCuy12714](#): non-Ascii characters are not displayed on IP Phone
[CSCuy09251](#): IPMA Console Search Issue
[CSCux81942](#): CCM Service Core When SIP Endpoint Sends SNFSubscribeInd in Active State
[CSCux74846](#): Log Server entry in Phone Specific Configuration Help is incomplete
[CSCux74820](#): Log Server entry in Phone Specific Configuration Help is incomplete
[CSCuv64397](#): SCCP StationRegister cause CCM 10.5 to core
[CSCuv93330](#): tvsGetNextThread() returned NULL
[CSCuy00309](#): EM thread dead lock causes maximum concurrent sessions reached error
[CSCux58486](#): dateFormat and time format is not working in UpdateDateTimeGroup api
[CSCux52267](#): Access to the requested resource has been denied when exporting phones
[CSCuw11061](#): Saving IPCC extension in CUCDM removes it from CUCM user page
[CSCuy01919](#): Bulk Export Line Group from BAT Display Incorrect Total Numberof Records
[CSCux77626](#): Left pane doesn't show up on the Self Care Portal
[CSCux52190](#): Heap corruption trigger CTI Manager core 9.1.2
[CSCux19127](#): 8861 CP-BEKEM does not display Nth line when EMCC User Logs In
[CSCuw41476](#): CUCM stops processing SIP calls due to SIPUdp connection being closed
[CSCui69419](#): FAC timer starting point should be delayed due to the announcement time
[CSCuv72501](#): G729 Codec variants not mapped properly with multiple fmtp lines
[CSCux73531](#): Phones not accepting ITL files signed by the ITLRecovery key
[CSCti75789](#): Intermittent false Server Down alerts received through RTMT
[CSCux55827](#): CCM does not send an ACK after it receives 200 OK
[CSCux54206](#): CUCM - Libpng Arbitrary Execution and DoS Vulnerabilities
[CSCux48813](#): Virtual FFF port is not being created when adding SCCP gateway via AXL
[CSCuw38129](#): Add support for X509 Name Constraints extension Other name field
[CSCuw05580](#): Calls to HP(Queueing enabled)not working as expected when Agent available
[CSCuv36064](#): Cisco UCM Information Disclosure for certain web pages
[CSCut42768](#): Missed calls are still logged when uncheckig "Log Missed Calls" on 79XX
[CSCur98596](#): DRS support for aes256-ctr ciphers
[CSCux54208](#): Locations "download topology" xml file is missing entries
[CSCux49021](#): Database exceeds maximum connections is the issue
[CSCuw53630](#): BAT not handling universal Phone Security Profile properly
[CSCuw01791](#): PMR78810 227 000 check repair fails with SQL error 195 ISAM 143 deadlock
[CSCuw11633](#): enhance change notify code for large columns for PMR 78810 227 000
[CSCux64208](#): Change in License Server for InstallAnywhere
[CSCux50940](#): Extend&Connect Outbound Calls Failing Using Standard Local Route Group
[CSCux37689](#): Call is not recorded after refer from Webex
[CSCux13055](#): Installation of RTMT on 32-bit Windows 7 machine is getting errored
[CSCux11988](#): AXL getUser gives error for users with multiple lines
[CSCux00070](#): CUCM Autocomplete Not Specified for ILS Authentication Credentials
[CSCuw92769](#): Between Location links on secondary locations not available
[CSCuw87432](#): CUCM Admin Page Won't Accept "-" or "_" or "." in CTI Remote Device Name
[CSCuw82868](#): Upgrade JDK for October 2015 Critical Patch Updates

[CSCuw29068](#) : On parallel broadcast to phones, a 503 Service Unavailable error is seen
[CSCuw28566](#) : RPM Coredump received on CUCM cluster version 10.5.2.12016-1
[CSCuw02206](#) : Certificates and CSRs generated with SHA1 hash & 1024 bit in some cases
[CSCuv92008](#) : v.150 Dynamic Payload SIP NSE needs invalidated
[CSCuv61745](#) : v.150 Dynamic Payload MGCP Support
[CSCuv29884](#) : MGCP changes to support dynamic V.150 codec values.
[CSCuu97143](#) : Handling of invalid V.150 codecs
[CSCuu55848](#) : SIP V.150MER dynamic payload changes
[CSCuu63528](#) : V150 Changes for SCCP
[CSCux28855](#) : Selfcare page in English instead of German, when de-DE is installed
[CSCuw78346](#) : Upgrade failed due to the number of bytes in the dkey file is 65
[CSCux60445](#) : New license server For Install Anywhere
[CSCux49673](#) : Unusual authentication attempts to LDAP while using Webdialer proxy user
[CSCux44250](#) : Hunt Pilots starting with '+' are not returned by perfmon
[CSCux30379](#) : CUCM responds with 400 Bad Request to SIP INFO during mid call
[CSCux16027](#) : RSVP Session leak when transfer across SIP Trunk in SHADOW Loc
[CSCux11900](#) : Cisco Unified Communications Manager NSS and NSPR Library Vulnerability
[CSCuw85074](#) : Evaluation of ciscocm for NTP_October_2015
[CSCuw26299](#) : Process leak due to cause value not handled in Cdcc
[CSCuv00283](#) : Not able to access CLI after DRS bacup and restore with FIPS.
[CSCuu85089](#) : CUCM - OpenSaml Vulnerabilities
[CSCux27207](#) : Proxy TFTP continuously returns 503 after network impairment to leafs
[CSCux26126](#) : UCM Configuration files and phone firmware for 8845/8865 11.0.1 release
[CSCux17963](#) : 10.3(1)SR2 Feature Updates, Firmware Checkin for 8831 IP Phone
[CSCux06538](#) : Unable to UPDATE Device Profile through BAT
[CSCuw91377](#) : Dual Ringback on phone when CUCM sends ui-state=ringout inUPDATE on CFNA
[CSCuv62220](#) : Phone FW and support file for 8811/8841/8851/8851NR/8861 11.0.1 release
[CSCuv62923](#) : Getting unsupported ciphers in FIPS mode
[CSCux43613](#) : UCM Configuration files and phone firmware for 78xx 11.0.1 release
[CSCux42937](#) : Phone FW and support file for 3905 9.4(1)SR2 release
[CSCux24822](#) : CUCM not requesting for Media Resource Manager to Allocate MoH Server
[CSCux22567](#) : Cannot use Mobility Softkey to switch from the desk phone to a mobile.
[CSCuv73792](#) : LBM Leak with multiple Broadcast Line Groups and SCCP
[CSCuv13405](#) : CiscoSyslog log rotation exceeds the limit
[CSCuu62577](#) : Advertise Globally via ILS inserts Alternate Number into Local DA
[CSCuw50916](#) : Circular algorithm not working correctly when call queuing is enabled
[CSCuw23493](#) : CUCM not sending SDP in acknowledgement to LYNC server for resuming call
[CSCuu55380](#) : LDAP authentication changes don't take effect until Tomcat is restarted
[CSCuv07349](#) : DST/TZ data upgrade with 2015g
[CSCux07405](#) : CTIMgr cores on bulk CTIDbChangeNotify on numplan (DN) Insert/Upd/Delete
[CSCux04799](#) : CTIManager core with invalid OAuthToken
[CSCuw64866](#) : DST/TZ data upgrade with 2015e - RTMT
[CSCuw59266](#) : Call Transfer fails on CUCM when initialed from Attendant Console
[CSCuw43942](#) : SIP trunk call failures due to Mid-call INVITE timeout
[CSCuw35989](#) : Conference Call to Conductor, SIP answer with junk characters in SDP
[CSCuw22149](#) : Add 2 new resources for 2 new IMP GUI pages
[CSCuw46845](#) : TFTP Proxy briefly sends 404's during service restart
[CSCuu81112](#) : CUCM upgrade to 10.5.1 fails if timezone set to Riyadh

[CSCuu65414](#) : Interwork External Multicast MOH source to Unicast MOH
[CSCuw79671](#) : CUCM IVR for Conference now Feature is not receiving DTMF digits
[CSCuw56115](#) : Issue accessing personal address book service
[CSCuw16858](#) : Proxy/Leaf TFTP Server sending 503's after Network Impairment
[CSCuv93165](#) : HAProxy does not bind IPv6 address in 11.0
[CSCuv83074](#) : Conference and MoH doesn't work if configured with server name
[CSCuv80023](#) : Downloaded packet capture data cannot be decrypted
[CSCuv60580](#) : Unable to submit BAT job to update CAPF information on phone
[CSCuv51863](#) : CUCM 10.5 & 11.0 RTMT - analyze call path error
[CSCuv51764](#) : RTMT log collection fails for CUCM for AEST or AWST timezone
[CSCuv48314](#) : Invalid DN in database when certificate common name contains doublequote
[CSCuv39301](#) : CUCM migration to 10.x fails using PCD 11.0.1.10000-6
[CSCuv17758](#) : CCM exhibits "IntentionalAbort" due to CCMDDB mutex held by DMPPropagation
[CSCuu49985](#) : TSP 8.5(1.15) Allows non-admin users to change TAPI password
[CSCuu49260](#) : Bulk Admin Tool does not produce correct vendorConfig XML
[CSCus21121](#) : Corporate Directory entry order is not alphabetical
[CSCuu24422](#) : IM&P repeatedly imports tomcat-trust certificate from CUCM
[CSCuv03652](#) : CUCM - TLS Man in the Middle Vulnerability with DH Key Exchange in NSS
[CSCuw28635](#) : CCM SIP core while accessing a stale ccb.
[CSCuv92117](#) : Unable to download of logs through RTMT fails with permission issues.
[CSCuv54501](#) : CCM core dump when phone processing speed dial configuration
[CSCuu85257](#) : After chaining two secure conferences, the final call is a non-secure
[CSCuu44936](#) : Line side config pulls over during device copy
[CSCut96327](#) : ConferenceNow couldn't be synchronized when MOH value is set to None
[CSCuw63775](#) : CCM core due to allocation of memory with two extra bytes
[CSCuw53282](#) : Out of order mid-call re-invite not responded to correctly
[CSCuw27210](#) : CCM Service not checking ProcessNodeRole while deciding Cluster Pkid
[CSCuv44401](#) : CUCM - NTP Vulnerabilities
[CSCuv44355](#) : CUCM - CURL Vulnerabilities
[CSCuv44408](#) : CUCM - Sudo Privilege Escalation Vulnerability
[CSCuv44427](#) : CUCM - Python Vulnerabilities
[CSCuw11463](#) : UCM - Bind Malformed DNSSEC Key Failed Assertion Denial of Service
[CSCuv56671](#) : SIPphones not registering with "use Digest Authentication" checked
[CSCuw63041](#) : Directed call park not working under race condition
[CSCuw36022](#) : UDS acts as case sensitive for user id.
[CSCuv11114](#) : UI throws security exception on pop up select.
[CSCuw22879](#) : Dependency Record menu is missing in gateway configuration page
[CSCuw02911](#) : De-registration of endpoints using Mobility feature with MRA Devices
[CSCuv17409](#) : Bulk loading 300 users fails to provision for certain users.
[CSCuv86160](#) : Not able to erase CTIManager Logs on updating Trace Output Settings
[CSCuw36904](#) : 9.4(2)SR2 SIP/SCCP loads files for 894x IP Phones
[CSCuw22277](#) : cp-mediacontrol timing issue parsing OLC ack to SIP process
[CSCuw17550](#) : Access denied error CUCM 11.X on route group config page
[CSCuv82528](#) : Translation Pattern Validation errors on valid patterns
[CSCuv65202](#) : Content-ID sent by Communications Manager is not RFC2392 compliant
[CSCuv57765](#) : LDAP Connection Timeout can't be changed from 5 sec it won't take effect
[CSCuv34080](#) : CUCM / SME not passing properly the ptime for G729
[CSCuo58633](#) : Route Plan Report shows Unmapped Exception error

[CSCuv07151](#): Emport/export issue when BLF is configured on the phones
[CSCuv73283](#): PacketCapture fails in downloading of key file in FIPs mode
[CSCuv33290](#): Fix usage of SSL in JAVA to address poodle vulnerability - DirSync
[CSCuv01905](#): selfcare - Wrong display direction (right-to-left) for es-ar locale
[CSCuv89821](#): Failed to download trace file from UCM with DimeGetFileService
[CSCuv72326](#): getPhone gives error sporadically if ikdevice_primaryphone is not null
[CSCuv67610](#): Video set to 384 and Immersive bandwidth set to 2147483647
[CSCuv56740](#): SIP DNS does not handle SdlGetHostByNameErr properly causing memory leak
[CSCuv24353](#): CUCM Prefixes 00 when adding Directory Number Range with \+.
[CSCsy90529](#): CDR Load status shows Unsuccessful if it is interrupted by DRS backup
[CSCuv53449](#): CUCM - Error handling TKEY queries can lead to Bind DDOS
[CSCut40206](#): ATA190 - No icon in device page for devpack 10.5.2/11.0.1
[CSCuv99604](#): 9.4(2)SR2 SIP loads and support files for 8961/9951/9971 IP Phones
[CSCuv82344](#): Add support for Extension Mobility Size Safe feature to 8845 phone
[CSCuv44142](#): CVE-2015-4620 abortDoS due to uninitialized value use in isselfsigned()
[CSCuv29584](#): call rejected after receiving 422 response, not sending new invite
[CSCuv23626](#): Unable to export large number of data in BAT.
[CSCuu47104](#): Call manager service crashes due to issues in reaching IM&P server
[CSCuv44372](#): CUCM - GnuTLS CA Cert Bypass Vulnerabilities
[CSCuv76159](#): UCCE Client Login Error 12005 with second line shared
[CSCuv64658](#): Unable to restore if security password has changed
[CSCuv19482](#): SIP 200 Ok with no SDP leaves SIP cdpc in reqOfferSent state
[CSCuv85931](#): CUCM back up file _UCM_CLM.tar has encryption key in plain text
[CSCuv13482](#): U1-upgrade is failing with "Critical error"
[CSCuv79938](#): Adding DX series 10.2.5 QED parameters
[CSCuv57329](#): ILS 10.5 cluster does not insert URIs received from 9.1.2 Cluster
[CSCuu71239](#): addPhone request fails when ownerUserName has single character
[CSCuv19723](#): Proxy TFTP return 503 service unavailable
[CSCuv62722](#): extensionsInfo, primaryExtension & ipccExtension do not work properly
[CSCuv39370](#): CUCM Software Session Initiation Protocol Memory Leak Vulnerability
[CSCuv52584](#): GK entry in device table is getting associated with common phone profile
[CSCuv33186](#): updateGatewaySccpEndpoints-throws error if request in based on UUID
[CSCuu00543](#): Fax call from H.323 to SIP with MTP fails
[CSCuv02113](#): BAT issue after exporting UDP, it skips Busy Lamp field 1
[CSCuv64099](#): 9.4(1)SR2 SCCP/SIP firmware files for 6921/41/61/45 IP Phones
[CSCuv52183](#): SSL_ERROR_SSL handling in SdISSLTCPConnection
[CSCuv40352](#): Hunt Pilot not forwarding call when members are unregistered
[CSCuv34143](#): Interface leak in CCM for error scenarios
[CSCuv22026](#): CUCM does not forward call according to CFNC for calls using CTI RP/port
[CSCuv21285](#): Recording Tone is always played for SNR calls
[CSCuv06688](#): CUCM drops video-call after session refresh
[CSCuu74218](#): GetGateway request error
[CSCuu69291](#): CUCM will not handle IPV6 m line for Fax
[CSCuu67940](#): CUCM sending UPDATE after 183 session progress
[CSCuu63627](#): URI dialing with "Apostrophe (') fails.
[CSCuu39790](#): DNA does not provide full call flow for E.164 patterns
[CSCuu59477](#): SHA1 in CTL file with etoken is wrong if DER cert exceeds 2048 bytes
[CSCuu76094](#): ATA190 1.2.1 QED/Firmware DevPack check in

[CSCuv29427](#) : 2911.5.0.98000-101 cc_mainline (CCM) Build Status Is FAILED
[CSCuv13339](#) : Port config problem ISR4351 SCCP
[CSCuv02601](#) : SIP Normalization doesn't work for 3rd Party SIP Phones also with UDP.
[CSCuu58085](#) : PMR 32360 227 000 Database replication does not complete due to 195.
[CSCur09534](#) : Utils dbreplication status should not proceed if there is no good Sub
[CSCuv23627](#) : Check in Firmware of 8845/8865 in 10.3.2 release
[CSCuu46978](#) : CUCM cores while handling CcInfoInd signal in stop_indication state
[CSCuv17829](#) : Upgrade rules to prevent 11.0(1) Respins from installing over ES's
[CSCuv02929](#) : Stunrel Multiple Vulnerabilities (CVE-2013-1762) for CUCM
[CSCuu92481](#) : Cisco Unified Communications Manager Multiple CUPS Vulnerabilities
[CSCuu77145](#) : Similarity on CUP and CUCM IP causing ILS replication problems.
[CSCuu64781](#) : MTP leaking DTMF digits RFC2833 to OOB for SIP to CTI calls
[CSCuu58142](#) : CallsInProgress leaks when Incoming SNRD call is Rejected
[CSCuu21545](#) : User Ctrl VMA call is not working when DTMF signaling is set 'No Pref'

Resolved Cisco Unity Connection Caveats in 11.0(1a)SU3a.

[CSCvb68945](#) : Empty PIN update successful through rest API to update user PIN
[CSCva92731](#) : Java messages visible in syslog after executing CLI commands
[CSCva14718](#) : CUC Jetty stderrout log is growing enormously
[CSCvc28406](#) : HTTPS link not Synchronizing Directory after renaming partitions
[CSCvb09921](#) : Getting 'Database Error -284' when trying to update partition of a user
[CSCva81803](#) : Caller name incorrect on Unity transfered calls
[CSCvb59567](#) : When generate Report on CUC, get blank page
[CSCvb05270](#) : UC Handle 491 Request Pending when multiple CUCM configured with TCP/TLS
[CSCvb35772](#) : SCCP ports don't register back when multiple CM goes down & brought up
[CSCva61873](#) : 'Europe/Kaliningrad' time zone is set to (GMT+03 00)
[CSCuw83224](#) : Need RTMT alert if DynDB for Unity Connection goes full or close to full
[CSCux79891](#) : Doc update for TTS flag
[CSCuz52538](#) : Evaluation of connection for OpenSSL May 2016
[CSCtn18812](#) : ACE_File_Lock ACE_File_Lock Permission denied
[CSCuz06264](#) : Not able to create SIP certificate in FIPS enabled mode
[CSCuy99881](#) : UC - Java Processes Missing from sudoers File Causes Lingering PID's
[CSCuy94274](#) : Unity Connection not sending Silence Packets in SRTP
[CSCuy88944](#) : CUPI - Adding an external service with TtsOfEmailCapability at "false"
[CSCuy85927](#) : directory handler does not play names in intended order.
[CSCuy83478](#) : Auto-discovery over LDAPS fails for UMS Test Button
[CSCuy68234](#) : Mbxsync FindItem EWS requests not excluding calendering items
[CSCuy63340](#) : Sender ANI incorrectly played for messages left on call-handler.
[CSCuy38384](#) : Upgrade JDK to 1.7.0_95 for 11.5 Release
[CSCuy19727](#) : Ipsec tunnel breaks after reboot on unity connection
[CSCuy12585](#) : Cucsmgr crashes with core dump during a race condition during a load
[CSCux66528](#) : Missed Call Notification Timestamp incorrect
[CSCux52984](#) : SSO Authorize proxy only works with original admin account
[CSCux51571](#) : Unity Connection Menu drop down not working in Edge Browser
[CSCuj85141](#) : VVM - MonitorCall thread stuck leading UC not to answer calls
[CSCux35135](#) : Evaluation of connection for Java_December_2015
[CSCuz50018](#) : To Catch Selinux policy install failure during install/upgrade scenario

[CSCuy27063](#): System Restore Tool manual backup stalled if platform user is not admin
[CSCuw80734](#): US207177 Upgrade of RSA SSLJ from 5.1.1.4.3 to 6.1.4 version
[CSCux67499](#): SQL NullPointer Exception while syncing CUC's user information via PCP
[CSCux68971](#): Need to update the sudoers for all C++ Processes.
[CSCux65172](#): Webinbox and Miniinbox with QT 7.7.6 on Windows 7
[CSCuw87240](#): Unable to move mailbox users with large number of messages
[CSCus01998](#): UC to Handle 491 Request Pending in Release to Switch Transfer
[CSCux34306](#): Cisco Unity Connection Reflected Cross Site Scripting Vulnerability
[CSCux00410](#): UC10.5 CH doesn't work when re-directing with "+" & CH is w/o "+" in UC
[CSCuw93879](#): Greeting uploaded via bulk edit disappear in some scenarios
[CSCuw99186](#): AVC Denials for logrotate
[CSCux05117](#): Jetty log rotate policy correction
[CSCuv53622](#): AVC Denials fixes for Unity Connection
[CSCuu85659](#): Affected users during restore operation not displayed correctly
[CSCuv04411](#): Cannot edit extension for imported ldap users
[CSCuv82876](#): SSL jetty is not enabled using CLI
[CSCuv93175](#): HTML Notification image not displayed when Alias created with %20
[CSCuw44868](#): Switch version failed with KeyError 'MessageType'
[CSCuu40079](#): Switch version failing due to constraint violation in tbl_timezone
[CSCuw53890](#): Upgrade JDK for 11.0.1su1 Release
[CSCuv63824](#): Multiple SQL injection vulnerabilities in Unity
[CSCuv31252](#): Upload of large voicemail wav file do not work on WebInbox in Firefox
[CSCuv11275](#): Message is not marked read after deleting it during play through VVM
[CSCuu89716](#): Notification mail do not reflect correct log path while restore fails.
[CSCuu63531](#): Unity connection sending incorrect cseq in CANCEL messages
[CSCuv23752](#): Event type getting set to "All voice messages" when changing template
[CSCup92741](#): Unity Connection Reflected Cross Site Scripting
[CSCtr50458](#): CuMixer Core Dumps during SRTP Decryption
[CSCuv34502](#): 'Max Message Count' field gets change automatically to '0' on CPCA
[CSCuv16942](#): Re-evaluate CuCsMgr Lock() Mechanism Implemented during previous fix.
[CSCuu68923](#): UC 10.5.1 - Corporate Email Fails to Sync When LDAP is Updated
[CSCuu40352](#): Transfer loop after upgrade to CUC 10.5.2
[CSCuu32724](#): Secure messages can't be played from relay address when recp is remote
[CSCuv73956](#): Sender display name is junk characters for non-unity subscriber
[CSCuw55559](#): Unable to play Busy Greeting over SIP
[CSCuw61288](#): Enable "MbxSynchUsePaging" during upgrade from 8.x/9.x to 10.x and later
[CSCuw28427](#): Unity Connection shows Hex in Message Subject if URI contains space sequence.
[CSCuw48498](#): UC 10.5//Call screening not working with voice enable directory handler
[CSCuv41569](#): SparePartitionLowWaterMarkExceeded RTMT Alert due to large out.cuvrt.txt
[CSCuv11233](#): Not able to create/modify Relay add having more than 4 characters after "." in dom
[CSCuv46838](#): Unable to add multiple comma-seperated SMTP addresses via VMrest API
[CSCuv23241](#): Media Master support on Java 1.8
[CSCuu97867](#): Ldap Integrate/Do not integrate do not work via CUPi
[CSCuv32098](#): Core on Secondary UC Server with 11.0.1.10000-10 installed
[CSCuv21270](#): Improper AXL Message While connecting to latest CUCM

Open Caveats

Open Caveats for Cisco Unified Communications Manager Release 11.0(1a)SU4 describes a few of the possible unexpected behaviors still remaining in Cisco Unified Communications Manager Release 11.0(1a)SU4. For a complete list of open caveats please access the bug toolkit located at:

https://tools.cisco.com/bugsearch?referring_site=btb



Tip

For more information about an individual defect, click the associated Identifier in the to access the online record for that defect, including workarounds.

Open Caveats

[CSCuz10194](#): Secure Connection to CUCM fails for TAPI app running on 32-bit machine

Firmware / Device Loads

SUs contain firmware loads, however, Cisco recommends that you always download the latest firmware load from the Voice Software Download Center.

Phone Firmware

To download phone firmware, follow this procedure:

Step 1 Go <http://www.cisco.com/cisco/software/navigator.html?mdfid=278875240&i=rp>

Step 2 Select **Collaboration Endpoints** in the center column

Step 3 Select **IP Phones** in the right most column

Step 4 Select the desired phone series in the right most column

Step 5 Select the desired phone model in the right most column

Step 6 From the options that display, select the desired software type for your deployment.

Device Packages

Firmware upgrades not explicitly addressed in the Phone Firmware section can be obtained via Dev Packs. To download Dev Packs for this release, follow this procedure:

Step 1 Go <http://www.cisco.com/cisco/software/navigator.html?mdfid=278875240&i=rp>

Step 2 Select **Call Control** in the right most column

Step 3 Select **Unified Communications Manager (CallManager)** in the right most column

Step 4 Select **Unified Communications Manager Version 11.0** in the right most column

Step 5 From the options that display, select **Unified Communications Manager/CallManager Device**

Packages

Step 6 From the options that display, select the desired release for your deployment.

Firmware Versions in this Release

Device type	Load name	Version
-----	-----	-----

3905	3905.9-4-1SR2-2	9.4(1SR2.2)
3911_3951-sip	3911_3951-sip.8-1-4a	8.1(4.0)
6608	6608-4.0.0.32-mgcp	4.0(0.32)
6608cfb	6608cfb-4.0.0.03-sccp	4.0(0.3)
6608mtp	6608mtp-4.0.0.06-sccp	4.0(0.6)
6624	6624-4.0.0.13-mgcp	4.0(0.13)
6901-sccp	6901-sccp.9-3-1-SR2-2	9.3(1.0)
6901-sip	6901-sip.9-3-1-SR2-3	9.3(1.0)
6911-sccp	6911-sccp.9-3-1-SR2-3	9.3(1.0)
6911-sip	6911-sip.9-3-1-SR2-4	9.3(1.0)
6945-SCCP	6945-SCCP-9-4-1-3SR3	9.4(1.3)
6945-SIP	6945-SIP-9-4-1-3SR3	9.4(1.3)
69xx-SCCP	69xx-SCCP-9-4-1-3SR3	9.4(1.3)
69xx-SIP	69xx-SIP-9-4-1-3SR3	9.4(1.3)
7832-sip	7832-sip.12-0-1-8	12.0(1.8)
78xx	78xx.12-0-1-11.k3	12.0(1.11)
7902	7902-8.0.2-sccp	8.0(2.0)
7905	7905-8.0.1.1-sip	8.0(1.1)
7905	7905-8.0.3-sccp	8.0(3.0)
7910	7910-5.0.7.0-sccp	5.0(7.0)
7911_7906-sccp	7911_7906-sccp.9-4-2SR3-1	9.4(2SR3.1)
7911_7906-sip	7911_7906-sip.9-4-2SR3-1	9.4(2SR3.1)
7912	7912-8.0.1.1-sip	8.0(1.1)
7912	7912-8.0.4-sccp	8.0(4.0)
7914-sccp	7914-sccp.5-0-4	5.0(4.0)
7915	7915.1-0-4-2	1.0(4.2)
7916	7916.1-0-4-2	1.0(4.2)
7920-sccp	7920-sccp.3-0-2	3.0(2.0)
7921-sccp	7921-sccp.1-4-6-3	1.4(6.3)
7925-sccp	7925-sccp.1-4-8-4.k3	1.4(8.4)
7926-sccp	7926-sccp.1-4-8-4.k3	1.4(8.4)
7931-sccp	7931-sccp.9-4-2SR2-2	9.4(2SR2.2)
7931-sip	7931-sip.9-4-2SR2-2	9.4(2SR2.2)
7935-sccp	7935-sccp.3-2-19	3.2(19.0)
7936-sccp	7936-sccp.3-3-21	3.3(21.0)
7937	7937-1-4-4-SCCP	1.4(4.0)
7937	7937-1-4-5-7-SCCP	1.4(5.7)
7940-7960	7940-7960-8.12.00-sip	8.12(00.0)
7940-7960-sccp	7940-7960-sccp.8-1-2SR2	8.1(2SR2.0)
7941_7961-sccp	7941_7961-sccp.9-4-2SR3-1	9.4(2SR3.1)
7941_7961-sip	7941_7961-sip.9-4-2SR3-1	9.4(2SR3.1)
7942_7962-sccp	7942_7962-sccp.9-4-2SR3-1	9.4(2SR3.1)
7942_7962-sip	7942_7962-sip.9-4-2SR3-1	9.4(2SR3.1)
7945_7965-sccp	7945_7965-sccp.9-4-2SR3-1	9.4(2SR3.1)
7945_7965-sip	7945_7965-sip.9-4-2SR3-1	9.4(2SR3.1)
7970_7971-sccp	7970_7971-sccp.9-4-2SR3-1	9.4(2SR3.1)
7970_7971-sip	7970_7971-sip.9-4-2SR3-1	9.4(2SR3.1)

7975-sccp	7975-sccp.9-4-2SR3-1	9.4(2SR3.1)
7975-sip	7975-sip.9-4-2SR3-1	9.4(2SR3.1)
7985	7985-4-1-7-0-sccp	4.1(7.0)
8821-sip	8821-sip.11-0-3SR4-3	11.0(3SR4.3)
8831-sip	8831-sip.10-3-1SR2-2	10.3(1SR2.2)
8832-sip	8832-sip.12-0-1-12	12.0(1.12)
8845_65-sip	8845_65-sip.12-0-1SR1-1.k3	12.0(1SR1.1)
88xx-sip	88xx-sip.12-0-1SR1-1.k3	12.0(1SR1.1)
894x-sccp	894x-sccp.9-4-2SR3-1	9.4(2SR3.1)
894x-sip	894x-sip.9-4-2SR3-1	9.4(2SR3.1)
8961	8961.9-4-2SR2-2	9.4(2SR2.2)
9951	9951.9-4-2SR2-2	9.4(2SR2.2)
9971	9971.9-4-2SR2-2	9.4(2SR2.2)
ata	ata-3.2.4-sccp	3.2(4.0)
ata187	ata187.9-2-3-1	9.2(3.1)
ata190	ata190.1-2-2-003	1.2(2.3)
ata191	ata191.12-0-1-29	12.0(1.29)

Cisco Unity Connection RPMs

CCM Reference Build: 11.0.1.24900-2

Cisco Unity RPMs:

BuiltRPMsList

NRec-10.2.6-14289.x86_64.rpm
 NRec-en-US-10.0.0-10.0.0-12059.i686-linux.rpm
 NSS-6.2.7-14290.i686.rpm
 Nuance-Common-10.2.7-14289.i686.rpm
 Nuance-Common64-10.2.7-14289.x86_64.rpm
 Nuance-NRS64-10.2.7-14289.x86_64.rpm
 Nuance-OAM-10.2.7-14289.i686.rpm
 cuc-11.0.1.24900-1851.i386.rpm
 cuc-base-11.0.1.24900-1851.i386.rpm
 cuc-bin-11.0.1.24900-1851.i386.rpm
 cuc-etc-11.0.1.24900-1851.i386.rpm
 cuc-install-11.0.1.24900-1851.i386.rpm
 cuc-jetty-11.0.1.24900-1851.i386.rpm
 cuc-languagepack-enu-11.0.1.24900-1851.i386.rpm
 cuc-lib-ext-11.0.1.24900-1851.i386.rpm
 cuc-lib-jar-11.0.1.24900-1851.i386.rpm
 cuc-lib-so-11.0.1.24900-1851.i386.rpm
 cuc-links-11.0.1.24900-1851.i386.rpm
 cuc-productid-11.0.1.24900-1851.i386.rpm
 cuc-python-11.0.1.24900-1851.i386.rpm
 cuc-python-site-11.0.1.24900-1851.i386.rpm
 cuc-selinux-11.0.1.24900-1851.i386.rpm
 cuc-share-11.0.1.24900-1851.i386.rpm

nve-api-6.0.2-14049.i686.rpm
 nve-en-US-Samantha-bet1-6.0.1-13043.i686.rpm
 openssl097a-0.9.7a-9.el5_4.2.i386.rpm

Plug-In Report

```
-----
cm-taps-plugin-7.0.2.0-1.i386.rpm
cm-axlsqltoolkit-plugin-1.1.0.0-1.i386.rpm
cm-tsp-plugin-11.0.1.7-0.i386.rpm
cm-ctlc-plugin-6.0.0.1-1.i386.rpm
cm-jtapi-plugin-11.0.1.24072-1.i386.rpm
cm-rtmt-client-plugin-11.0.0.0-0.i386.rpm
```

TZDATA file

-----	Version
platform-tzdata-2017b-1.el6.i386.rpm	2017-b

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1005R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2018 Cisco Systems, Inc. All rights reserved.