



ReadMe for Cisco Unified Communications Manager Release 7.1(5b)su5

Revision 1

Updated April 4, 2012

This ReadMe file discusses the following topics:

- [Introduction, page 2](#)
- [System Requirements, page 2](#)
- [Version and Description, page 2](#)
- [Important Notes, page 3](#)
- [Related Documentation, page 3](#)
- [Before You Begin, page 4](#)
- [Installation Instructions, page 4](#)
- [Reverting to a Previous Version, page 5](#)
- [Caveats, page 5](#)
- [Obtaining Documentation and Submitting a Service Request, page 21](#)



Note

To view the release notes for previous versions of Cisco Unified Communications Manager, choose the Cisco Unified Communications Manager version from the following URL:

http://www.cisco.com/en/US/products/sw/voicesw/ps556/prod_release_notes_list.html



Note

Please review all sections in this document pertaining to installation before you install this Service Update. Failure to install this Service Update as described may result in inconsistent Cisco Unified Communications Manager behavior.

Before you install Cisco Unified Communications Manager, Cisco recommends that you review the “[Important Notes](#)” section on [page 3](#) for information about issues that may affect your system.



Americas Headquarters:

Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

© 2012 Cisco Systems, Inc. All rights reserved.

Introduction

This Service Update (SU) ReadMe file contains important information about installation procedures and resolved caveats for Cisco Unified Communications Manager release 7.1(5b)su5. The SU can be applied to Cisco Unified Communications Manager, Business Edition and Cisco Unity Connection.

System Requirements

The following sections comprise the system requirements for this release of Cisco Unified CM.

Server Support

Make sure that you install and configure this service update on a Cisco Media Convergence Server (MCS) or a Cisco-approved HP server configuration or a Cisco-approved IBM server configuration.

To find which servers support Cisco Unified CM Release 7.1(5), refer to the Cisco Unified Communications Manager Server Support Matrix at

http://www.cisco.com/en/US/prod/collateral/voicesw/ps6790/ps5748/ps378/prod_brochure0900aecd8062a4f9.html

**Note**

Make sure that the matrix shows that your server model supports Cisco Unified CM Release 7.1(5).

Uninterruptible Power Supply

Ensure that you connect each Unified CM node to an uninterruptible power supply (UPS) to provide backup power and protect your system.

**Caution**

Failure to connect the Cisco Unified Communication Manager nodes to a UPS may result in damage to physical media and require a new installation of Cisco Unified CM.

Version and Description

This Service Update is a cumulative update that incorporates all of the fixes and changes from Cisco Unified Communications Manager 7.1(5), 7.1(5a), 7.1(5b), 7.1(5)su1, 7.1(5)su1a, 7.1(5b)su2, 7.1(5b)su3, 7.1(5b)su4, along with additional changes that are specific to this Service Update.

**Note**

The installation file described in this readme only applies for installing this Service Update on Cisco Unified Communications Manager Release 6.1(3x), 6.1(4x), 6.1(5x), 7.0(2x), 7.1(2x), 7.1(3x), 7.1(5), 7.1(5a), 7.1(5b), 7.1(5)su1, 7.1(5)su1a, 7.1(5b)su2, 7.1(5b)su3, 7.1(5b)su4 or any 7.1(5)es from 7.1.5.11001-6 to 7.1.5.34081-1. Upgrades from 5.1(3x) versions use an alternate readme that is linked to those upgrade files. Upgrades from 6x need to be requested via PUT (www.cisco.com/upgrade) to obtain the necessary license.

See the Compatibility Matrix for further details:

http://www.cisco.com/en/US/docs/voice_ip_comm/cucm/compat/ccmcompatr.html

Important Notes

Service Updates do not impact system compatibility unless specifically stated.

Cisco provides the following guidance to help you successfully upgrade Cisco Unified Communications Manager software:

- To minimize call-processing interruptions during the upgrade process, register all devices to servers that are running the same version of Cisco Unified Communications Manager software. Make sure that you register all devices to the backup Cisco Unified Communications Manager server or to the primary Cisco Unified Communications Manager server, but not to both the backup and primary servers.

Performance Impact to Contact Center, CCMAAdmin, and Extension Mobility users.

An issue exists in some versions of Cisco Unified Communications Manager where, in some situations, large amounts of memory are consumed by the Tomcat service. If not addressed, this issue can disrupt web services which include the CCMAAdmin and CCMUser web sites, Extension Mobility operations, and Cisco Unified Contact Center agent logins. Please see the Bug Details for the following defect for a detailed description of this issue and the steps required to address it:

[CSCtj50884](#): Tomcat - java.lang.OutOfMemoryError due to large number of RTMT requests

Firmware Upgrade Issues

For all SCCP and SIP firmware upgrades from firmware release versions earlier than 8.3(3) to version 8.5(2)SR1 or greater, you must first upgrade your firmware to version 8.5(2). Once you have upgraded to version 8.5(2), you can upgrade your IP Phone to version 8.5(2)SR1 or later. Refer to the *Firmware Versions in this Release* section of this document to determine the firmware load provided in this Service Update.

For additional details, Firmware Upgrade Instructions, and Firmware Download locations please see:

SCCP

http://www.cisco.com/en/US/docs/voice_ip_comm/cuipph/firmware/8_5_2/english/release/notes/7900_852SR1.html#wp57602

SIP

http://www.cisco.com/en/US/docs/voice_ip_comm/cuipph/firmware/8_5_2/english/release/notes/7900_852SR1.html#wp147343

Related Documentation

To view documentation that supports Cisco Unified CM Release 7.1(5), go to:

http://www.cisco.com/en/US/docs/voice_ip_comm/cucm/docguide/7_1_5/dg715.html

Before You Begin

Before you upgrade the software version of Cisco Unified Communications Manager, verify your current software version.

To do that, open Cisco Unified Communications Manager Administration. The following information displays:

- Cisco Unified Communications Manager Administration System version

Installation Instructions



Note

Apply this Service Update to all of your Cisco Unified Communications Manager servers, beginning with the publisher server and TFTP server.

Please refer to the “Upgrading to Cisco Unified Communications Manager 7.1(5b)” section of the *Release Notes for Cisco Unified Communications Manager Release 7.1(5b)* for detailed information about doing this upgrade:

http://www.cisco.com/en/US/docs/voice_ip_comm/cucm/rel_notes/7_1_5/cucm-rel_notes-715b.pdf



Note

Because the 7.1.5.34900-7 build is a nonbootable ISO, it proves useful only for upgrades. You cannot use it for new installations.

Release 7.1(5) is available in both restricted (which is the release type that has always been available from Cisco) and unrestricted versions of software to comply with import / export restrictions to various countries. The unrestricted version is available in limited markets. Please refer to the 7.1(5b) Release Notes referenced above for a more detailed description.

Because the 7.1.5.34900-7 build is a nonbootable ISO, it proves useful only for upgrades. You cannot use it for new installations.

The file name and MD5 values you will use for this upgrade is:

- UCSInstall_UCOS_7.1.5.34900-7.sgn.iso

The **MD5** for the Restricted file download is: f72c1624207f6a676a2384ca1045defa



Note

Once installed, UNRST releases can never be converted or upgraded to releases which support full encryption capabilities

The file name and MD5 values for the Unrestricted version is:

- UCSInstall_UCOS_UNRST_7.1.5.34900-7.sgn.iso

The **MD5** for the Unrestricted file download is: 94139f42246e318e8a1497532604cf2b

Reverting to a Previous Version



Note

Uninstall the SU on all servers in the cluster in the same order in which you performed the installation.

Refer to the “Software Upgrades” section of the *Cisco Unified Operating System Administration Guide* for detailed instructions on “Reverting to a Previous Version.”

http://www.cisco.com/en/US/docs/voice_ip_comm/cucm/cucos/7_1_2/cucos/iptpch7.html

Caveats

Caveats describe unexpected behavior on a Cisco Unified Communications server. The following sections contain lists and descriptions of resolved and open caveats in this release.

Resolved Caveats

Resolved Caveats for Cisco Unified Communications Manager Release 7.1(5b)su5 describes possible unexpected behaviors in Cisco Unified Communications Manager Release 7.1(5), 7.1(5a), 7.1(5b), 7.1(5)su1, 7.1(5)su1a, 7.1(5b)su2, 7.1(5b)su3, and 7.1(5b)su4

Resolved Caveats for Cisco Unified Communications Manager Release 7.1(5b)su5

The following information comprises unexpected behavior that is addressed by this Service Update of Cisco Unified Communications Manager.

Resolved CUCM Caveats in 7.1(5b)su5

[CSCty15458](#) : Unable to record voice for SIP calls

[CSCtx55701](#) : Copying adpahci.ko to allow direct upgrade from 5.x and 6.x to 715SU5

[CSCtf51330](#) : ccm and CTIManager apps fail to start when IPv6 is enabled on RHEL4.8

[CSCtq55224](#) : Phone configuration page takes long time to load

[CSCtf81919](#) : T38 SIP to H323 Fax Failing

[CSCtx11595](#) : Update KRB5 RPMs to Address Critical Vulnerability CVE-2011-4862

[CSCtw84678](#) : Redirected call does not honor calling party numbering plan and type

[CSCtw66650](#) : AXL update of Pickup Group field for Hunt Pilot does not work

[CSCti22603](#) : af-video Support video backward compatibility between 8.0 and 8.5

[CSCtw66716](#) : 7.1(5b)su5 upgrade rules to prevent install over ineligible ES's

[CSCtq26729](#) : Generate alert when RTMT client attempt to connect with out ver check

[CSCtg90848](#) : Answer request silently fails in race with retrieve in progress

[CSCtw67186](#) : Phone Loses Registration to UCM But Appears Registered on Its Display

[CSCtw64487](#) : BIND Update to Address CVE-2011-4313 RHTSA-2011-1496-1

[CSCtu67390](#) : 7.1CUCM does not 200 OK/PRACK when in race condition with 200 OK/Invite

[CSCtt27760](#) : Security kernel update in 7.1.5

[CSCtj38588](#) : cannot pull up Phone user guide from ccmuser pages for 8861/9951 phones

[CSCtd91899](#) : IPMA loops DeviceOpenRequests
[CSCtt45018](#) : Update JDK to Address Published Vulnerabilities
[CSCtf33893](#) : "Excessive mixer calls" alerts due to slow response from CSA

Resolved Cisco Unity Connection Caveats in 7.1(5)su5

[CSCtu00812](#) : ConvMgr service dumps core due to SSL race condition
[CSCtw48736](#) : New JDK version needed to Address Published Vulnerabilities

Resolved CUCM Caveats in 7.1(5.34081-1); base ES for 7.1(5b)su5

[CSCtw64176](#) : Adding 9.2(2) 5th gen phone firmware
[CSCtw59234](#) : Check-in Cisco 7921, 7925, 7926 firmware 1.4(2) to CUCM
[CSCtv09841](#) : Checkin 9-2-2 phone FCS load for 6901/11/21/41/61/45(both SCCP and SIP)
[CSCtu34381](#) : JTAPI connection clears CUCM settings
[CSCtt96292](#) : PSTN phone is ringing for 8 sec after disconnecting the call
[CSCts64257](#) : CLI does not accept 1 character label in domain name
[CSCtu39017](#) : 9.2(2) SCCP/SIP loads and support files for 8941 & 8945 Phones
[CSCtt10536](#) : Cucm doesn't relay dtmf(sip notify) after call transfer
[CSCto63186](#) : MNCTRL-1490NO BFCP after a DO Xfer
[CSCtu22772](#) : Checkin 9-2-2 QED for 6901/11/21/41//61/45
[CSCtt47453](#) : CCM Process Core when SIP Trunk Device Delete/Reset Performed
[CSCts63030](#) : Document Camera option is missing in CTS1300-47 and CTS1310-65
[CSCti81686](#) : CUBE Does not update the Media Info from ACK/SDP followed by PRACK/SDP
[CSCtu22772](#) : Checkin 9-2-2 QED for 6901/11/21/41//61/45
[CSCtu02279](#) : Allowed characters mismatch for VG224 port between CCM and BAT .xlt file
[CSCtt07767](#) : Unacknowledged SIP UPDATE for an outbound call when glare occurs
[CSCtt34549](#) : MTP session not released, if call fails to Primary Server in ICT
[CSCts45027](#) : CUCM QED file commits into 7_x_x and 8_x_x for 88xVA-V
[CSCts00297](#) : AC Server nodes unable to communicate after upgrade to 7.1.5.33900-10
[CSCth03268](#) : Connectionmanager leak for call from remote destination to busy user
[CSCtt22879](#) : CCM core while utilizing Built-In-Bridge & Silent Monitor
[CSCtt14697](#) : Update RPM package to Address RHSA-2011;1349-1
[CSCts82860](#) : LDAP authentication is failing after an Upgrade
[CSCtq13947](#) : Update Python per RHSA-2011;0491-01 and RHSA-2011;0492-1
[CSCtt30291](#) : Adding 9.2(2) 4th gen phone firmware and 9.2(2) QED changes to CUCM
[CSCtt10761](#) : add/updateRemoteDestinationProfile API not allow devpool uuid w/brackets
[CSCts86548](#) : Removing phone results in incorrect phoneDevice ID removed from TSP
[CSCtk07156](#) : "utils diagnose test" hits error "test - tomcat_sessions Failed"
[CSCtq97112](#) : session refresh was missing over SIP trunk
[CSCtg76114](#) : CTI StationClose not working when NewCall received at the same time
[CSCts82966](#) : Support "Lock Device During Audio Call" in Cius
[CSCts46531](#) : CLI "show open ports" needs to use option to prevent port name in output
[CSCts36950](#) : Conference should not happen and should fail due to geo-locations config
[CSCts23319](#) : After installing devpack all FCP options are not available
[CSCtr64842](#) : EM is logging out users before the auto logout timer expires
[CSCts58012](#) : Add/Update Remote Destination Profile allows null in device pool
[CSCts34379](#) : CUCM portal may return "Log on failed"
[CSCtr58282](#) : One-way audio on legacy WaveDriver after booting Windows Vista/7 32-bit
[CSCtq87736](#) : Call Redirect can fail when Call Recording Profile is enabled.

[CSCts35932](#) : Cius and Cius SP CSV shall remove 2 Mobility specific PSF
[CSCts02791](#) : Dependency records for call pickup group returns no results
[CSCtr82251](#) : CFNA triggered after direct transfer call is answered
[CSCtr32117](#) : NO Ringback on RDP aftr upgrade to CUCM 7.1.5-33xxx
[CSCto59113](#) : Update DHCP for Known Vulnerability per RHSA-2011;0428-1
[CSCtq65237](#) : Add Cisco Cius SP support to CUCM
[CSCto14054](#) : Setting of Department with User Template may impact Search Function
[CSCsy25820](#) : "show status" displays "Central Standard Time" while it's actually DST
[CSCts12989](#) : cti-port-group creation fails with uccx 8.5
[CSCtr86824](#) : SIPcdpc stuck in referPending and not tearing down the call
[CSCtr78325](#) : Call loop triggers CallManager (CCM) memory leak due to RouteListCdr
[CSCtn29406](#) : DSTUpdate CM to Olson TZ version 2011h
[CSCtr80816](#) : UCM core when processing MXCapabilitiesIncoming signal
[CSCtn37780](#) : Incorrect error code on CTIport with 2nd app with no EO get port support
[CSCtq59417](#) : HP SNMP 8.5 RPM Integration into CUCM
[CSCtr92894](#) : Screen Lock Timeout Redefinition
[CSCtq84998](#) : ALL-LANGCUCM7921/7925 show Corporate Directory menu items in English
[CSCtn64256](#) : DE1060No RemoteVideo on Lifesize when a party in Conf Call gets drops
[CSCtq59417](#) : HP SNMP 8.5 RPM Integration into CUCM
[CSCtr96115](#) : 8945 SIP Need to update 894x QED in Devpack to avoid a CUCM defect
[CSCtr36562](#) : Cisco Lines RTMT counter shows pkid of the partition instead of the name
[CSCtr66230](#) : NULL is allowed in mandatory items in updatePhone and updateUser API
[CSCtq82509](#) : Unable to set Message recording length more than 1200 seconds for Extern
[CSCtr58237](#) : 9.2(1) SIP loads and support files for 6921/41/45/61
[CSCtr50921](#) : wrong permanent lines reported for EM Device in unregistered state
[CSCtr50835](#) : add/updateRemoteDestinationProfile allows NULL in device pool
[CSCtr49448](#) : Code Red not working after Code Yellow Duration
[CSCtr40268](#) : CSA rules are blocking sync packets to be sent out
[CSCtr34331](#) : Upgrade CURL RPM to Address Vulnerabilities per RHSA-2
[CSCtr16143](#) : CPU hog due to CTLProvider
[CSCtq96697](#) : CUCM does not handle the Nokia NCC call reject mechanisme properly
[CSCtq41673](#) : 9.1(2)SR1 sccp loads and support files for 8941 & 8945 Phones
[CSCtq20102](#) : 9.2(1) loads and support files for 6901/11/21/41/61/45
[CSCtl74037](#) : CEF leaking connections to Informix
[CSCtr44122](#) : Update Cisco 7921/7925 firmware to 1.4(1)SR1
[CSCtr43510](#) : CCM service stops/core during SIP redirect
[CSCtr42575](#) : 9.2(1) SIP loads and support files for 3905 Phone & ATA187
[CSCtr42482](#) : CUCM sends out Disconnect Cause with wrong originating point value.
[CSCtr42367](#) : 9.2(1) SIP loads and support files for 8941 & 8945 Phones
[CSCtr30142](#) : Multicast MoH stop suddenly
[CSCtr10779](#) : CAD desktop stuck in talking state
[CSCto81679](#) : RFC 2833 DTMF not working for MGCP--SIP (MTP required)
[CSCtr42034](#) : Add Cisco 7926 support to CUCM
[CSCtr33967](#) : 7937 1.4(4) QED Check In
[CSCtr33403](#) : 7937 1.4(4) Firmware Check In
[CSCtr11483](#) : Check-in updated Cius support
[CSCtq88243](#) : Location runs out of bandwidth calls not failing over to next member
[CSCtq63589](#) : IPPhone 99xx/8961 and 79xx 921 fw/QED check in for dev pack build

[CSCto29502](#) : Remove Energywise config parameters for TNP SIP phones.
[CSCti59695](#) : SNMP fails after upgrade
[CSCtr18610](#) : LDAP authentication failing
[CSCtq78425](#) : Translation Pattern does not modify mwi sent via outbound SIP NOTIFY
[CSCtl56932](#) : CORE cimserver on Sub while Pub is in process of Refresh Upgrade
[CSCtq10159](#) : CUCM tears down call if 2nd TCS message is received in quick succession
[CSCto96586](#) : No audio after blind transfer when SIP SP does not support UPDATE
[CSCtn43309](#) : DTMF doesn't work on recording calls w/ SCCP endpoints dtmf caps filtere
[CSCtq77715](#) : IPVMS MTP adds 12 bytes to RTP NTE event packets for DTMF.
[CSCtq43497](#) : Dependency Records paging not working
[CSCtq16648](#) : Dependancy records not working on some pages
[CSCtq06000](#) : CUCM Dependency Records missing on certain pages
[CSCto07633](#) : Dependency record is not showing the Records for SIP Normalizations Scri
[CSCto01960](#) : CUCM is displaying 404 error on directory Number page.
[CSCtk75537](#) : Dependency Records - DB changes
[CSCtk35992](#) : Error while generating "UCM Cluster Overviewreport after locale install
[CSCti20793](#) : 'On The Phone' presence when user moved from Pub to Sub
[CSCtc66558](#) : Dependency Record searches consume java heap space causing Tomcat hang
[CSCsr00340](#) : Dependency records should show ExtensionMobilityDynamic records
[CSCtf87859](#) : wrong permanent line ID reported for EM lines in unregistered state
[CSCtq56077](#) : Phone Corporate Directory showing results out of order
[CSCto86462](#) : Mobility layer should send RelInd When DisconnReq contain Invalid CI
[CSCto85294](#) : Mobility softkey / button stops working after failed hand-in
[CSCtn97718](#) : slave ftp server become unresponsive intermittently.
[CSCtn94810](#) : CUCM8.5 Unable to answer call on Mobile Connect (PRACK Issue)
[CSCtd41800](#) : sRTP - Call drops on HR after transfer to h323 fxs - siptrunk dual stack
[CSCtq52267](#) : Update Cisco 7912 SCCP firmware from 8.0(3) to 8.0(4)
[CSCtq42857](#) : UCCX Intermittent Kernel Panic when Media --> Recording Step is Accessed
[CSCtq40768](#) : LineGetCallInfo exception
[CSCtq03302](#) : Update Cius parameter display names and change default value on CUCM
[CSCto70130](#) : IPVMS driver leaking 32 byte buffers
[CSCto51306](#) : Slow Admin on Device Search by Device Pool
[CSCtq18031](#) : Failed media resource (MTP) allocation leads to CCM core
[CSCtq06789](#) : "findDeviceByX509SubjectNo Entry Found " lines filling the CUCM traces
[CSCtq04067](#) : "Unknown Number" is displayed when "Auto Pickup" enabled
[CSCtj31708](#) : Unable to upload licenses with Internet Explorer 6.0/7.0/8.0
[CSCtd67740](#) : SG3 T38 Version 3 Fax call not working between 2 SIP Trunks via CUCM
[CSCto99537](#) : Unable to decode Non Standard Info in ReleaseComplete
[CSCsz36670](#) : Cisco LicenseMgr java-based process has 1.0+GB VmSize
[CSCtq08353](#) : TL file size limit increase to 64K
[CSCto50351](#) : CCM core on leaked SIPcdpc, after improper cleanup for a recording call
[CSCtn90265](#) : Build request failing for version pre 8.6 on sea-viewospace1
[CSCtj09085](#) : Authentication TimedOut Exception on RTMT due to LDAP after upgrade
[CSCtd14672](#) : Call transfer from RT hangs and eventually disconnects
[CSCsq05360](#) : Sync up with CUCM libraries for Connection projects
[CSCto98848](#) : CUCM does not respond to ISDN Connect with ACK, call fails
[CSCto96785](#) : 9.1(2) phone loads checkin for 8941/8945 series phones
[CSCto87828](#) : CUCM doesn't reply to REGISTER sent from Fujitsu VJ-110P PHS Access Unit

[CSCto34232](#) : Need a way to identify RTMT client version
[CSCtn93338](#) : File adptprov.log increases at slow rate on IBM servers
[CSCtn87863](#) : Settings->IP-Ethernet shows "String index out of range-1" on 7845-I3
[CSCtn55486](#) : mobile connect calls not respecting Pi from original call to IP Phone
[CSCtk32540](#) : CTLProvider CPU Hog Results During Nessus Scan
[CSCti17353](#) : IBM Servers battery learn cycle negatively impacts CCM performance
[CSCtg92743](#) : 28I3 test - raid Warning, unable to retrieve RAID status
[CSCtf13875](#) : Transfer call from RT to 7985 failed
[CSCtc97854](#) : AAR doesn't work when called extension has remote destination associated
[CSCto87371](#) : 7925 Firmware 1.4(1) CUCM Check-in
[CSCto86997](#) : 9.1(2) phone loads for 8961/9951/9971 series phones
[CSCto51753](#) : RoutePoints de-registers after CTI Manager FailOver
[CSCto49071](#) : "insmodcan't read" failure displayed on Console screen when booted up
[CSCtn88539](#) : Notify user if device reset is required after parameter update
[CSCtl79643](#) : Add Telepresence CTS1310-65
[CSCtg45036](#) : RTP Leaks into Multicast Stream when on hold
[CSCto41381](#) : 9.1(2) phone loads for 9971, 9951, and 8961 series phones
[CSCtn94337](#) : SIP 200 OK not sent for Midcall Invite
[CSCtn38319](#) : Repeated DeviceRegistrationEvents causing UCCX to fail
[CSCto63060](#) : Insecure Webservice discloses information
[CSCto72183](#) : Insecure Webservice Discloses Information - Reports
[CSCtl93913](#) : Locale directory in device language if using extension mobility
[CSCtf85803](#) : Unable to update the callPickGroup Field to null in UpdateHuntPilot
[CSCto56209](#) : CUCM includes diversion header when doing called party transformation
[CSCtn39593](#) : RHSA-2011-0261-1 for Bash Vulnerability
[CSCtn32537](#) : RHSA-2011-0260-1 Python Vulnerability
[CSCto24287](#) : Update Olson 2010o binary for repository
[CSCtn55946](#) : No video established when dynamic PT is changed by H323 Video Terminal
[CSCtn18716](#) : RequestOffer not handled if received in the sipstack before ACK is sent
[CSCto24898](#) : No DTMF when using MTP for SIP to MGCP
[CSCto19583](#) : Media Cannot Setup When Inserting Annunicator with MTP
[CSCtn71619](#) : CUCM core caused by too much trace printing from Da after Sdl Link OOS
[CSCtl90698](#) : Not able to resume/reopen SIP <-> H.323 session
[CSCtl53512](#) : NameNotFoundException triggers DirSync Loop
[CSCtn50838](#) : JDK Needs to be Upgraded
[CSCtn17115](#) : LP feature not working for Conference with multiple H323 GW added in RG
[CSCtl99884](#) : Local Route Group is not working for circular algorithm
[CSCtl52722](#) : SNR ignores CUCM external phone number mask in using with AA
[CSCtn53556](#) : Ann fails to allocate with InsertMediaErr=6 (media is connected already)
[CSCtn42528](#) : H323 Calls Can Cause UCM Core Dump
[CSCtn21300](#) : Call is not released properly with race condition of disconnects
[CSCtn02841](#) : Attendant Console log fills entire /common partition on CUCM server
[CSCtl45694](#) : Kernel Panic With CSA Enabled
[CSCtl09162](#) : BIB does not send capabilities to media during recording, in race condn
[CSCti56777](#) : Registered device counter leak on CCM/Devicemanager process
[CSCth11901](#) : Socket hung - Replication queue back up not processing
[CSCti86047](#) : Device reloads when processing crafted SIP message
[CSCtn46913](#) : Modify "Advertise Wideband Codec" to "Advertise G.722 and iSAC Codecs"

[CSCtn18352](#) : Add Cius support
[CSCtl88345](#) : Connection CuCsmgr core dump with SIP integration
[CSCtl86047](#) : UCM cores when receiving SIPPublishReq with port "0"
[CSCtl45472](#) : CTI Manager Core Dump during upgrade (recoverable)
[CSCtl04322](#) : JTAPI/CCMEncryption does not work if the password contains £ sign
[CSCtk55066](#) : DST- Update CM for Olson TZ ver 2010o
[CSCtj50884](#) : Tomcat - java.lang.OutOfMemoryError due to large number of RTMT requests
[CSCtc29308](#) : "Primary is back on line." continuously prints to catalina.out file
[CSCti96515](#) : Bulk Admin Export doesn't work on large dial plan runs out of heap space
[CSCtn04482](#) : Switch Back failing from CUCMBE3K SU to FCS build
[CSCtk64428](#) : CCM reset an core with MGCP PRI when receiving unexpected UserUserIE
[CSCtj61883](#) : SCB Leak Results from Unexpected Response to SUBSCRIBE
[CSCtk05935](#) : Incorrect protocol name for routelist
[CSCtn00211](#) : Call fails when media layer fails to negotiate
[CSCtl69238](#) : Incorrect req-URI generated after receiving SIP 302
[CSCtl21127](#) : Call not cleared properly when sent to RL in standby state
[CSCtj38078](#) : IPVMS core dumps generated when upgrading to 6.1(5) from 6.1(2)
[CSCtl19225](#) : TFTP blocks connections after making change to phone CAPF configuration
[CSCtl09610](#) : Phone stops recording after failed recording call and transfer
[CSCtk99369](#) : Incorrect calling party to Recorder when call comes through Hunt Pilot.
[CSCtj17723](#) : Media negotiation times out when transcoder gets allocated
[CSCti38227](#) : DmDuplicate Leads to Wrong DND status changes in CUPS
[CSCtl08010](#) : three qed-settings are lost in 911 devpack
[CSCtk17332](#) : After CFA is pressed, Call Pickup fails and ring back tone does not stop
[CSCtc61990](#) : One-way audio when MTP supports only G729ar8 - possible coredump
[CSCtl09191](#) : Telnet & FTP commands removed from platform
[CSCtk97313](#) : ConfList wrong cleanup leads to CUCM Core
[CSCtk99593](#) : L2 upgrade fails due to conflict ENUM IDs used for 69xx hotline feature
[CSCtk63048](#) : Buzzing Noise Heard when RTP stream passes through the Sw MTP on CUCM
[CSCtk54351](#) : Need to check in 6921/41/61 911 SCCP/SIP QED/FW in CUCM DevicePack
[CSCtk34812](#) : RHSA-2010-0926-1 KRB5 Update
[CSCtj88591](#) : CUCM does not include Diversion Header when redirect reason = 0
[CSCti45564](#) : SyslogSeverityMatchFound Alarm Fires for CSA Owner change
[CSCti30796](#) : GetProcessNameCallback Process shows in the syslog/message
[CSCth68049](#) : CSA making the server reboot every 30 hours
[CSCth46242](#) : CSA log cannot be roated because the syslog process is tagged as Unknown
[CSCtg97091](#) : Logrotate Leaves JabberD Process Open to Attack During Stop/Start
[CSCtg88352](#) : CSA blocking kipvmsd - prevents RTP from s/w MTP
[CSCtf19684](#) : RT to RT video calls over IME fail to send audio or video
[CSCte63310](#) : CSA connection rate limit blocks legitimate Tomcat AXL traffic
[CSCtd94675](#) : Large Call failures due to high memory usage on UCCX
[CSCtd94318](#) : MCS-7845-I3 server locks up after IMM is restarted
[CSCtj42064](#) : Potential SQL Injection
[CSCtl03511](#) : NM-HDV2-2T1/E1 card does not have all VWIC card options displayed
[CSCtj06176](#) : Remove JAXM Servlet from AXL
[CSCti06879](#) : Dragon- DVOF with Dual Mode device fails
[CSCti03912](#) : Green Dragon- Nokia DMMS+DVOR causes leak and 500 Internal Server Error
[CSCth85539](#) : Dual mode client can't register if disconnect and reconnect immediately

[CSCth21575](#) : SIP phone not in remotehold after cBarge call gets on hold
[CSCtg76063](#) : Special character in SIP notify from CUCM to 9971 SIP phone drops call
[CSCtk77040](#) : Intermittent MTP leak in certain SIP call scenarios causes call failures
[CSCtk54351](#) : Need to check in 6921/41/61 911 SCCP/SIP QED/FW in CUCM DevicePack
[CSCtc91953](#) : Video disappears when leaving a continuous mtg and joining a L1.1 mtg
[CSCtk61315](#) : Support Ascom TLS SIP Gateway on sipline
[CSCtk60455](#) : Update Cisco 7921 & 7925 support files for Release 1.4.1
[CSCtk56739](#) : Check in 6901/11 911 DevpackQED, SCCP/SIP firmware
[CSCtk55158](#) : Calls send from Mobile Voice Access show same calling and called number
[CSCtk54360](#) : Need to check in 6945 911 SCCP/SIP QED/FW into CUCM DevicePack
[CSCtk54351](#) : Need to check in 6921/41/61 911 SCCP/SIP QED/FW in CUCM DevicePack
[CSCtk18954](#) : Adding of "Recording options" on shared line is failed
[CSCtk15548](#) : Unable to install a CiscoTSP from a CUCM 7.1.5, on a Windows XP client
[CSCtg09592](#) : PMR 51856 - DRF restore of SUB components dumps DbMon core
[CSCtf97635](#) : 1st entry in Fast Dial is not populated automatically with the DN requir
[CSCsz96465](#) : ViPR needs peer certificate for failed TLS connect req
[CSCsz94171](#) : Unified Reporting shows few components missing after upgrade
[CSCsq82689](#) : Name Dialing Field in end user can be updated By Bat
[CSCtk58483](#) : Check-in Cisco 7921 firmware version 1.3(4)SR1 to CUCM
[CSCtk57758](#) : Committing 4th gen phone 9971/9951/8961 firmware 9.1(1)SR1
[CSCtk52609](#) : The phone display object has Null value
[CSCtj98205](#) : Database Layer Monitor won't start on Publisher after upgrade
[CSCtj92502](#) : CCM does not relay DTMF digit via SIP Notify to SCCP or CTI endpoints
[CSCtj06820](#) : CUCM sends a 200 OK, with Inactive media, after 415 Unsupported Media
[CSCti98173](#) : Device Status is not fetched properly when device is already on call
[CSCtk04289](#) : Callmanager Doesnt Send CLC if Farend Delays CLC on ECS
[CSCtj90508](#) : Transfers Fail with SNRD calls through MGCP PRI gateways
[CSCtj58580](#) : Phone show out of service but lines show in service
[CSCtj25699](#) : No ringback played when call is being redirected to CTI by CUE
[CSCti18636](#) : Extension Mobility user can't login as UCCX CAD Agent
[CSCth95373](#) : UCM core when dragon client make DVO-R call when No Cuma security profil
[CSCth13480](#) : 3rd-gen Phone-loads/QED/Locale v9.1(1) check-in
[CSCtk01242](#) : 7937 1.4(3) Firmware Check In
[CSCtj90249](#) : CUCM does not use updated CAPs during mid-call media re-negotiation
[CSCtj84066](#) : CUCM violates the region settings, replying to SDP offer with PRACK
[CSCtj36878](#) : modify ccm sccp to disable speaker & handset, defect in 7960
[CSCti80513](#) : MXTimeout happens in spite of establishing media
[CSCti24621](#) : 3rd party SIP dual phone not able to dissociate the roaming device pool
[CSCtj76595](#) : Jtapi Race condition - Deviceopenrequest instead of Deviceregister
[CSCtj60244](#) : Connected Name leaked when Passing Precedence Level Through UUIE enabled
[CSCtj58580](#) : Phone show out of service but lines show in service
[CSCtj48973](#) : Disabled IPsec policies are enabled on CUCM after every restart
[CSCtj33664](#) : pwdCredPolicy / pinCredPolicy is not working as required and credenti
[CSCtj04204](#) : Adding users via BAT adds data to the Digest Credentials.
[CSCti65537](#) : Add ability to use ceiling mics on a CTS1300
[CSCth96409](#) : H.225 Release stop to send due to H.245 negotiation stuck
[CSCth68601](#) : Support SIP Dual Mode Register with UDP
[CSCtg18368](#) : ccmuser page line information extensions not in order

[CSCtj53351](#): Empty Device CEPN in UnPublish Signal leads to Rogue EPA Process
[CSCth08849](#): ProviderUserchangedEvent is not reported when admin changes app username
[CSCti42904](#): Memory leak may be experienced when processing certain SIP packets
[CSCtj57619](#): After Network outage Mobile Agent unable to login
[CSCti71693](#): Mobile Agent Login failure after WAN fails
[CSCti11651](#): Race Condition after WAN outage prevents Mobile agents from logging in
[CSCtj75860](#): Inconsistent changeover for DST spring and fall in US, Canada
[CSCtj38788](#): CUCM should drop PI when mapping from QSIG Disc to H225 Rel_Com
[CSCth63820](#): Locale, Custom ringlist and background list verification failing
[CSCth11901](#): Socket hung - Replication queue back up not processing
[CSCtj45128](#): CUCM should take translated DN as redirected number after SIP 3XX
[CSCtg60715](#): BAT full export hangs, job never completes
[CSCtf51606](#): Upgrade Tomcat to 6.0.29
[CSCtj24852](#): CUCM-First DHCPD failure alarm is not sent to syslog
[CSCtj20012](#): Unable to Directed Call Park a Call after Network Flapping
[CSCtj19145](#): ST CIA-2083 MGCP 2K regd 50cps SDLinkOOS gen core
[CSCti96264](#): UCR 2008 IA - pw_max_days being set on System Accounts over upgrade
[CSCtj04419](#): RHSA-2010-0703-1 Bzip2 Security Update
[CSCti81603](#): Cisco Unified Reporting fails to prohibit uploading of files
[CSCtj34801](#): Delayed inband tone when calling busy extension through SIP trunk
[CSCtj29352](#): Midcall Invite is rejected with 488 Not Acceptable Media
[CSCtj06238](#): Callmanager application cores building RAS signal with GTK ID 0
[CSCti88692](#): MCS-7845-I3 running CUCM 6.1.5/7.1.5 reporting wrong SysObjectID
[CSCti62704](#): Corrupt String in inbound DeviceManager signal results in ccm core
[CSCtg18928](#): CUCM, JPN "??,?????" is displayed in Personal Address Book(7960).
[CSCtj06325](#): Migration of certificates during upgrade
[CSCtj03518](#): CUCM - Certificate Monitor Notification Frequency is not applied
[CSCti97041](#): Administrator control over Diagnostics Information Dumping
[CSCti91688](#): CCM Analysis Trace toggle and IMDB dump patterns overlap
[CSCti87797](#): SIP 407 SIP Proxy Response to PUBLISH from CUCM causing memory leak
[CSCti81600](#): ccmadmin logs password
[CSCti81587](#): ccmuser pluginsDownload allows file retrieval of any file
[CSCtf61575](#): Analyze Core command returns 'usage' with cimserver core file
[CSCte67321](#): CMI requires server reboot to start
[CSCti93455](#): Change "The range of Max Number of calls is" to 1-10 for Transnova S3
[CSCti91510](#): CUCM sends wrong IP address in Progress Message
[CSCti57573](#): RIM MVS 503 error when power cycling MVS server
[CSCti31597](#): CTL Client Support for the ActivIdentity USB key
[CSCti18774](#): H245 OLC is not being processed by CUCM causing media nego timeout
[CSCti17168](#): Dual Mode Call Fails
[CSCtg97212](#): BPS Export with Large Number of Gateways Gets Stuck
[CSCtc77242](#): Only one CUMC device can register to CUCM
[CSCtb59075](#): SIPStationInit rejects calls with 503 cause code, hence BB calls fail.
[CSCth19531](#): Update RPM per RHSA-2010-0457-1
[CSCti79359](#): Incorrect FAC IE results in message translation loop causing ccm to core
[CSCti79079](#): Location Bandwidth when using Mobile Connect Feature
[CSCti52712](#): Call Pickup Group not added via BAT for vg224
[CSCti37148](#): Need to check in 69xx QED for DLU change

[CSCti16485](#): CAR generates 10012 Database Error on Route Pattern Utilization Report
[CSCth70044](#): CLIR not working with Callback
[CSCsu40580](#): Cisco 7975 phone template no longer compatible w/ other 8 button phone
[CSCti81574](#): SQL injection vulnerability in ccmadmin
[CSCti75128](#): SCB leak when processing crafted SIP message
[CSCsq31965](#): Da crashed during SAF CCD service testing
[CSCti49639](#): H323 call fails with faststart on inbound and slowstart on outbound
[CSCth99735](#): EM should return more specific message when pin is expired
[CSCtf65472](#): Incorrect line state send from CUCM to Cisco AC Server
[CSCti61962](#): Memory Leak in CtiManager leads to SdlTimer Thread Death
[CSCti54187](#): race condition with allocate/deallocate with MRM
[CSCti54129](#): The order of other group is changed when exporting the CPG
[CSCti51623](#): Database Update with Large Number Devices Causes Informix Out of Memory
[CSCti45147](#): CMUser save returns NULL when ShowPhoneLocale or ShowUserLocale set to F
[CSCti00698](#): Handle leak in TapiSvr svchost process on Verint application machine
[CSCtf40892](#): CCMDB component backup fails when cdr repository is large
[CSCti23225](#): H323 Call Using Tunneled ICT Getting Unallocated Number Causes CCM Core
[CSCth96670](#): transcoder not inserted when phone codec is locked for recording
[CSCtg69070](#): Seamless Dialing (Conference on Ringing) needs to be supported
[CSCtg36018](#): CCM H323 removing calling party IE field if value is N/A or 00A3
[CSCtd79360](#): JPN-Insert Phones All Detailis fails because of Japanese job description
[CSCtd48156](#): 7911 SIP Phone can't login EM and become unusable
[CSCse19548](#): MaxForwardsToDn leaks causing Forward Loop Detection with Call Forward
[CSCti05853](#): Command reports false status when it cannot disable remote support accou
[CSCti00698](#): Handle leak in TapiSvr svchost process on Verint application machine
[CSCth86080](#): Fax calls are failing at MDCX error code 515 on the CAS port
[CSCth68547](#): support iphone OS4 refresh timer of 10 mins.
[CSCth64644](#): SIP session timer glare condition with CVP results in one-way
[CSCth15252](#): After conferenced party disconnected JGW receives unintended events
[CSCth05703](#): ANN Continuous ringing on SIP Blind Transfer
[CSCtg83993](#): CTI Manager core dump 'CtiCallParkRetrieveParkDNReq'
[CSCtf98540](#): GW Calling Party Transformation fails on RDP with Ext Phone Number Mask
[CSCti11447](#): Mask crypto keys in traces for SRTP over TCP
[CSCti10669](#): Stale Cdcc Process Leads to UCM Core when SDL Link Goes Down
[CSCti09336](#): VIC-4FXS/DID and VIC2-4FXO missing for 1760 GWs in CUCM 7.x
[CSCth15471](#): 3rd party Tomcat certificate not working after upgrade to V7.1.3.33027-1
[CSCtg85880](#): H.225 Client Configured in Call Manager loses its LineControlPID
[CSCtb41774](#): CUCM 7.1.2 CAR Conf. Bridge Report fails with large number of records
[CSCta75630](#): Forward No Call Answer External
[CSCti07947](#): CTI does not send CtiLineInServiceEvent to App after device registers
[CSCti03454](#): Route Class Signaling Enabled' field missing from E1 Pri config webpage
[CSCti02159](#): Modify Button Items fail when Device Profile Name is more than 26 chars
[CSCti00855](#): Audio not cut through if H225 NOTIFY received before Progress Indicator
[CSCth93076](#): OpenLDAP Updates for RHSA-2010-0542-1 and RHSA-2010-0543-1
[CSCth73796](#): UCM DBAdd rule to prevent more than 10 associated Call Pickup Groups
[CSCth67956](#): DRF backups looping when system time changes
[CSCth35741](#): Other pickup group is not overwritten by BAT
[CSCtf79483](#): Publish EPA does not stop on Changing SIP trunk settings

[CSCth73558](#) : Phone with recording profile fails for call redirect.
[CSCth05122](#) : CUCM GUIFind button not launching a new page on MVA configuration page
[CSCff50227](#) : onconfig.ccm mismatch across the cluster in unified reporting
[CSCth43256](#) : Core on CUCM 8.5 because on multiple Application M Lines
[CSCte72235](#) : MGCP return_code 502 cause terminating endpoint to get stuck in answer
[CSCth80087](#) : CUCM LDAP sync fails with OpenLDAP when anonymous bind disabled
[CSCth74824](#) : Slow LDAP authentication communications manager
[CSCth54261](#) : IP Phones Product Specific Configuration Default does not match CCAdmin
[CSCth38984](#) : Move the CTS200 and CTS400 to submodels of the CTS500
[CSCtg31420](#) : CCM User Directory Search Causes Memory Allocation Failure
[CSCff77769](#) : CUCM- JPN- RT Phones display half-width Katakana in Personal Directory
[CSCsm85647](#) : PKID displaying in the calling or called partition filed in CDR report
[CSCth84605](#) : Forward settings on Hunt Pilot are not getting imported
[CSCth71003](#) : unrestricted CUCMBE Fresh install fails
[CSCth59510](#) : EM login failed because of the extra tags present in config file
[CSCth45423](#) : CFA CSS is not updated
[CSCth36431](#) : BAT doesn't consider Route Filter as unique filter value during import
[CSCth11498](#) : Missing CallCtlDisconnectedEvent.
[CSCth09430](#) : ClusterManager deletes /etc/hosts entry for server during network change
[CSCtg90193](#) : Bat.xlt file does not allow + in BLF Directory Number Field
[CSCtg71561](#) : Make install changes to support Unity Connection unrestricted version
[CSCtg48421](#) : LCAC for SME Call Park video, retrieve audio only, video bw not released
[CSCtc76762](#) : RPM(s) changed ownership of the directory to root from tomcat
[CSCth68804](#) : 7937 1.4(2) SW Check In
[CSCta09613](#) : Cannot import users from LDAP directory using Import All Option
[CSCth60400](#) : ccmuser page - Can't sort directory by department
[CSCth48935](#) : CUCM Intentional Aborts - Pickup process caught in allocating call
[CSCth45986](#) : BLF Pickup with SIP fails if "BLF for call list" is Enabled.
[CSCth26799](#) : descriptor leak when serving static files from disk via HTTP
[CSCtg90087](#) : MTP allocation failure - Outbound Faststart causing MTP leak
[CSCtg82441](#) : voice mail box mask not applied for LRN in sip diversion header
[CSCtg37318](#) : Unmapped exception while saving GW template configuration
[CSCth47940](#) : CTIManager LDAP authentication requests have a timeLimit value set
[CSCff17805](#) : CUCM 8.0 fails to provide sendrecv offer SDP for SCCP EP
[CSCta09613](#) : Cannot import users from LDAP directory using Import All Option
[CSCth62505](#) : Remove ata187-QED.cop files from /vob/ccm/Projects/DevicePack/firmware
[CSCth39564](#) : Support files for ATA 187
[CSCth31390](#) : H245Handler core dump after posting OLC during CUCMBE 5 day regression
[CSCth39564](#) : Support files for ATA 187
[CSCth32906](#) : Cannot load EM Profile on 7945 ip phone using 7965 UDP after upgrade
[CSCth19764](#) : update secure SRST requires restarting TFTP
[CSCtg96771](#) : Tomcat CMLogFileTraceWriter Thread leak by Webdialer ProviderOpenFailure
[CSCtg91088](#) : Dual Stack CUCM in IPv4 ONLY mode sending CDP w/h ipv6 link local addr
[CSCff71611](#) : 0 IP Address populated when MTP invoked between Moh and H323
[CSCtc68651](#) : Dusting and Send Call to Mobile doesn't work with NuRD call via LRG
[CSCth39586](#) : Core dump when processing certain SIP packets
[CSCth36341](#) : UFF Restore in large database significantly delays DB Replication setup
[CSCtg50448](#) : DST-Update CM for Olson TZ ver 2010i

[CSCtg14161](#): Should display warning when upgrading from restricted to unrestricted

[CSCtd91156](#): dbmon core dump observed 8.0.1.10000-3 - ~Policy

[CSCtc61523](#): QED/Locale files check-in for Turbo Mute Feature

[CSCsy09161](#): NTP Server list displays unmapped Exception while upgrading

[CSCth09343](#): ccmivr allows directory traversal

[CSCth11381](#): CUCM restricts caller-id for Recording Profile when configured on RP

[CSCtg89332](#): inconsistency with cucm and ip phone for handset/headset monitor param

[CSCtg41503](#): No valid upgrades available on CUC cluster subscriber server

[CSCtg14161](#): Should display warning when upgrading from restricted to unrestricted

[CSCtf04026](#): CallsActive counter is '1' while SIP Trunk has 2 active calls

[CSCth02539](#): Retrieved Call Fails to Connect when MTP not Available

[CSCtg73688](#): Cisco Extension Mobility Application does not fail over EM Service

[CSCtg71560](#): LDAPS authentication fails with C++ interface for end users.

[CSCtg71258](#): Mid-call codec change fails when SIP PRACK is enabled

[CSCtg63565](#): wrong caller ID on called party's RD when DVOR callback to alternate num

[CSCtg41510](#): IP Voice Media Streaming App service (IPVMS) can cause kernel panic

[CSCtg40742](#): getlinefetchinfo request failed for TSP8.0.3.2

[CSCtg38908](#): CUCM SIP Trunk Generates mid-call reINVITE for MoH when MoH is disabled

[CSCtf87428](#): No Ring back for PSTN phone for SIP Messages from OCS without SDP

[CSCtd14027](#): IMPORTANT TLS/SSL SECURITY UPDATE - JDK

[CSCtg85647](#): Database Security Issue

[CSCth03578](#): Adding 9.0(3) 9971/9951/8961 firmware to CUCM

[CSCtg96124](#): Need to check in 6921/41/61 QED and 903 FW(DLU=3)

[CSCtg74171](#): Resume delayed on (disallowed) video escalation over 323 ICT w/ MTP_REQD

[CSCtg56440](#): Alerting name not displayed only if Unicode name is populated

[CSCtg31562](#): QED checkin for Argot HWIC and VWIC3 modules

[CSCtg31542](#): Update PCM tool with VWIC3 modules type

[CSCtg30034](#): 7945 Phone keep restarting when log in EM

[CSCte42600](#): Update PCM tool with Argot HWIC modules type

[CSCtd13510](#): CDR Search by Gateway is not working for from hour 0 to 9

[CSCtc54765](#): Add new devices CTS200 and CTS400

[CSCtg62904](#): Call leak caused by MGCP disconnect race condition

[CSCtg24710](#): TSP heartbeat exception causes "phone out of service" error

[CSCte73200](#): SIP URI in BLF speed dial leads to malformed URL in CUCM presence module

[CSCtg74439](#): Upgrade rules to prevent 715 Respins from installing over ES's

[CSCtf80083](#): Fastdial Service parameters gets duplicated when imported via BAT

[CSCtf62658](#): Call Recorded details impacted with LRP field

[CSCtd18310](#): Able to save LDAP Authentication page with wrong AD server password.

[CSCtg62855](#): Core dump when processing certain SIP packets

[CSCtg53118](#): Call Cleared with Incorrect Reason when Redirected or Forwarded

[CSCtg45486](#): Enhanced MWI fails when QSIG Variant & ROSE set to 'No Changes'

[CSCtg40864](#): H245 not re-negotiating media on getting w/o sdp invite

[CSCtg35527](#): Call fails when remote SIP device does not indicate support for UPDATE

[CSCtg35102](#): Support for Seamless upgrade option for RT phones

[CSCtg12030](#): 'utils fior enable' starts the fior module/service immediately

[CSCtg01244](#): MWI using Enhanced MWI method (StationMwiNotification) across QSIG fails

[CSCtd82438](#): Need CLIs to allow TLS_REQCERT in ldap.conf

[CSCtc87178](#): Redirecting a Conference party to Voicemail fails in some scenarios.

[CSCtg31415](#): 7937 release 1.4.1 firmware checkin
[CSCtg23186](#): Database Replication setup fails after Publisher is replaced
[CSCtg04028](#): 'utils fior [start/stop]' date parameter not accepted
[CSCtf99629](#): 2951 SCCP gateway with EVM module doesn't give MAC Address
[CSCtf57927](#): Memory Leak on SIP UDP REGISTER Call Paths During Fuzzing
[CSCtf36923](#): CTIManager process causes "available VM below threshold" alerts
[CSCte53280](#): RHEL RPM Update To Address GZIP Vulnerability
[CSCte15464](#): CUCM Outdated PyXML package
[CSCtc32084](#): IP Phones unable to register as skinny
[CSCso17336](#): Backup not adjusted for daylight savings time
[CSCtg04028](#): 'utils fior [start/stop]' date parameter not accepted
[CSCtf99629](#): 2951 SCCP gateway with EVM module doesn't give MAC Address
[CSCtf36923](#): CTIManager process causes "available VM below threshold" alerts
[CSCte15464](#): CUCM Outdated PyXML package
[CSCtc32084](#): IP Phones unable to register as skinny

Resolved Cisco Unity Connection Caveats in 7.1(5)es56; base ES for 7.1(5b)su5

[CSCtk99553](#): UC notification cascading fails if first device has Repeat Notification
[CSCtr07547](#): UC 8.5 ES34 keymap1/alternate-greeting(2)/invalid selection
[CSCts37148](#): Pub cannot be reverted if you never switch-versioned Sub
[CSCtg67899](#): Conversation Manager Crashes During TCP Flood Attack
[CSCto14054](#): Setting of Department with User Template may impact Search Function
[CSCto84110](#): UC - Notifier's RuleScheduler Falls Asleep Indefinitely and Never Wakes
[CSCtg82509](#): nable to set Message recording length more than 1200 seconds for Extern
[CSCtn59526](#): Account with User Administrator role cannot delete users
[CSCtg41657](#): Version comparison in switch version should not be string compare.
[CSCtn65586](#): NDR does not get delivered to senders mailbox when using VPIM
[CSCtn57152](#): Switch version from 7.1.x to 8.6 does not pass version info to scripts
[CSCtl86195](#): Dependency Timer not being reset resulting in digital networking errs
[CSCtn32179](#): CUCMBE3K- Coredump on Connection database during load test
[CSCtn04181](#): CuDbProxy services should have time out if there is no data to read
[CSCtn04170](#): CuDbProxy services- forked processes need to exit before the parent exit
[CSCtn04142](#): DbEventPublisher/CuDbProxy hang that slowed down the MWI
[CSCtk10632](#): Message discarded for user being moved on other servers in network
[CSCtl88345](#): CuCsMgr core dump 7.1(5)
[CSCtk16176](#): Misleading error message due to cluster port group configuration
[CSCtl88345](#): CuCsMgr core dump 7.1(5)
[CSCtl80493](#): Redundant partition field in tbl_Handler causing undeletable partition
[CSCtl98298](#): Not able to delete the user when replacing him with another user
[CSCtl81685](#): Cannot create additional mailstores beyond default mailstore
[CSCtk74642](#): UC should be able to delete users even if dependant info is missing
[CSCtl77391](#): Installation of Subscriber in A/A cluster fails 7.1.5ES34
[CSCtj93659](#): Fix needed to install CUC in IPv6 enabled networks
[CSCtj91698](#): DN- Deleting an alias does not replicate to remote locations
[CSCtj91694](#): DN- Changing the SMTP address does not replicate to 7.x locations
[CSCtj93191](#): Port MTA unit tests to 7.x
[CSCtb23763](#): UC 7.0 Report Data Harvester breaks when user Display Name has comma
[CSCtj89158](#): Cuc7.1.5ES30 read receipts in mixed 7.x/8.x dignet from 8.x badmailed

[CSCtj09213](#): Messages from external VPIM source fail to get delivered
[CSCtj43571](#): CUC Unable to Add a DRS backup device on the subscriber
[CSCti18846](#): Stack corruption when sending 2833 digit over SRTP
[CSCtj47371](#): SMPP configuration settings not being used for SMS notifications
[CSCtj60127](#): UC 7.x - VPIM needs to handle MIME-Version1.0 and (Voice 2.0) Headers
[CSCti76527](#): Unity Connection fails to create VPIM header message
[CSCtj58067](#): UC Rare timing issue causing a crash in the media mixer
[CSCti78872](#): Cannot Reply back to secure VPIM messages
[CSCti99031](#): UC-Race condition in SCCP state machine can cause ports to lock up
[CSCti20895](#): Login prompt changed to UC version in L2 vs. CUM version in fresh instal
[CSCtj09172](#): MTA reports an exception when unable find match for Location Prefix
[CSCti73373](#): Switch version fails on warm standby server with multiple mail stores
[CSCti50392](#): Add support for Flemish into 7.1.5
[CSCta76014](#): UC 7 - Can't add user - false claim that there is a Duplicate mailbox ID
[CSCte25647](#): Misleading Notifier diagnostic error is not an error
[CSCti20573](#): Bad voice quality experienced when recording with G.711alaw
[CSCte64232](#): Double prompt of "You have no new messages"
[CSCti29360](#): Cannot save alternate extension configuration when phone type is empty
[CSCti29506](#): Phone type is incorrect for user defined alternate extensions
[CSCti32948](#): Administrator cannot add new alternate extension after updating user AEs
[CSCti10876](#): Changing partition on alts, breaks user defined alternate extensions
[CSCti20888](#): "utils cuc create report" hits " Permission denied" on 7.1.5.31900-3
[CSCth98127](#): PIMG resource usage high when CUC MWI throttle mechanism fails
[CSCti01023](#): Resume utterance has confidence level hard-coded
[CSCth95235](#): 7.1(5) Privilege escalation possible with bulk edit
[CSCth54687](#): Contact Transfer Extension field is empty after upgrade to 7.1 from 2.x
[CSCtd59660](#): CUALS- API to import LDAP users into connection DB should be provided
[CSCth60492](#): UC- VPIM recorded names does not have a RIFF header generated
[CSCth73201](#): BAT only allows modification of Alternate Transfer Rule
[CSCth26393](#): Change Recorded Name option not voiced Correctly
[CSCtb53278](#): Message notification should be cleared when user is deleted from CUC
[CSCth54687](#): Contact Transfer Extension field is empty after upgrade to 7.1 from 2.x
[CSCth62638](#): Contact transfer ring set incorrectly to 20 after upgrade from 2.x to 7.x
[CSCta09613](#): Cannot import users from LDAP directory using Import All Option
[CSCtg76887](#): UCONN VMO form causes receipt of blank messages
[CSCth21535](#): User can't exit Greetings Menu
[CSCtd31601](#): Unity Connection Serviceability page incorrectly shows services disabled
[CSCtg60752](#): Fix for a possible memory corruption problem when accessing messages
[CSCff61968](#): Relaying to a mailbox is delivered, but a 2nd msg is sent to smart host
[CSCth03832](#): UC 7.13 High CPU
[CSCth06226](#): Distribution List AccessList feature
[CSCtg81682](#): MWI resync infinite loop
[CSCtg98439](#): Bulk edit shows error count when greeting source is updated.
[CSCsz72913](#): SBR may not clean up /common/var-connection/spool/ats
[CSCtb86443](#): ATS file during delete of a message
[CSCtg71638](#): UC 7.1(3) CiscoPCA Adding New Contacts Does Not Work
[CSCtf99042](#): UC-Option to select MWI method(StationOffHookWithCgpn or Enhanced MWI)
[CSCtg45608](#): Mixed signing casues security warning in JRE 6 U 19 +

[CSCtg75673](#) : Visual Voice Mail unable to send a message to a subscriber
[CSCtf91941](#) : API- query string with a space returns 400 error
[CSCtg51467](#) : CUPI- Admin can't change pwd if "User Cannot Change" is set
[CSCtf93637](#) : Call Routing Rules match TRUE when they should not
[CSCtg35967](#) : Voice messages sent from VMO can't be played through the TUI
[CSCsz39583](#) : HTTP 500 when non-authorized user log in cuadmin
[CSCtf73231](#) : UC 7.x - Digital Networking Certificates Get Wiped During Replication
[CSCtg30531](#) : PIMG- Race condition can cause UCXN to core dump
[CSCtf96794](#) : PIMG integration - ports does not register when we use UDP
[CSCtg20383](#) : Can't prepend an asterisk to the dialed extensions in Call Handlers
[CSCtd31601](#) : Unity Connection Serviceability page incorrectly shows services disabled
[CSCtf97376](#) : UC Mixer core dump due to race condition
[CSCtg35967](#) : Voice messages sent from VMO can't be played through the TU

Open Caveats

Open Caveats for Cisco Unified Communications Manager Release 7.1(5b)su5 describes a few of the possible unexpected behaviors still remaining in Cisco Unified Communications Manager Release 7.1(5)su5. For a complete list of open caveats please access the bug toolkit located at:

<http://tools.cisco.com/Support/BugToolKit/>



Tip

For more information about an individual defect, click the associated Identifier in the to access the online record for that defect, including workarounds.

Open Caveats:

[CSCtj39431](#) : Memory leak (Table leak) in SsManager table
[CSCtx55524](#) : 6.1.5 will not fresh install after HP DL380-G6 is upgraded to 7.1.5 SU5
[CSCsm26634](#) : USB key halts reboot on 7825-I1 & 7825-I2
[CSCtx55610](#) : Patch upgrade fails from 5.1(3x) to 7.1(5b) versions >= 7.1.5.34900-7
[CSCth09889](#) : iowait_monitor to be stopped before reboot in upgrades
[CSCts34871](#) : Upgrade from 6.1.5.14045-1 to 8.5.1.13034-1 Failed
[CSCti79702](#) : CEF Core After Upgrade
[CSCtj62765](#) : AMC Core during testing on 7.1.5.32023-1
[CSCsz24083](#) : Core Dump on 701.21025-1
[CSCto17218](#) : Unable to locate files if folder contains names with special characters

Firmware / Device Loads

Service Updates contain firmware loads, however, Cisco recommends that you always download the latest firmware load from the Voice Software Download Center.

Phone Firmware

To download phone firmware, follow this procedure:

Step 1 Go <http://www.cisco.com/cisco/software/navigator.html?mdfid=278875240&i=rp>

- Step 2** Select **IP Telephony** in the right most column
- Step 3** Select **Unified Communications Endpoints** in the right most column
- Step 4** Select the desired phone series in the right most column
- Step 5** Select the desired phone model in the right most column
- Step 6** From the options that display, select the desired software type for your deployment.

Device Packages

Firmware upgrades not explicitly addressed in the Phone Firmware section can be obtained via Dev Packs. To download Dev Packs for this release, follow this procedure:

- Step 1** Go <http://www.cisco.com/cisco/software/navigator.html?mdfid=278875240&i=rp>
- Step 2** Select **IP Telephony** in the right most column
- Step 3** Select **Unified Communications Platform** in the right most column
- Step 4** Select **Cisco Unified Communications Manager** in the right most column
- Step 5** Select **Cisco Unified Communications Manager Version 7.1** in the right most column
- Step 6** From the options that display, select **Unified Communications Manager/CallManager Device Packages**
- Step 7** From the options that display, select the desired release for your deployment.

Firmware Versions in this Release

Device type	Load name	Version
3905	3905.9-2-1-0	9.2(1.0)
3911_3951-sip	3911_3951-sip.8-1-2	8.1(2.0)
3911_3951-sip	3911_3951-sip.8-1-2SR1	8.1(2.0)
6608	6608-4.0.0.32-mgcp	4.0(0.32)
6608cfb	6608cfb-4.0.0.03-sccp	4.0(0.3)
6608mtp	6608mtp-4.0.0.06-sccp	4.0(0.6)
6624	6624-4.0.0.13-mgcp	4.0(0.13)
6901_6911-sccp	6901_6911-sccp.9-2-2-5	9.2(2.5)
6901_6911-sip	6901_6911-sip.9-2-2-2	9.2(2.2)
6945-sccp	6945-sccp.9-2-2-4	9.2(2.4)
6945-sip	6945-sip.9-2-2-6	9.2(2.6)
69xx-sccp	69xx-sccp.9-2-2-6	9.2(2.6)
69xx-sip	69xx-sip.9-2-2-7	9.2(2.7)
7902	7902-8.0.2-sccp	8.0(2.0)
7905	7905-8.0.1.1-sip	8.0(1.1)
7905	7905-8.0.3-sccp	8.0(3.0)
7910	7910-5.0.7.0-sccp	5.0(7.0)
7911_7906-sccp	7911_7906-sccp.9-2-1	9.2(1.0)
7911_7906-sip	7911_7906-sip.9-2-1	9.2(1.0)
7912	7912-8.0.1.1-sip	8.0(1.1)
7912	7912-8.0.4-sccp	8.0(4.0)
7914-sccp	7914-sccp.5-0-4	5.0(4.0)

7915	7915.1-0-4-2	1.0(4.2)
7916	7916.1-0-4-2	1.0(4.2)
7920-sccp	7920-sccp.3-0-2	3.0(2.0)
7921-sccp	7921-sccp.1-4-2	1.4(2.0)
7925-sccp	7925-sccp.1-4-2	1.4(2.0)
7926-sccp	7926-sccp.1-4-2	1.4(2.0)
7931-sccp	7931-sccp.9-2-1	9.2(1.0)
7931-sip	7931-sip.9-2-1	9.2(1.0)
7935-sccp	7935-sccp.3-2-19	3.2(19.0)
7936-sccp	7936-sccp.3-3-20	3.3(20.0)
7937	7937-1-4-4-SCCP	1.4(4.0)
7940-7960	7940-7960-8.12.00-sip	8.12(0.0)
7940-7960-sccp	7940-7960-sccp.8-1-2	8.1(2.0)
7941_7961-sccp	7941_7961-sccp.9-2-1	9.2(1.0)
7941_7961-sip	7941_7961-sip.9-2-1	9.2(1.0)
7942_7962-sccp	7942_7962-sccp.9-2-1	9.2(1.0)
7942_7962-sip	7942_7962-sip.9-2-1	9.2(1.0)
7945_7965-sccp	7945_7965-sccp.9-2-1	9.2(1.0)
7945_7965-sip	7945_7965-sip.9-2-1	9.2(1.0)
7970_7971-sccp	7970_7971-sccp.9-2-1	9.2(1.0)
7970_7971-sip	7970_7971-sip.9-2-1	9.2(1.0)
7975-sccp	7975-sccp.9-2-1	9.2(1.0)
7975-sip	7975-sip.9-2-1	9.2(1.0)
7985	7985-4-1-7-0-sccp	4.1(7.0)
894x-sccp	894x-sccp.9-2-2-0	9.2(2.0)
894x-sip	894x-sip.9-2-2-0	9.2(2.0)
8961	8961.9-2-2	9.2(2.0)
9951	9951.9-2-2	9.2(2.0)
9971	9971.9-2-2	9.2(2.0)
ata	ata-3.2.4-sccp	3.2(4.0)
ata187	ata187.9-2-1-0	9.2(1.0)
ciusSP	ciusSP.9-2-2-49	9.2(2.49)

Cisco Unity Connection RPMs

CCM Reference Build: 7.1.5.34900-7

Cisco Unity RPMs:

BuiltRPMsList

NRec-9.0-2.i386-rhel3.rpm
 NRec-en-US-9.0-0.i386-rhel3.rpm
 NSS-5.0-1.i386-linux.rpm
 cuc-7.1.5ES58.34900-58.i386.rpm
 cuc-base-7.1.5ES58.34900-58.i386.rpm
 cuc-bin-7.1.5ES58.34900-58.i386.rpm


```
cuc-etc-7.1.5ES58.34900-58.i386.rpm
cuc-install-7.1.5ES58.34900-58.i386.rpm
cuc-languagepack-enu-7.1.5ES58.34900-58.i386.rpm
cuc-lib-ext-7.1.5ES58.34900-58.i386.rpm
cuc-lib-jar-7.1.5ES58.34900-58.i386.rpm
cuc-lib-so-7.1.5ES58.34900-58.i386.rpm
cuc-links-7.1.5ES58.34900-58.i386.rpm
cuc-productid-7.1.5ES58.34900-58.i386.rpm
cuc-python-7.1.5ES58.34900-58.i386.rpm
cuc-python-site-7.1.5ES58.34900-58.i386.rpm
cuc-share-7.1.5ES58.34900-58.i386.rpm
rs-American-English-US-Jennifer-4.0-10.i386.rpm
rs-api-4.5.00-00.i386.rpm
```

Plug-In Report

```
-----
cm-axlsqltoolkit-plugin-1.1.0.0-1.i386.rpm
cm-ctlc-plugin-6.0.0.1-1.i386.rpm
cm-jtapi-plugin-7.1.5.10000-9.i386.rpm
cm-rtmt-client-plugin-0.0.0.2-0.i386.rpm
cm-taps-plugin-7.0.2.0-1.i386.rpm
cm-tsp-plugin-7.1.5.10-0.i386.rpm
```

TZDATA file

-----	Version
platform-tzdata-2011h-1.el5.i386.rpm	2011-h

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, the Cisco logo, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient,

IOS, iPhone, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0807R)