

Outbound Option: Dialer Does Not Start on Time

Document ID: 107244

Introduction

Prerequisites

Requirements

Components Used

Conventions

Problem

Solution

NetPro Discussion Forums – Featured Conversations

Related Information

Introduction

This document provides information on how to troubleshoot an incorrect start time for the dialer in a Cisco Unified Intelligent Contact Center Management (ICM) environment that utilizes the Outbound Option. This document provides a checklist of the most common causes of incorrect start times, and helps you resolve them.

Prerequisites

Requirements

Cisco recommends that you have knowledge of these topics:

- Cisco ICM
- Cisco Outbound Option
- Cisco ICM Scripting
- Cisco ICM rttest Utility.

Refer to The Cisco ICM rttest Utility for more info.

- Microsoft Windows Time and Network Time Protocol (NTP)

Components Used

The information in this document is based on the ICM versions 7.x and earlier.

The information in this document was created from the devices in a specific lab environment. All of the devices used in this document started with a cleared (default) configuration. If your network is live, make sure that you understand the potential impact of any command.

Conventions

Refer to Cisco Technical Tips Conventions for more information on document conventions.

Problem



Due to the multiple places that system time and start/end times are configured, it is a common problem to

have a campaign configured that does not start at the desired time.

Solution

Complete these steps in order to resolve this issue:

1. Verify the Windows system time on all ICM components, such as the Logger or a PG that has a dialer installed. Also, verify the time zone and daylight savings settings on each component.



2. Use the `rttest` utility, and execute the `status /skew` command. This shows what time each of the ICM components believe it is and how far off from each other they are. In the example in this figure, you can see that `rtrA`, `rtrB`, `lgrA`, and `lgrB` are all synched perfectly. The PGs are off by approximately 4.5 minutes. You need to resolve these discrepancies. In some situations, if your PGs are physically located in different time zones they will and should be off by the appropriate number of hours that they are physically disparate.

```

C:\Documents and Settings\Administrator.TACLAB4>rttest /cust ipcc
RTTEST Release 7.2.3.0 , Build 20234
rttest: status /skew
CENTRAL CONTROLLER
Current Time: 04/30 15:07:27
Local Time: 04/30 11:07:27 (-4.0 hr)


NI Time rtrA: 04/30 15:07:27 (0 sec)
NI Time rtrB: 04/30 15:07:27 (0 sec)
NI Time lgrA: 04/30 15:07:27 (0 sec)
NI Time lgrB: 04/30 15:07:27 (0 sec)

CONTROLLER          TIME          HALF-HOUR CHANGE
CCM1_1              04/30 15:02:57 (-4.5 min)  04/30 15:04:32 (+4.5 min)
MRPG_2              04/30 15:02:57 (-4.5 min)  04/30 15:04:32 (+4.5 min)


PERIPHERAL          TIME          HALF-HOUR CHANGE
CCM1_1              04/30 15:07:01 (-26 sec)   04/30 15:04:58 (+4.9 min)
MRPG_1              unknown
MRPG_2              unknown
rttest: _

```


- From your Admin Workstations, choose **Configuration Manager > Outbound Option > System Options**, and verify the **Customer Dialing Time Range** is correct. This is a global variable that affects all dialer calls.



- From your Admin Workstation, choose **Configuration Manager > Outbound Option > Import Rule**, select the appropriate import rule in the left pane, and then click the **Schedule** tab on the right. Verify that the import is either set to **Start import when file is present** or that it is scheduled correctly.



- From your Admin Workstation, choose **Configuration Manager > Outbound Option > Campaign**, choose **Query rule selection** in the right pane, and verify that the start and end times are correct for the query rule.



- Click the **Call Target** tab at the top and verify the time zone settings and that the start and end times are correct for Zone 1, and Zone 2 if you use it.

Campaign General | Campaign Purpose | Query Rule Selection | Skill Group Selection | Call Target

Daylight Savings

Daylight savings Zone: (GMT-5.0) Eastern (US & Canada)

Zone 1

Start 9:00 AM End 5:00 PM

Numbers to dial Available numbers

Phone01
Phone02
Phone03
Phone04
Phone05
Phone06
Phone07
Phone08
Phone09
Phone10

Zone 2

Start 9:00 AM End 5:00 PM

Numbers to dial Available numbers

Phone01
Phone02
Phone03
Phone04
Phone05
Phone06
Phone07
Phone08
Phone09
Phone10

7. Verify that you have agents in the correct skillgroup logged in at the appropriate campaign start time. This is not necessary for IVR based campaigns.
8. Use the ICM script editor in order to verify that the relevant admin script is scheduled and to determine how often it is set to run. Scheduling the admin script that controls outbound every 15 minutes is standard.

If you still need assistance after you complete all of these steps, open a case with the TAC Service Request Tool (registered customers only) .

NetPro Discussion Forums – Featured Conversations

Networking Professionals Connection is a forum for networking professionals to share questions, suggestions, and information about networking solutions, products, and technologies. The featured links are some of the most recent conversations available in this technology.

NetPro Discussion Forums – Featured Conversations for Customer Contact Software

IP Communications and Video: Contact Center

Related Information

- [The Cisco ICM rttest Utility](#)
 - [Basic Operation of the Windows Time Service Microsoft KB Article](#)
 - [Technical Support & Documentation – Cisco Systems](#)
-

[Contacts & Feedback](#) | [Help](#) | [Site Map](#)

© 2007 – 2008 Cisco Systems, Inc. All rights reserved. [Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)

Updated: May 29, 2008

Document ID: 107244
