

CallManager DC Directory and Active Directory – Hide Users

Document ID: 65594

Introduction

Prerequisites

Requirements

Components Used

Conventions

Hide Users in DC Directory

Hide Users in Active Directory 2000

Hide Users in Active Directory 2003

Hide users in DC Directory and Active Directory when synchronising with Cisco Unified

Call Manager 5.x and later

Unhide Users

NetPro Discussion Forums – Featured Conversations

Related Information

Introduction

This document explains how to hide users when you do not want them to appear in the corporate directory. These users can be CTI users, Attendant Console, Cisco Emergency Responder, Cisco Conference Connection, and so forth. The CCMSysUser, CCMAdministrator, and PMASysUser users are already hidden by default.

Prerequisites

Requirements

Cisco recommends that you have knowledge of these topics:

- Cisco CallManager Administration.
- Directory management

Components Used

The information in this document is based on Cisco CallManager 4.x and later.

The information in this document was created from the devices in a specific lab environment. All of the devices used in this document started with a cleared (default) configuration. If your network is live, make sure that you understand the potential impact of any command.

Conventions

Refer to the Cisco Technical Tips Conventions for more information on document conventions.

Hide Users in DC Directory

Note: After you run the script, the user is hidden in the corporate directory *and* the CCMadmin user page. See the Unhide User section of this document in order to add the user back.

Complete these steps in order to hide users in DC Directory:

1. Open Notepad on the publisher server.
2. Cut and paste these four lines and save the file as a text file on the C: drive as **hideuser.ldif**.

Note: The spaces must appear as this output shows. Ensure that there are no extra spaces in the LDIF file. Otherwise, the script fails when you run it.

```
dn: cn=[userid], ou=users, o=cisco.com
changeType:modify
replace:Description
Description:CiscoPrivateUser
```

3. Set the [userid] to be the user you want to hide. For example:

```
dn: cn=ctiuser, ou=users, o=cisco.com
changeType:modify
replace:Description
Description:CiscoPrivateUser
```

4. Choose **Start > Run > cmd** in order to open a command prompt on the publisher server, and run this script in order to set the description field in DC Directory:

```
ldapmodify -h <server name> -p 8404 -D "cn=Directory
Manager,o=cisco.com" -w <DCAdmin Password> -c -f hideuser.ldif.txt
```

This output shows a successful run:

```
C:\>ldapmodify -h CallManagerPub -p 8404 -D
"cn=Directory Manager, o=cisco.com" -w Cisco -c -f hideuser.ldif.txt
modifying entry cn=ctiuser, ou=users, o=cisco.com
```

Hide Users in Active Directory 2000

Use Microsoft Active Directory Service Interfaces (ADSIEdit), available as a part of the Windows 2000 Support Tools, or any other LDAP tool, in order to update the Description field. Add the string **CiscoPrivateUser** to the Description field of the user. If the tool is not available, use this output:

```
dn: cn=[userid], CN=users, dc=[domain], dc=com
changeType: modify
replace: Description
Description: CiscoPrivateUser
```

Save this file on the Active Directory server as **hideuser.ldif**. Then execute **ldifde -I -f hideuser.ldif** on the Active Directory server.

Hide Users in Active Directory 2003

Copy these five lines (note the '-' after the first four lines). In Active Directory 2003, this is required and has changed from Active Directory 2002 into a text file. Replace [userid] with the userid of the user that you need to hide. Replace [domain] with your domain. Save this file on the Active Directory server as **hideuser.ldif**.

```
dn: cn=[userid], CN=users, dc=[domain], dc=com
changeType: modify
replace: Description
Description: CiscoPrivateUser
-
```

Execute **ldifde -i -f hideuser.ldif** on the Active Directory server.

Hide users in DC Directory and Active Directory when synchronising with Cisco Unified Call Manager 5.x and later

Since LDAP integration architecture changed much between Cisco CallManager 4.x and Cisco CallManager 5.x, complete these steps in order to hide a user in Cisco CallManager 5.x.

If your Cisco Unified Communication Manager is Linux based, use these workarounds:

1. The application users do not appear in the corporate directory from the IP Phones. So, for users that you do not want to show up in the Corporate directory, make them as application users. After this, you can delete them from Active Directory or DC directory, if you upgrade to a Linux based Cisco Unified Communication Manager from Cisco CallManager 4.x
2. If you do not want to delete users in the Active Directory or DC Directory, you can also associate the users you want to hide with a different Organizational Unit so that Cisco Unified Communication Manager does not have to deal with them. Then, create new supplementary application users.

Refer to [Configuring an Application User](#) for more information.

If your Cisco Unified Communication Manager is Windows based, use these workarounds:

1. Cisco Unified Communication Manager does not sync users without the LastName attribute in the Active Directory or DC Directory. So you can remove the last name of the user that you want to hide from the Active directory or DC Directory.
2. You can configure access control lists on the Active Directory side in order to prevent the distinguished name to appear in the corporate directory.
3. You can add some special character, such as "[", to the First name or Last name attribute, and re-sync the LDAP. Those users will not appear in the corporate directory.

Unhide Users

In order to unhide the user, the **Description** of the field must be changed to something other than **CiscoPrivateUser**. The procedure to change it is similar to the one you use to hide the user:

• DC Directory:

```
dn: cn=[user], ou=users, o=cisco.com
changeType:modify
replace:Description
Description: PublicUser
```

• Active Directory:

```
dn: cn=[userid], CN=users, dc=[domain], dc=com
changeType: modify
replace: Description
Description: PublicUser
```

Then, re-run the original script.

NetPro Discussion Forums – Featured Conversations

Networking Professionals Connection is a forum for networking professionals to share questions, suggestions, and information about networking solutions, products, and technologies. The featured links are some of the most recent conversations available in this technology.

NetPro Discussion Forums – Featured Conversations for Voice
Service Providers: Voice over IP
Voice & Video: Voice over IP
Voice & Video: IP Telephony
Voice & Video: IP Phone Services for End Users
Voice & Video: Unified Communications
Voice & Video: IP Phone Services for Developers
Voice & Video: General

Related Information

- [Voice Technology Support](#)
- [Voice and IP Communications Product Support](#)
- [Recommended Reading: Troubleshooting Cisco IP Telephony](#)
- [Technical Support & Documentation – Cisco Systems](#)

[Contacts & Feedback](#) | [Help](#) | [Site Map](#)

© 2008 – 2009 Cisco Systems, Inc. All rights reserved. [Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)

Updated: Jan 31, 2006

Document ID: 65594
