



Accessibility Guide for Cisco UC Integration for Microsoft Lync and Cisco Virtualization Experience Media Engine for SUSE Linux Release 9.7

First Published: 2014-04-07

Last Modified: 2014-07-30

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA

<http://www.cisco.com>

Tel: 408 526-4000

800 553-NETS (6387)

Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <http://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

© 2017 Cisco Systems, Inc. All rights reserved.



CONTENTS

CHAPTER 1

[Accessibility Features](#) 1

[Keyboard Navigation](#) 1

[Keyboard Shortcuts](#) 2

[Font Smoothing](#) 3

CHAPTER 2

[Contact for Accessibility Information](#) 5



CHAPTER 1

Accessibility Features

This section contains information about the available accessibility features.

- [Keyboard Navigation, page 1](#)
- [Keyboard Shortcuts, page 2](#)
- [Font Smoothing, page 3](#)

Keyboard Navigation

Press the Tab key and arrow keys to navigate through items on:

- Hub window
- Options window
- Docked window

Press Enter to select items on windows.

Do the following to navigate through the Microsoft Windows menu on the Hub window:

- 1 Press F10 to highlight the **File** menu.
- 2 Press ALT to navigate through the menus.
- 3 Use the arrow keys to navigate through menu items.
- 4 Press Enter to select menu items.

Keyboard Shortcuts

Global Shortcuts

Operation	Keyboard Shortcut
Access the docked window Tip To show the docked window: <ol style="list-style-type: none"> 1 Open the Hub window. 2 Select View > Show docked window. 	CTRL + Shift + ?

Incoming Calls

Operation	Keyboard Shortcut
Answer calls	CTRL + L
Decline calls	CTRL + D
Reply to calls with chat	CTRL + R

Active Calls

Operation	Keyboard Shortcut
End calls	CTRL + K
Enter or exit full screen mode	CTRL + SHIFT + F
Show or hide self-view video	CTRL + SHIFT + B
Mute or unmute your audio	CTRL + Down Arrow
Start or stop video	CTRL + SHIFT + V
Dock or undock the call window	CTRL + ALT + P
Hold or resume calls	CTRL + SHIFT + H
Open or close the keypad	CTRL + SHIFT + K Tip Enter numbers on the keypad with your keyboard.

Font Smoothing

Administrators who install and configure the application can control how font smoothing occurs.

The ForceFontSmoothing parameter specifies if the client or the operating system applies anti-aliasing to text. By default, the client applies anti-aliasing to smooth text.

If you want the operating system to apply anti-aliasing to text, set the parameter in the client configuration as follows:

```
<Policies>  
  <ForceFontSmoothing>false</ForceFontSmoothing>  
</Policies>
```

See the *Administration Guide* for more information.



CHAPTER 2

Contact for Accessibility Information

To request a United States Government Section 508 Voluntary Product Accessibility Template (VPAT), or obtain any other information about accessibility, contact accessibility@cisco.com.

