



CHAPTER 16

Workspace Content

Cisco netManager offers a collection of more than 100 configurable types of workspace content for display in workspace views. Workspace content shows information that is similar to the information found in reports. However workspace content is not interactive, but only displays data. Workspace content shows a quick view of a report. For more information about reports, see [Chapter 14, “Using Full Reports.”](#) For more information on workspaces and workspace views, see [Chapter 15, “Understanding Workspaces.”](#)

You can do the following to workspace content in a workspace view:

- To add content, click **Add content** on the **Workspace Toolbar**. On the Add content to view dialog, you can select multiple types of workspace content, from multiple categories. A preview for the workspace content is displayed at the bottom of the dialog.
- To remove content, go to the menu for that workspace content and select **Close**. Keep in mind that when you remove content, any customizations you have made to it are lost.
- To move workspace content, click on its title bar and drag it to a new space in the workspace view.

Workspace Content Categories

Workspace content is categorized according to the type of information it displays:

- **CPU Utilization**—Displays information pertaining to device and network CPU levels.
- **Custom Performance Monitors**—Displays information pertaining to your custom performance monitors.
- **Device**—Available from the [Device Status Workspace](#). Displays workspace content specific to a single device that is selected from the Device tab. When you change the device-in-context, the content shows data corresponding to the newly selected device.
- **Disk Utilization**—Displays information pertaining to device and network disk levels.
- **Fan Status**—Displays fan status with the last polled time stamp.
- **General**—Displays information on your Cisco netManager settings and diagnostics, as well as device-specific and user-configured details.
- **HomePage**—Available from the [HomeSpace Workspace](#). Displays a summary of device states, devices with ping availability percentages below 50%, and a monitoring dashboard where you can launch topology views and device events of your network.
- **Interface Utilization**—Displays information pertaining to device and network interfaces.
- **Inventory**—Displays network devices and their settings, including actions, monitors, and policies.

- **Memory Utilization**—Displays information pertaining to device and network memory levels.
- **Performance**—Displays information gathered from WMI and SNMP Performance Monitors, regarding your network devices' CPU, disk, interface, and memory utilization; and ping latency and availability.
- **Ping Availability and Response Time**—Displays information pertaining to device ping availability, response time, and packet loss.
- **Power Supply Status**—Displays the device's power supply status with the last polled timestamp.
- **Problem Areas**—Displays troubleshooting content that allows you to investigate network issues.
- **Temperature Status**—Displays the device's temperature status with the last polled timestamp.
- **Threshold.**—Displays information on your network's CPU, disk, interface, and memory utilization, and ping function; at or above a specific threshold.
- **Top 10**—Displays the top devices on your network according to their CPU, disk, interface, and memory utilization; and ping function.

Workspace content is listed multiple times on the Add Content dialog box. For example, Disk Utilization is listed under Disk Utilization, Threshold, Top 10, and Performance categories.

Workspace Content Types

The following is a list of all the workspace content types available in Cisco netManager:

(H) = Home

(D) = Device

CPU Utilization Workspace Content

Table 16-1 CPU Utilization Workspace Content

Content	Description
(H) Last Polled Values (specific CPU)	Shows the CPU utilization for a specific device CPU at the time of the last poll.
(H) All CPUs over 80% Utilization	Lists all network devices with a CPU utilization greater than 80%.
(H) All CPUs over 90% Utilization	Lists all network devices with a CPU utilization greater than 90%.
(H) Top 10 CPUs by Utilization	Lists the top 10 devices based on their current CPU utilization percentage.
(H) Top 20 CPUs by Utilization	Lists the top 20 devices based on their current CPU utilization percentage.
(D) Last 4 hours CPU Utilization (single device)	Details all CPU utilization percentages for one device over the last 4 hours.
(D) Last 8 hours CPU Utilization (single device)	Details all CPU utilization percentages for one device over the last 8 hours.
(D) Last 7 days CPU Utilization (single device)	Details all CPU utilization percentages for one device over the last 7 days.

Table 16-1 CPU Utilization Workspace Content (continued)

(D) Last 30 days CPU Utilization (single device)	Details all CPU utilization percentages for one device over the last 30 days.
(H) Last 4 hours CPU Utilization (specific CPU)	Details a specific CPU's utilization percentages for one device over the last 4 hours.
(H) Last 8 hours CPU Utilization (specific CPU)	Details a specific CPU's utilization percentages for one device over the last 8 hours.
(H) Last 7 days CPU Utilization (specific CPU)	Details a specific CPU's utilization percentages for one device over the last 7 days.
(H) Last 30 days CPU Utilization (specific CPU)	Details a specific CPU's utilization percentages for one device of the last 30 days.

Custom Performance Monitor Workspace Content

Table 16-2 Custom Performance Monitor Workspace Content

Contents	Description
(H) Last Polled Value (specific monitor)	Details information on a specific custom performance monitor at the time of the last poll.
(H) Top 10 with threshold	Lists the top 10 devices by a custom performance monitor threshold.
(H) Top 20 with threshold	Lists the top 20 devices by a custom performance monitor threshold.
(H) Top 20 by specific monitors	Lists the top 20 devices by a specific custom performance monitor.
(D) Last 4 hours (single device)	Details a device's custom performance monitors over the last 4 hours.
(D) Last 8 hours (single device)	Details a device's custom performance monitors over the last 8 hours.
(D) Last 7 days (single device)	Details a device's custom performance monitors over the last 7 days.
(D) Last 30 days (single device)	Details a device's custom performance monitors over the last 30 days.
(H) Last 4 hours (specific monitor)	Details a specific custom performance monitor over the last 4 hours.
(H) Last 8 hours (specific monitor)	Details a specific custom performance monitor over the last 8 hours.
(H) Last 7 days (specific monitor)	Details a specific custom performance monitor over the last 7 days.
(H) Last 30 days (specific monitor)	Details a specific custom performance monitor over the last 30 days.

Device Workspace Content

Table 16-3 Device Workspace Content

Contents	Description
Device chassis summary	Displays description and manufacturer name of chassis.
Fan summary	Displays description and operational status of fans.
Flash Devices summary	Displays description, index, and size of flash devices.
Flash Files summary	Displays the names of flash files on the device.
Interface summary	Displays the description of an interface and its administrative and operational status.
Module summary	Displays description and operational status of modules.
Phone registration summary	Displays the number of Session Initiation Protocol (SIP) and Skinny Client Control Protocol (SCCP) phones that are registered to Cisco Unified CallManager or Cisco Unified CallManager Express.
Power Supply summary	Displays description and operational status of power supply.
Processor summary	Displays description and operational status of processor.
Software Image Information	Displays various details of the software image on the device.
Stack Summary	Displays description and manufacturer name of stack.
Cisco Unified Communications Manager attributes	Displays attributes specific to the Cisco Unified Communications Manager, including host name, description, software version, cluster ID and status.
Cisco Unified Communications Manager Express attributes	Displays attributes specific to the Cisco Unified Communications Manager Express.
Unity port summary	Displays the phone system on each port and its status.
Unity attributes	Displays the version of Cisco Unity on the device and the number of active, active inbound, outbound, and outbound active ports.
Unity Express attributes	Displays attributes specific to the Cisco Unity Express.
Voice gateway registration summary	Displays number of voice gateways registered with a Cisco Unified Communications Manager.
Voice services summary	Displays the status of all voice services associated with this device.
Wireless LWAP channel utilization	Displays a list of interfaces on the access points and their channel utilization.
Wireless LWAP summary	Displays names of lightweight access points and the operational status for a wireless LAN controller.

Disk Utilization Workspace Content

Table 16-4 Disk Utilization Workspace Content

Contents	Description
(D) Last Polled Values (single device)	Shows the disk utilization for all of a device's disks at the time of the last poll.
(H) Last Polled Values (specific disk)	Shows the disk utilization for a specific device disk at the time of the last poll.
(H) All Disks Over 80%	Lists all network devices with a disk utilization greater than 80%.
(H) All Disks Over 90%	Lists all network devices with a disk utilization greater than 90%.
(H) Top 10 Disks by Percent Utilization	Lists the top 10 devices based on their current disk utilization percentage.
(H) Top 20 Disks by Percent Utilization	Lists the top 20 devices based on their current disk utilization percentage.
(H) Top 10 Disks by Free Space	Lists the top 10 devices based on their current free disk space.
(H) Top 20 Disks by Free Space	Lists the top 20 devices based on their current free disk space.
(D) Last 4 hours Disk Utilization (single device)	Details all disk utilization percentages for one device over the last 4 hours.
(D) Last 8 hours Disk Utilization (single device)	Details all disk utilization percentages for one device over the last 8 hours.
(D) Last 7 days Disk Utilization (single device)	Details all disk utilization percentages for one device over the last 7 days.
(D) Last 30 days Disk Utilization (single device)	Details all disk utilization percentages for one device over the last 30 days.
(H) Last 4 hours Disk Utilization (single device)	Details a specific disk's utilization percentages for one device over the last 4 hours.
(H) Last 8 hours Disk Utilization (specific disk)	Details a specific disk's utilization percentages for one device over the last 8 hours.
(H) Last 7 days Disk Utilization (specific disk)	Details a specific disk's utilization percentages for one device over the last 7 days.
(H) Last 30 days Disk Utilization (specific disk)	Details a specific disk's utilization percentages for one device over the last 30 days.
(H) Last 4 hours Disk Free Space (specific disk)	Details a specific disk's free space for one device over the last 4 hours.
(H) Last 8 hours Disk Free Space (specific disk)	Details a specific disk's free space for one device over the last 8 hours.
(H) Last 7 days Disk Free Space (specific disk)	Details a specific disk's free space for one device over the last 7 days.
(H) Last 30 days Disk Free Space (specific disk)	Details a specific disk's free space for one device over the last 30 days.

Fan Status

The Fan Status report displays the fan status on the device with the last polled timestamp.

General Workspace Content

Table 16-5 General Workspace Content

Contents	Description
(D) Device Attributes	Displays a device's attributes configured in Device Properties > Attributes .
(D) Device SNMP Details	Displays a device's SNMP details.
(D) Device Details	Displays a device's details configured in Device Properties > General .
(D) Device Custom Links	Displays any custom links assigned to a device in Device Properties > Custom Links .
(D) Device Dependencies	Shows the state of a device and any devices that are up or down dependent on that device.
(D) Device Active Monitor States	Lists all of a device's Active Monitors and their current state.
(D) Performance Monitor Summary	Displays a polling summary for the device-in-context.
(H) Map View	Displays a smaller version of a network map.
(H) Database Size	Displays a graphical representation of the Cisco netManager database at the time of the last poll.
(H) Custom Links	Displays any custom links that you add to the workspace.
(H) Free Form Text/HTML	Displays any free-form text or HTML code that you add to the workspace.
(H) Web User Activity Log	Displays a log of when a user logs in or out of the web interface, and the actions taken while logged in.
(H) Interface Details	Displays SNMP information reported by a specific network interface.
(H) User Orientation	Displays information regarding the workspaces, and workspace content.

Interface Utilization Workspace Content

Table 16-6 Interface Utilization Workspace Content

Contents	Description
(D) Last Polled Interface (single device)	Shows the interface utilization for all network interfaces at the time of the last poll.
(H) Last Polled Interface (specific interface)	Shows the interface utilization for a specific network interface at the time of the last poll.

Table 16-6 *Interface Utilization Workspace Content (continued)*

(H) All Interfaces over 80% Bandwidth Utilization	Lists all network interfaces with a utilization greater than 80%.
(H) All Interfaces over 90% Bandwidth Utilization	Lists all network interfaces with a utilization greater than 90%.
(H) Top 10 Devices by Bandwidth Utilization	Lists the top 10 devices based on their current interface utilization.
(H) Top 20 Devices by Bandwidth Utilization	Lists the top 20 devices based on their current interface utilization.
(H) Top 10 Devices by Interface Traffic	Lists the top 10 devices based on their current interface traffic.
(H) Top 20 Devices by Interface Traffic	Lists the top 20 devices based on their current interface traffic.
(D) Last 4 hours Interface Utilization (single device)	Details all interface utilization percentages for one device over the last 4 hours.
(D) Last 8 hours Interface Utilization (single device)	Details all interface utilization percentages for one device over the last 8 hours.
(D) Last 7 days Interface Utilization (single device)	Details all interface utilization percentages for one device over the last 7 days.
(D) Last 30 days Interface Utilization (single device)	Details all interface utilization percentages for one device over the last 30 days.
(H) Last 4 hours Interface Utilization (specific interface)	Details a specific interface's utilization for one device over the last 4 hours.
(H) Last 8 hours Interface Utilization (single device)	Details a specific interface's utilization for one device over the last 8 hours.
(H) Last 7 days Interface Utilization (specific interface utilization)	Details a specific interface's utilization for one device over the last 7 days.
(H) Last 30 days Interface Utilization (specific interface utilization)	Details a specific interface's utilization for one device over the last 30 days.

Inventory Workspace Report

Table 16-7 *Inventory Workspace Content*

Contents	Description
(H) Total Devices by Type	Lists all monitored network devices by type and number.
(H) Total Active Monitors by Type	Lists all Active Monitors on the network by type and number.
(H) Total Passive Monitors by Type	Lists all Passive Monitors on the network by type and number.
(H) Total Performance Monitors by Type	Lists all Performance Monitors on the network by type and number.
(H) Total Actions Applied by Type	Lists all Actions on the network by type and number.

Table 16-7 *Inventory Workspace Content*

(H) Total Devices with Specific Attributes	Lists all devices with a specific attribute.
(H) Active Discovery Results	Once an Active Discovery is performed, the results are listed here.

Memory Utilization Workspace Content

Table 16-8 *Memory Utilization Workspace Content*

Contents	Description
(D) Last Polled Memory Utilization (single device)	Shows the memory utilization for all of a device's memory at the time of the last poll.
(H) Last Polled Memory Utilization (specific aspect)	Shows the memory utilization for a specific network device at the time of the last poll.
(H) All Memories over 80% Utilization	Lists all network devices with a memory utilization greater than 80%.
(H) All Memories over 90% Utilization	Lists all network devices with a memory utilization greater than 90%
(H) Top 10 Devices by Memory Utilization	Lists the top 10 devices based on their current memory utilization.
(H) Top 20 Devices by Memory Utilization	Lists the top 20 devices based on their current memory utilization.
(D) Last 4 hours Memory Utilization (single device)	Details all memory utilization percentages for one device over the last 4 hours.
(D) Last 8 hours Memory Utilization (single device)	Details all memory utilization percentages for one device over the last 8 hours.
(D) Last 7 days Memory Utilization (single device)	Details all memory utilization percentages for one device over the last 7 days.
(D) Last 30 days Memory Utilization (single device)	Details all memory utilization percentages for one device over the last 30 days.
(H) Last 4 hours Memory Utilization (specific aspect)	Details a specific memory's utilization for one device over the last 4 hours.
(H) Last 8 hours Memory Utilization (specific aspect)	Details a specific memory's utilization for one device over the last 8 hours.
(H) Last 7 days Memory Utilization (specific aspect)	Details a specific memory's utilization for one device over the last 7 days.
(H) Last 30 days Memory Utilization (specific aspect)	Details a specific memory's utilization for one device over the last 30 days.

Performance - Historic Workspace Content

Table 16-9 Performance - Historic Workspace Content

Contents	Description
(D) Custom Performance Monitor Values (last 4 hours - single device)	Details a device's custom Performance Monitor values over the last 4 hours.
(D) Interface Utilization (last 4 hours - single device)	Details all interface utilization percentages for one device over the last 4 hours.
(D) CPU Utilization (last 4 hours - single device)	Details all CPU utilization percentages for one device over the last 4 hours.
(D) Memory Utilization (last 4 hours - single device)	Details all memory utilization percentages for one device over the last 4 hours.
(D) Disk Utilization (last 4 hours - single device)	Details all disk utilization percentages for one device over the last 4 hours.
(D) Ping Response Time (last 4 hours - single device)	Details all ping response times for device's interfaces over the last 4 hours.
(D) Ping Availability (last 4 hours - single device)	Details all ping availability for a device's interfaces over the last 4 hours.
(H) Interface Traffic (last 4 hours - specific interface)	Details interface traffic for a specific device interface over the last 4 hours.
(H) Custom Performance Monitor Values (last 4 hours - specific monitor)	Details a device's specific custom Performance Monitor values over the last 4 hours.
(H) Interface Utilization (last 4 hours - specific interface)	Details a specific interface's utilization percentages for one device over the last 4 hours.
(H) CPU Utilization (last 4 hours - specific CPU)	Details a specific CPU's utilization percentages for one device over the last 4 hours.
(H) Memory Utilization (last 4 hours - specific memory)	Details a specific memory's utilization percentages for one device over the last 4 hours.
(H) Disk Utilization (last 4 hours - specific disk)	Details a specific disk's utilization percentages for one device over the last 4 hours.

Performance - Last Poll Workspace Content

Table 16-10 Performance - Last Poll Workspace Content

Contents	Description
(D) Custom Performance Monitor Values (single device)	Shows the values for all of a device's custom Performance Monitors at the time of the last poll.
(D) Interface Utilization (single device)	Shows the interface utilization for all of a device's interfaces at the time of the last poll.

Table 16-10 Performance - Last Poll Workspace Content (continued)

(D) CPU Utilization (single device)	Shows the CPU utilization for all of device's CPUs at the time of the last poll.
(D) Memory Utilization (single device)	Shows the memory utilization for all of a device's memory at the time of the last poll.
(D) Disk Utilization (single device)	Shows the disk utilization for all of a device's disks at the time of the last poll.
(H) Custom Performance Monitor Values (specific monitor)	Shows the values for a specific device custom Performance Monitor.
(H) Interface Utilization (specific interface)	Shows the utilization of a specific device interface at the time of the last poll.
(H) CPU Utilization (specific CPU)	Shows the utilization of a specific device CPU at the time of the last poll.
(H) Memory Utilization (specific aspect)	Shows the utilization of a specific device memory at the time of the last poll.
(H) Disk Utilization (specific disk)	Shows the utilization of a specific device disk at the time of the last poll.
(H) Ping Response Time (specific interface)	Shows the ping response time of a specific device interface at the time of the last poll.

Ping Availability and Response Time Workspace Content

Table 16-11 Ping Availability and Response Time Workspace Content

Contents	Description
(D) Last 4 hours (single device)	Shows the ping response time for all of a device's interfaces over the last 4 hours.
(D) Last 8 hours (single device)	Shows the ping response time for all of a device's interfaces over the last 8 hours.
(D) Last 7 days (single device)	Shows the ping response time for all of a device's interfaces over the last 7 days.
(D) Last 30 days (single device)	Shows the ping response time for all of a device's interfaces over the last 30 days.
(D) Last 4 hours (single device)	Shows the ping availability for all of a device's interfaces over the last 4 hours.
(D) Last 8 hours (single device)	Shows the ping availability for all of a device's interfaces over the last 8 hours.
(D) Last 7 days (single device)	Shows the ping availability for all of a device's interfaces over the last 7 days.
(D) Last 30 days (single device)	Shows the ping availability for all of a device's interfaces over the last 30 days.
(H) Last Polled Response Time (specific interface)	Shows the last ping response time of a specific device interface at the time of the last poll.

Table 16-11 Ping Availability and Response Time Workspace Content (continued)

(H) Top 10 by Ping Response Time	Lists the top 10 devices based on their current ping response time.
(H) Top 20 by Ping Response Time	Lists the top 20 devices based on their current ping response time.
(H) Top 10 by Ping Packet Loss	Lists the top 10 devices based on their current ping packet loss.
(H) Top 20 by Ping Packet Loss	Lists the top 20 devices based on their current ping packet loss.
(H) Devices with Ping Response Time over 100msec	Lists all devices with a ping response time greater than 100 msec.
(H) Devices with Ping Response Time over 500msec	Lists all devices with a ping response time greater than 500 msec.
(H) Devices with Ping Packet Loss over 50%	Lists all devices with a ping packet loss greater than 50%.
(H) Devices with Ping Packet Loss over 75%	Lists all devices with a ping packet loss greater than 75%.
(H) Devices with Ping Availability over 75%	Lists all devices with a ping availability greater than 75%.

Power Supply Status

This report displays the device's power supply status with the last polled timestamp.

Problem Areas Workspace Content

Table 16-12 Problem Areas Workspace Content

Contents	Description
(D) Devices with Down Active Monitors	Displays a device's down Active Monitors.
(D) All Down Interfaces	Displays a device's down interfaces.
(D) Tail of State Change Log	Displays the tail (last 10 records) of the State Change Log for a specified device.
(D) Tail of Syslog	Displays the tail (last 10 records) of the Syslog full report for a specified device.
(D) Tail of Windows Event Log	Displays the tail (last 10 records) of the Windows Event Log for a specified device.
(D) Tail of SNMP Trap Log	Displays the tail (last 10 records) of the SNMP Trap Log for a specified device.
(D) Tail of Action Activity Log	Displays the tail (last 10 records) of the Action Activity Log for a specified device.
(D) Tail of Passive Monitor Error Log	Displays the tail (last 10 records) of the Passive Monitor Error Log for a specified device.

Table 16-12 Problem Areas Workspace Content (continued)

(D) Web Alarms	Displays any web alarms fired for a specified device.
(D) Tail of Device Events	Displays the tail (last 10 records) of the Event Log for a specified device.
(H) All Completely Down Devices	Displays down devices for a specified device group.
(H) All Down Interfaces	Displays down interfaces for a specified device group.
(H) Devices with Down Active Monitors	Displays devices with down Active Monitors within a specified device group.
(H) Unacknowledged Devices	Displays unacknowledged devices within a specified device group.
(H) Devices that have fired an Action in the last X hours	Displays devices that have fired an action over the selected time period.
(H) Tail of State Change Log	Displays a tail of the State Change Log for your network.
(H) Summary Counts	Displays a summary of a specified device group.
(H) Tail of Syslog	Displays the tail of the Syslog full report for your network.
(H) Tail of Windows Event Log	Displays the tail of the Windows Event Log for your network.
(H) Tail of SNMP Trap Log	Displays the tail of the SNMP Trap Log for your network.
(H) Tail of Action Activity Log	Displays the tail of the Action Activity Log for your network.
(H) Tail of Passive Monitor Error Log	Displays the tail of the Passive Monitor Error Log for your network.
(H) Map View	Displays a smaller version of a network map.
(H) Device Group Mini Status	Lists all devices in a device group and displays their status by color.
(H) Web Alarms	Shows a snapshot of the most recent web alarms fired on your network.
(H) General Error Log	Displays the tail of the General Error Log for your network.

Temperature Status

This workspace content displays the device's temperature status with the last polled timestamp. The temperature sensor name is a hyperlink that will take you to the Temperature Statistics report.

Threshold Workspace Content

Table 16-13 Threshold Workspace Content

Contents	Description
(H) Ping Response Time	Displays the top devices based on their current ping response time thresholds.
(H) Ping Packet Loss	Displays the top devices based on their current ping packet loss thresholds.

Table 16-13 *Threshold Workspace Content (continued)*

(H) CPU Utilization	Displays the top devices based on their current CPU utilization percentage thresholds.
(H) Memory Utilization	Displays the top devices based on their current memory utilization percentage thresholds.
(H) Disk Utilization	Displays the top devices based on their current disk utilization percentage thresholds.
(H) Disk Free Space	Displays the top devices based on their current disk free space thresholds.
(H) Interface Utilization	Displays the top devices based on their current interface utilization percentage thresholds.
(H) Interface Traffic	Displays the top devices based on their current interface traffic thresholds.
(H) Custom WMI/SNMP	Displays the top devices based on their current custom WMI/SNMP thresholds.
(H) Ping Availability	Displays the top devices based on their current ping availability thresholds.

Configuring Threshold Settings

To configure threshold settings:

-
- Step 1** From the Go menu, select **Configure > Threshold Settings**. The default values are shown for each parameter.
 - Step 2** Enter the new value in the New Value column.
 - Step 3** Click **OK**.
-

Top 10 Workspace Content

Table 16-14 *Top 10 Workspace Content*

Contents	Description
(H) Ping Response Time	Displays the top devices based on their current ping response time.
(H) Ping Packet Loss	Displays the top devices based on their current ping packet loss.
(H) CPU Utilization	Displays the top devices based on their current CPU utilization.
(H) Memory Utilization	Displays the top devices based on their current memory utilization.
(H) Disk Utilization	Displays the top devices based on their current disk utilization.
(H) Disk Free Space	Displays the top devices based on their current disk free space.

Table 16-14 Top 10 Workspace Content (continued)

(H) Interface Utilization	Displays the top devices based on their current interface utilization.
(H) Interface Traffic	Displays the top devices based on their current interface traffic.
(H) Custom WMI/SNMP	Displays the top devices based on their current custom WMI/SNMP.
(H) Ping Availability	Displays the top devices based on their current ping availability.

About the Workspace Content Menu

Each workspace content type has a menu on the right side of its title bar. From the workspace content menu, you can access help, go to the configuration dialog, or close the content. Closing the content removes it from a workspace view. Keep in mind that after you remove workspace content from a workspace, any customization you have made to the workspace content is lost.

Configuring Workspace Content

Workspace contents are designed for customization to fit your own specific display needs. From a workspace content's menu, select **Configure** to bring up its Configuration dialog. On the Configuration dialog, you'll have the chance to do a number of things, including:

- Changing the content title
- Selecting a device or device group for the content
- Changing the height and width of the content
- Changing the width of certain content columns

Moving Workspace Content Within a Workspace

Cisco netManager supports click-and-drag within the web interface. You can move workspace content types from one column of a workspace view to another by selecting it and dragging it to another area of the workspace view. These location changes are saved: workspace content will appear in the same location to which you moved them after you log out from the web interface, or after you move between workspace views.