

Cisco UCS C240 M8 Rack Server



Contents

Product overview	3
Features and benefits	3
Product specifications	4
System requirements	5
Ordering information	5
Warranty information	5
Cisco support	5
Product sustainability	6
Product environmental information	6
Cisco and Partner Services	6
Cisco Capital	6
Learn more	7



The Cisco UCS® C240 M8 Rack Server delivers industry-leading performance and expandability.



Product overview

The 2RU, 2-socket Cisco UCS C240 M8 Rack Server offers I/O flexibility and larger storage capacity. It combines the fastest Intel® processors and is a versatile general-purpose application and infrastructure server delivering leading performance and efficiency for a wide range of workloads, including AI, big-data analytics, databases, collaboration, virtualization, and high-performance computing.

The Cisco UCS C240 M8 Rack Server extends the capabilities of the Cisco UCS rack server portfolio by incorporating Intel Xeon® 6 CPUs. It improves security, performance, and efficiency while helping you achieve your sustainability goals with built-in accelerators such as Intel Trust Domain Extensions (TDX), Intel Data Streaming Accelerator (DSA), Intel QuickAssist Technology (QAT), Intel Advanced Matrix Extensions (AMX), and Intel In-Memory Analytics Accelerator (IAA).

You can deploy the Cisco UCS C-Series Rack Servers as standalone servers or with Cisco Intersight® to simplify administration and management of your server infrastructure, thereby freeing your IT staff to focus on mission-critical and value-added projects.

You are able to decrease server Operating Expenses (OpEx) for power and cooling, management, and maintenance by consolidating older servers onto the latest generation of Cisco UCS C240 M8 Rack Servers.

The Cisco UCS C240 M8 Rack Server, with its large storage capacity and fault tolerance, provides value, performance, and flexibility for both commercial and enterprise customers.

Features and benefits

Table 1. Features and benefits

Feature	Benefit
Intel Xeon 6 Processors	Improved performance with AI-accelerated features and new virtual machine security features
All PCIe Gen5 slots	High-speed I/O
E3.S 1T drive drives	Increased storage capacity at higher speed
Hot-swappable M.2 SATA SSDs	Improved serviceability for boot drives

Product specifications

Table 2. Product specifications for Cisco UCS C240 M8 Rack Server

Item	Specifications
Form factor	2RU rack server
Processors	Up to 2x Intel Xeon 6700P or 6500P processors (1 or 2)
Memory	32 DIMM slots (16 DIMMS per CPU): <ul style="list-style-type: none">• 16, 32, 48, 64, 96, 128, 256GB DDR5 at up to 6400 MT/s for up to 8TB of memory• 32, 64GB MRDIMMs at up to 8000 MT/s
PCIe expansion	Up to 8 PCIe 5.0 slots plus 1 dedicated 24-Gbps RAID controller slot and 1 dedicated mLOM/OCP 3.0 slot
RAID controllers	<ul style="list-style-type: none">• Cisco 24-Gbps modular tri-mode RAID controller supports SAS 4 or NVMe hardware RAID• Cisco 24-Gbps modular tri-mode SAS Host Bus Adapter (HBA)
Internal storage	Backplane options: <ul style="list-style-type: none">• Up to 28 SFF SAS/SATA/U.3 NVMe drives through SAS4 tri-mode RAID or HBA controller, with optional up to eight direct-attach U.2/U.3 NVMe drives• Up to 36 E3.S 1T direct-attach NVMe drives• Up to 16 LFF SAS HDDs plus optional 4 rear SFF HDD/SSDs
mLOM/OCP 3.0	<ul style="list-style-type: none">• One dedicated PCIe Gen5x16 slot that can be used to add an mLOM or OCP 3.0 card for additional rear-panel connectivity• mLOM slot can flexibly accommodate 10/25/5010/25/40, and 40/100/200 100-Gbps Cisco VIC adapters• OCP 3.0 slot features full out-of-band manageability that supports Intel X710 OCP Dual 10GBase-T via mLOM interposer
Power supplies	Hot-pluggable, redundant platinum and titanium options: <ul style="list-style-type: none">• Platinum: 1050W DC and 1600W AC• Titanium: 1200W AC and 2300W AC
Other storage	<ul style="list-style-type: none">• Dedicated Baseboard Management Controller (BMC) FlexMMC for utilities (on board)• Dual M.2 SATA SSDs (internal or hot-swappable) with HW RAID support
GPU	<ul style="list-style-type: none">• Up to three double-wide or eight single-wide GPUs supported
Management	<ul style="list-style-type: none">• Cisco Intersight• Cisco Integrated Management Controller (IMC)
Rack options	Cisco ball-bearing rail kit with optional reversible cable management arm
Hardware and software interoperability	See the Cisco Hardware and Software Interoperability lists for a complete listing of supported operating systems and peripheral options

System requirements

Table 3. System requirements for the Cisco UCS C240 M8 Rack Server

Feature	Description
Cisco IMC	Release 4.3(6) or later

Ordering information

Table 4. Ordering information

Part #	Product description
UCSC-C240-M8SX	C240 M8 2RU standard server with up to 28x SFF drive bays
UCSC-C240-M8E3S	C240 M8 2RU NVMe optimized server with up to 36x E3.S NVMe drive bays
UCSC-C240-M8L	C240 M8 2RU server with up to 16x LFF drive bays

For information about installing or upgrading your server, see the Cisco UCS C240 M8 Server Installation and Service Guide.

For ordering information, see Cisco UCS C240 M8 Rack Server specifications sheet.

Warranty information

The Cisco UCS C240 M8 Rack Server has a three-year, Next-Business-Day (NBD) hardware warranty and a 90-day software warranty.

Cisco support

Augmenting the Cisco Unified Computing System™ (Cisco UCS) warranty, Cisco Smart Net Total Care® and Cisco Solution Support services are part of Cisco's technical services portfolio. Smart Net Total Care combines Cisco's industry-leading and award-winning foundational technical services with an extra level of actionable business intelligence that is delivered to you through the smart capabilities in the Smart Net Total Care portal. Learn more about [Smart Net Total Care](#).

Cisco Solution Support includes both Cisco® product support and solution-level support, resolving complex issues in multivendor environments on average 43 percent more quickly than with product support alone. Cisco Solution Support is a critical element in data-center administration, helping to rapidly resolve any issue encountered while maintaining performance, reliability, and return on investment.

This service centralizes support across your multivendor Cisco environment for both our products and solution partner products that you have deployed in your ecosystem. Whether there is an issue with a Cisco product or with a solution partner product, just call us. Our experts are the primary point of contact and own the case from first call to resolution. Learn more about [Cisco Solution Support](#).

Product sustainability

Information about Cisco’s Environmental, Social, and Governance (ESG) initiatives and performance is provided in Cisco’s CSR and sustainability [reporting](#).

Table 5. Cisco environmental sustainability information

Sustainability Topic		Reference
General	Information on product-material-content laws and regulations	Materials
	Information on electronic waste laws and regulations, including our products, batteries, and packaging	WEEE Compliance
	Information on product takeback and reuse program	Cisco Takeback and Reuse Program
	Sustainability inquiries	Contact: csr_inquiries@cisco.com
Material	Product packaging weight and materials	Contact: environment@cisco.com

Product environmental information

Product environmental information for users per Commission Regulation (EU) 2019/424

Cisco and Partner Services

Cisco and our industry-leading partners deliver services that can accelerate your transition to Cisco Unified Computing System. Cisco Unified Computing Systems Services can help you create an agile infrastructure, accelerate time to value, reduce costs and risks, and maintain availability during deployment and migration. After deployment, our services can help you improve performance, availability, and resiliency as your business needs evolve and help you further mitigate risk. For more information, visit <https://www.cisco.com/go/unifiedcomputingservices>.

Cisco Capital

Flexible payment solutions to help you achieve your objectives

Cisco Capital® makes it easier to get the right technology to achieve your objectives, enable business transformation and help you stay competitive. We can help you reduce the total cost of ownership, conserve capital, and accelerate growth. In more than 100 countries, our flexible payment solutions can help you acquire hardware, software, services and complementary third-party equipment in easy, predictable payments. [Learn more](#).

Learn more

For more information about modernizing your infrastructure with the Cisco UCS C240 M8 Rack Server, refer to the specification sheet. For more information about all Cisco UCS servers, please visit.

<https://www.cisco.com/go/ucs>.

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)