

Contents

[Introduction](#)

[Prerequisites](#)

[Requirements](#)

[Components Used](#)

[Installation](#)

Introduction

This document describes the installation steps for CVVB.

Contributed by Kabeer Noorudeen, Cisco TAC Engineer.

Prerequisites

Requirements

There are no specific requirements for this document.

Components Used


The information in this document is based on CVVB 11.0 Hosted environment.

The information in this document was created from the devices in a specific lab environment. All of the devices used in this document started with a cleared (default) configuration. If your network is live, make sure that you understand the potential impact of any command.


Installation

These are the steps to install CVVB:

Step 1. Boot from the bootable CD for the CVVB. Select the product to be installed.



Step 2. Confirm for the installation of the CVVB.



Step 3. Choose **Proceed** for the platform installation wizard.



Step 4. Choose the right option for patch install, in this example you do not have a patch installation.

Apply Patch

Would you like to apply an upgrade patch as part of this installation?

This option will install the software from the DVD and then prompt you for the location of the additional patch to apply after the system reboots.

Yes

No

Back


Step 5. Click on **Continue** to continue the installation.

Basic Install


This is the "Basic" installation option. This option installs the software version from the DVD and does not use any imported data. It asks for configuration information and then completes the install.

Continue


Step 6. Choose the time zone for installation.




Step 7. Continue with the installation for auto negotiation configuration.



Step 8. Keep the default MTU size.



Step 9. Enter the server details.



Step 10. Enter the DNS details of the server.

DNS Client Configuration

Primary DNS

Secondary DNS (optional)

Domain

Step 11. Enter the user credentials.

Administrator Login Configuration


Enter the Platform administration username and password
Choose Help for username and password guidelines.

Administrator ID


Password

Confirm Password


Step 12. Enter the **Organization** details.



Step 13. Select it as the first node.




Step 14. Capture the correct NTP address.




Step 15. Provide the security password that would be used for clustering.



Step 16. Select **No** if you do not need an SMTP host.



Step 17. Enter the application User Credentials.



Step 18. Complete the installation steps.

Platform Configuration Confirmation

The Platform Configuration is complete.

Select OK to continue or Back to change the configuration.

Warning: Once you select OK, you will no longer be able to modify the Platform Configuration.

OK

Back


Cancel

Step 19. Once the installation is completed, open the CVVB app-admin page <https://<CVVB>/appadmin>

License Information

 Next

Status

 Status : Ready

Click Next to proceed with 60 days demo license or Browse to select other options.

Enter a license or zip file name

License File

Browse...

Next

Step 20. Browse the license that has to be deployed. Once the license is deployed successfully, you see the validation completed message.



Status : Ready

Click Next to proceed with 60 days demo license or Browse to select other options.

Enter a license or zip file name

License File

Browse...

Validating uploaded license file...

Validation completed.

Please click on Next to continue.

Step 21. The components get activated on the CVVB.

Component Activation

Back Next

Status

Components Activation is in progress, please wait.....

Component Name	Status
Cisco Unified Intelligence Center Reporting	Activated
Cisco VVB Config Datastore	Activating...
Cisco VVB Engine	Activating...
Cisco VVB Historical Datastore	Activating...
Cisco VVB Node Manager	Activated
Cisco VVB Repository Datastore	Activating...

Back Next

Step 22. Select the appropriate codec used in the solution.



Cisco Virtualized Voice Browser Administration

For Cisco Unified Communications Solutions

System Parameters Configuration

Back Next

Codec

G711U

G711A

Back

Next



*- indicates required item

Step 23. Define the language configuration as per the solution.

Languages Configuration



Back



Next

Status



Status : Ready

IVR Language Configuration

	Language Group	Group Default
<input type="text" value="English"/>	en_AU	<input type="radio"/>
	en_CA	<input type="radio"/>
	en_GB	<input type="radio"/>
	en_US	<input checked="" type="radio"/>

Back

Next



The system default IVR Language is "en_US". This can be m

Step 24. Once the configuration is completed successfully, the CVVB restarts.

Cisco VVB Setup Result Information

Cisco VVB Setup Status.	Cisco VVB Setup completed.
Cisco Unified SIP Configuration Status.	Cisco Unified SIP Configuration is done.
License Upload Status.	License Upload is done.
Publisher Activation Status.	Publisher Activation is done.
Cisco VVB Historical Datastore	Publisher is Activated
Cisco VVB Repository Datastore	Publisher is Activated
System Parameters update Status.	System Parameter Configuration is done.
Language update Status.	Language Configuration is done.
User configuration Status.	User Configuration is done.
Setup completed. The Cisco VVB Engine is restarting.	



Please close your web browser now!

Step 25. The CVVB is available for configuration.



Cisco Virtualized Voice Browser Administration

For Cisco Unified Communications Solutions

System Applications Subsystems Tools Help

Cisco Virtualized Voice Browser Administration

System version: 11.0.0.95000-390

Copyright © 1999-2014 Cisco Systems, Inc.
All rights reserved

This product contains cryptographic features and is subject to United States and local country laws governing import, export, transfer and use. Do not disclose to unauthorized persons and do not export, transfer or use in violation of applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

A summary of U.S. laws governing Cisco cryptographic products may be found at: <http://www.cisco.com/wwl/export/crypto/tool/stqrg.html>.
If you require further assistance please contact us by sending email to export@cisco.com.