

Profiles and Categories

- Profiles, on page 1
- Categories, on page 2

Profiles

This section describes about how to add, restore, and delete the configuration profile.

Add Configuration Profile

With RTMT, you can customize your monitoring window by monitoring different performance counters and then create your own configuration profiles. You can restore these monitoring windows in a single step rather than opening each window again.

You can switch between different profiles during the same RTMT session or use the configuration profile in subsequent RTMT sessions.

Follow this procedure to create a profile.

Procedure

Step 1	Choose File > Profile .			
	The Preferences dialog box appears.			
Step 2	Click Save.			
	The Save Current Configuration dialog box appears.			
Step 3	In the Configuration name field, enter a name for this particular configuration profile.			
Step 4	In the Configuration description field, enter a description of this particular configuration profile.			
	Note	Profiles apply to all nodes within a cluster, but you cannot save and apply the profile to a different cluster.		
	The sys	stem creates the new configuration profile		

Restore Configuration Profile

Perform the following procedure to restore a profile that you configured:

Procedure

Step 1			
	Choose File > Profile .		
	The Preferences dialog box appears.		
Step 2	Click the profile that you want to restore.		
Step 3	Click Restore.		
	All windows with precanned settings or performance monitoring counters for the restored configuration open.		

Delete Configuration Profile

Perform the following procedure to delete a profile that you configured:

Procedure
Choose File > Profile.
The Preferences dialog box appears.
Click the profile that you want to delete.
Click Delete .
Click Close.

Categories

Add Category

Follow this procedure to add a category.

Procedure

Step 1

Go to the applicable window for your configuration:

Unified Communications Manager	Choose System > Performance > Open Performance
	Monitoring.

L

Unified Communications Manager IM and	Choose System > Performance > Open Performance
Presence Service	Monitoring.
Cisco Unity Connection	Choose System > Performance > Open Performance Monitoring.

Step 2 Choose Edit > Add New Category.

Step 3 Enter the name of the category; click **OK**.

The category tab appears at the bottom of the window.

Related Topics

Delete Category, on page 3 Rename Category, on page 3 Where to Find More Information About Perfmon Counters

Rename Category

To rename a category, perform the following procedure:

	Procedure		
Step 1	Perform one of the following tasks:		
	a) Right-click the category tab that you want to rename and choose Rename Category .		
	b) Click the category tab that you want to rename and choose Edit > Rename Category .		
Step 2	Enter the new name and click OK .		
	The renamed category displays at the bottom of the window.		

Delete Category

To delete a category, perform one of the following tasks:

- Right-click the category tab that you want to delete and choose Remove Category.
- Click the category tab that you want to delete and choose Edit > Remove Category.

I