



Call Type

- [Call Type, on page 1](#)

Call Type

Call types categorize calls. Based on call type, the system maps a dialed number to a routing script that ultimately sends the call to the appropriate destination.

Use the Call Type API to list the call types currently defined in the database, define new call types, and view, edit, or delete records of existing call types.

URL

`https://<server>/unifiedconfig/config/calltype`

Operations

- **get:** Returns one call type, using the URL
`https://<server>/unifiedconfig/config/calltype/<id>`.
- **list:** Retrieves a list of call types.
- **update:** Updates one call type.

Parameters

- **refURL:** The refURL of the call type. See [Shared Parameters](#).
- **name:** The name of the call type. See [Shared Parameters](#).
- **changeStamp:** See [Shared Parameters](#).
- **description:** See [Shared Parameters](#).
- **ccaiConfigID:** Identifier for the Contact Center AI (CCAI) configuration saved in the Control Hub. Used to map the call type with the CCAI configuration. This parameter is available for administrators only when Cloud Connect is added in the inventory.
- **id:** The database id of the call type. Read-only field. Used in scripting.

- **serviceLevelThreshold**: Maximum time in seconds that a caller should wait before being connected with an agent. Leave blank to use the system default.
- **serviceLevelType**: This value indicates how the system calculates the service level.
 - blank: Use the system default.
 - 1: Ignore Abandoned Calls.
 - 2: Abandoned Calls have Negative Impact.
 - 3: Abandoned Calls have Positive Impact.
- **bucketInterval**: A reference to the bucket interval ([Bucket Interval API](#)), including the refURL and name.
- **survey**: Is used to map call type with survey type.

The two Survey types are

1. **Questionnaire Name**: Is used to identify the **Inline Survey** which is Digital Channel (Email and Chat) and Post Call Voice Survey.
2. **Dispatch Id**: Is used to identify **Deferred Survey** which is Post Call Email and SMS Survey.



Note You can associate only one survey to a call type.

The above parameters will be available only if you have added **Cloud Connect** in the Inventory page, and configured **Webex Experience Management** in the system.

Search and Sort Values

The following table shows the parameters that are searched and the parameters that are sortable.

Search parameters	Sort parameters
<ul style="list-style-type: none"> • name • description • id 	<ul style="list-style-type: none"> • name (default) • description • id • serviceLevelThreshold • serviceLevelType

See [Search](#) and [Sort](#).

Example Get Response

```
<callType>
<department>
<refURL>/unifiedconfig/config/department/5001</refURL>
<name>Sales</name>
</department>
```

```
<refURL>/unifiedconfig/config/calltype/(id)</refURL>
<name>test</name>
<description>test call type</description>
<id>5002</id>

<ccaiConfigID>Serviceconfig</ccaiConfigID>
<serviceLevelThreshold>10</serviceLevelThreshold>
<serviceLevelType>1</serviceLevelType>
<changeStamp>0</changeStamp>
<bucketInterval>
<refURL>/unifiedconfig/config/bucketinterval/(id)</refURL>
<name>bucket1</name>
</bucketInterval>
<survey>
<questionnaireName>1d222cb3</questionnaireName>
  OR <dispatchId>115097d3-ea65-432b-b90a-08aa7e5de361</dispatchId>
</survey>
</callType>
```

