



Sample VIM Orchestrator Configuration File

The VIM Orchestrator configuration file dictates the deployment of the VIM Orchestrator (Undercloud). The parameters within the file are derived from a YANG model as described in [AutoDeploy Configuration File Constructs](#).

The file below is an example of a VIM Orchestrator configuration file to bring up a single OSP-D VM on the Ultra M Manager Node within Ultra M deployments based on OSP 10 and that leverage the Hyper-Converged architecture



Caution

This is only a sample configuration file provided solely for your reference. You must create and modify your own configuration file according to the specific needs of your deployment such as:

- Secure-tokens
- NFVI PoP details
- VIM orchestrator details
- Site details
- Networking details
- Service deployment details

```
!! ## FOR CDN SERVER secure-token autonfvi-subscription ## !!
! user      ultra-m-install
! password *****
!
secure-token autonfvi-admin-netconf
user      admin
password *****
!
secure-token autonfvi-oper-netconf
user      oper
password *****
!
secure-token autoit-nfvi-ospd
user      stack
password *****
!
secure-token autoit-nfvi-login
user      ubuntu
password *****
!
secure-token cimc-login
user      admin
```

```

password *****
!
secure-token ssh-baremetal
user    nfvi
password *****
!
nfvi-popd uws-nfvi-pop
deployment-flavor ucs-1-vnf
nfvi-node autoit-nfvi-physical-node
description nfvi-pop
! physical-network-interface [ 00:2c:c8:da:29:4b ]
physical-server-manager ip-address 192.100.3.1
physical-server-manager login-credential cimc-login
!
!
vim-orchd sjc-vim-orch
hostname          sjc-undercloud-AB
domain-name       cisco.com
dns               [ 171.70.168.183 ]
login-credential  autoit-nfvi-ospd
!! ## SATELLITE-SERVER-CONFIG ## !!
satellite-server ip-address 10.23.252.119
satellite-server hostname rh-satellite
satellite-server domain-name cisco.com
satellite-server organization ultram
satellite-server activation-key "openstack 10"
satellite-server pool-id 8a977cf75c0ca9df015d2celcb4d06ab
external-network ip-address 172.25.22.56
external-network netmask 255.255.255.0
provisioning-network ip-address 192.200.0.1
provisioning-network netmask 255.0.0.0
provisioning-network public-vip 192.200.0.2
provisioning-network admin-vip 192.200.0.3
provisioning-network dhcp-ip-range start 192.200.0.101
provisioning-network dhcp-ip-range end 192.200.0.150
provisioning-network inspection-ip-range start 192.200.0.201
provisioning-network inspection-ip-range end 192.200.0.250
network-cidr      192.0.0.0/8
masquerade-network 192.0.0.0/8
nfvi-node         id autoit-nfvi-physical-node
nfvi-node         ip-address 172.25.22.59
nfvi-node         login-credential ssh-baremetal
!! ## CDN SERVER CONFIG ## !! cdn-server login-credential subs cdn-server proxy
proxy-wsa.esl.cisco.com:80 cdn-server pool-id 8a85f9815788809a01578b1e1cbdd2275 ! ##
SUBSCRIPTION MANAGER
! (DEV SETUP) ## !! subscription-manager login-credential autonfvi-subscription
subscription-manager proxy proxy-wsa.esl.cisco.com:80 !
image              /home/ubuntu/rhel-server-7.3-x86_64-dvd.iso
flavor vcpus      16
flavor ram        32768
flavor root-disk  200
flavor ephemeral-disk 0
flavor swap-disk  0
!
sited auto-test-sjc
!auto-it-vim type openstack
!auto-it-vim auth-url http://172.25.22.67:5000/v2.0
!auto-it-vim tenant core
auto-it-nfvi scm-admin autonfvi-admin-netconf
auto-it-nfvi scm-oper autonfvi-oper-netconf
auto-it-nfvi ip-address 172.25.22.60
auto-it-nfvi authentication-info autoit-nfvi-login
nfvi-pop uws-nfvi-pop
vim-orch sjc-vim-orch
!
service-deployment north-east
description "Single site multiple Vnfs ServiceDeployment"
sited auto-test-sjc
site-ref auto-test-sjc
!
!

```