



TrafficInfluence

This resource allows an AF to read all active traffic influence subscriptions for the given AF.

- [OpenAPI, on page 1](#)
- [info, on page 1](#)
- [externalDocs, on page 1](#)
- [security, on page 1](#)
- [servers, on page 2](#)
- [paths, on page 2](#)
- [components, on page 8](#)

OpenAPI

OpenAPI Version: 3.0.0

info

Title: 3gpp-traffic-influence

Version: "1.0.0"

externalDocs

Description: 3GPP TS 29.522 V15.2.0; 5G System; Network Exposure Function Northbound APIs.

URL: 'http://www.3gpp.org/ftp/Specs/archive/29_series/29.522/'

security

- {}

- oAuth2ClientCredentials: []

servers

URL: '{apiRoot}/3gpp-traffic-influence/v1'

Variables:

API Root:

Default: https://example.com

Description: apiRoot as defined in subclause 5.2.4 of 3GPP TS 29.122.

paths

{afld}/subscriptions

Parameters:

- name: afld

In: path

Description: Identifier of the AF

Required/Optional: true

Schema:

Type: string

get:

Summary: read all of the active subscriptions for the AF

Tags:

- TrafficInfluence API SCS/AS level GET Operation

Responses:

'200' OK.

Content:

Application/JSON:

Schema:

Type: array

items:

Reference: '#/components/schemas/TrafficInfluSub'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'
'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'
'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'
'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'
'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'
default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

Method: Post

Summary: Creates a new subscription resource

Tags:

- TrafficInfluence API Subscription level POST Operation

Request Body:

Description: Request to create a new subscription resource

Required/Optional: true

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TrafficInfluSub'

Callbacks:

notificationDestination:

'{request.body#/notificationDestination}':

Method: Post

Request Body: # contents of the callback message

Required/Optional: true

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/EventNotification'

Responses:

'204' No Content (successful notification)

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'
'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'
'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'
'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'
'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

Responses:

'201' Created (Successful creation of subscription)

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TrafficInfluSub'

Headers:

Location:

Description: 'Contains the URI of the newly created resource'

Required/Optional: true

Schema:

Type: string

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

{/afd}/subscriptions/{subscriptionId}

Parameters:

- name: afd

In: path

Description: Identifier of the AF

Required/Optional: true

Schema:

Type: string

- name: subscriptionId

In: path

Description: Identifier of the subscription resource

Required/Optional: true

Schema:

Type: string

get:

Summary: read an active subscriptions for the SCS/AS and the subscription Id

Tags:

- TrafficInfluence API Subscription level GET Operation

Responses:

'200' OK (Successful get the active subscription)

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TrafficInfluSub'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

put:

Summary: Updates/replaces an existing subscription resource

Tags:

- TrafficInfluence API subscription level PUT Operation

Request Body:

Description: Parameters to update/replace the existing subscription

Required/Optional: true

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TrafficInfluSub'

Responses:

'200': OK (Successful update of the subscription)

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TrafficInfluSub'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

patch:

Summary: Updates/replaces an existing subscription resource

Tags:

- TrafficInfluence API subscription level PATCH Operation

Request Body:

Required/Optional: true

Content:

application/merge-patch+json:

Schema:

Reference: '#/components/schemas/TrafficInfluSubPatch'

Responses:

'200' OK. The subscription was modified successfully.

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TrafficInfluSub'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

delete:

Summary: Deletes an already existing subscription

Tags:

- TrafficInfluence API Subscription level DELETE Operation

Responses:

'204' No Content (Successful deletion of the existing subscription)

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

components

securitySchemes

oAuth2ClientCredentials

Type: oauth2

Flows:

clientCredentials:

tokenUrl: '{tokenUrl}'

scopes: {}

schemas

TrafficInfluSub

Type: object

Properties:

afServiceId:

Type: string

Description: Identifies a service on behalf of which the AF is issuing the request.

afAppId:

Type: string

Description: Identifies an application.

afTransId:

Type: string

Description: Identifies an NEF Northbound interface transaction, generated by the AF.

appReloInd:

Type: boolean

Description: Identifies whether an application can be relocated once a location of the application has been selected.

dnn:

Reference: 'TS29571_CommonData.yaml#/components/schemas/Dnn'

snssai:

Reference: 'TS29571_CommonData.yaml#/components/schemas/Snssai'

externalGroupId:

Reference: 'TS29122_CommonData.yaml#/components/schemas/ExternalGroupId'

anyUeInd:

Type: boolean

Description: Identifies whether the AF request applies to any UE. This attribute shall set to "true" if applicable for any UE, otherwise, set to "false".

subscribedEvents:

Type: array

Items:

Reference: '#/components/schemas/SubscribedEvent'

minItems: 1

Description: Identifies the requirement to be notified of the event(s).

gpsi:

Reference: 'TS29571_CommonData.yaml#/components/schemas/Gpsi'

ipv4Addr:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Ipv4Addr'

ipv6Addr:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Ipv6Addr'

macAddr:

Reference: 'TS29571_CommonData.yaml#/components/schemas/macAddr48'

dnaiChgType:

Reference: 'TS29571_CommonData.yaml#/components/schemas/DnaiChangeType'

notificationDestination:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Link'

requestTestNotification:

Type: boolean

Description: Set to true by the SCS/AS to request the NEF to send a test notification as defined in subclause 5.2.5.3. Set to false or omitted otherwise.

websocketNotifConfig:

Reference: 'TS29122_CommonData.yaml#/components/schemas/WebsocketNotifConfig'

self:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Link'

trafficFilters:

Type: array

Items:

Reference: 'TS29122_CommonData.yaml#/components/schemas/FlowInfo'

minItems: 1

Description: Identifies IP packet filters.

ethTrafficFilters:

Type: array

Items:

Reference: 'TS29514_Npcf_PolicyAuthorization.yaml#/components/schemas/EthFlowDescription'

minItems: 1

Description: Identifies Ethernet packet filters.

trafficRoutes:

Type: array

Items:

Reference: 'TS29571_CommonData.yaml#/components/schemas/RouteToLocation'

minItems: 1

Description: Identifies the N6 traffic routing requirement.

tempValidities:

Type: array

Items:

Reference: 'TS29514_Npcf_PolicyAuthorization.yaml#/components/schemas/TemporalValidity'

validGeoZoneIds:

Type: array

Items:

Type: string

minItems: 1

Description: Identifies a geographic zone that the AF request applies only to the traffic of UE(s) located in this specific zone.

suppFeat:

Reference: 'TS29571_CommonData.yaml#/components/schemas/SupportedFeatures'

allof:

- oneOf:
- required: [afAppId]
- required: [trafficFilters]
- required: [ethTrafficFilters]
- oneOf:
- required: [ipv4Addr]
- required: [ipv6Addr]

- required: [macAddr]
 - required: [gpsI]
 - required: [externalGroupId]
 - required: [anyUeInd]
- anyOf:**
- not:
- Required:** [subscribedEvents]
- required: [notificationDestination]

TrafficInfluSubPatch

Type: object

Properties:

appReloInd:

Type: boolean

Description: Identifies whether an application can be relocated once a location of the application has been selected.

nullable: true

trafficFilters:

Type: array

Items:

Reference: 'TS29122_CommonData.yaml#/components/schemas/FlowInfo'

minItems: 1

Description: Identifies IP packet filters.

ethTrafficFilters:

Type: array

Items:

Reference: 'TS29514_Npcf_PolicyAuthorization.yaml#/components/schemas/EthFlowDescription'

minItems: 1

Description: Identifies Ethernet packet filters.

trafficRoutes:

Type: array

Items:

Reference: 'TS29571_CommonData.yaml#/components/schemas/RouteToLocation'

minItems: 1

Description: Identifies the N6 traffic routing requirement.

tempValidities:**Type:** array**Items:****Reference:** 'TS29514_Npcf_PolicyAuthorization.yaml#/components/schemas/TemporalValidity'**minItems:** 1**nullable:** true**validGeoZoneIds:****Type:** array**Items:****Type:** string**minItems:** 1**Description:** Identifies a geographic zone that the AF request applies only to the traffic of UE(s) located in this specific zone.**nullable:** true**EventNotification****Type:** object**Properties:****afTransId:****Type:** string**Description:** Identifies an NEF Northbound interface transaction, generated by the AF.**dnaiChgType:****Reference:** 'TS29571_CommonData.yaml#/components/schemas/DnaiChangeType'**sourceTrafficRoute:****Reference:** 'TS29571_CommonData.yaml#/components/schemas/RouteToLocation'**subscribedEvent:****Reference:** '#/components/schemas/SubscribedEvent'**targetTrafficRoute:****Reference:** 'TS29571_CommonData.yaml#/components/schemas/RouteToLoaction'**gpsi:****Reference:** 'TS29571_CommonData.yaml#/components/schemas/Gpsi'**srcUeIpv4Addr:****Reference:** 'TS29122_CommonData.yaml#/components/schemas/Ipv4Addr'**srcUeIpv6Prefix:****Reference:** 'TS29571_CommonData.yaml#/components/schemas/Ipv6Prefix'

tgtUeIpv4Addr:**Reference:** 'TS29122_CommonData.yaml#/components/schemas/Ipv4Addr'**tgtUeIpv6Prefix:****Reference:** 'TS29571_CommonData.yaml#/components/schemas/Ipv6Prefix'**ueMac:****Reference:** 'TS29571_CommonData.yaml#/components/schemas/MacAddr48'**Required:**

- dnaiChgType
- subscribedEvent

SubscribedEvent**anyOf:**

- type: string

Possible values are

- CHANGE_OF_DNAI: The AF requests to be notified when the UP path changes for the PDU session.

